

## Annex 1 – Author biographies <sup>(1)</sup>

### Jeroen Aerts

Institute for Environmental Studies (IVM)  
Vrije Universiteit Amsterdam  
De Boelelaan 1087  
1081 HV Amsterdam  
The Netherlands  
e-mail: jeroen.aerts@ivm.vu.nl

Jeroen Aerts is a professor in the area of risk management, climate change and water resources management. His research activities include a vast number of international climate and water resources and risk management projects in global river basins and coastal cities. These projects mainly focus on water related to issues as disaster management, insurance arrangements, poverty and vulnerability reduction, decision analyses and risk management strategies. He is coordinator of the adaptation and research program as part of the Dutch 'Climate changes Spatial Planning' initiative and co-founder of the connecting delta cities network.

### Maria Albin

Lund University  
Faculty of Medicine  
Box 117  
221 00 Lund  
Sweden  
e-mail: Maria.Albin@med.lu.se

Maria Albin is associate professor with the Section of Occupational and Environmental Medicine, Department of Laboratory Medicine, and also senior consultant at Skåne University Hospital. She coordinates the excellence centre METALUND, focused on the effects of different environmental factors on diseases and disorders of major concern for public health. Her research interests are directed towards occupational epidemiology, at the crossroads with toxicology, and towards environmental epidemiology (traffic noise, airways disease, green environments).

### Mikael Skou Andersen

European Environment Agency  
Kongens Nytorv 6  
1050 Copenhagen K  
Denmark  
Tel. +45 33 36 71 00  
e-mail: Mikael.SkouAndersen@eea.europa.eu

Mikael Skou Andersen is an environmental economist and policy analyst of the European Environment Agency. He is also for more than 10 years a professor in Environmental Policy Analysis at Aarhus University, Denmark, from where he is currently on leave. He has covered a broad field of environmental research with special emphasis on economic instruments, external costs of pollution and EU environmental policy.

### Iulie Aslaksen

Statistics Norway  
P.O. Box 8131 Dep.  
0033 Oslo, Norway  
e-mail: iulie.aslaksen@ssb.no

Iulie Aslaksen is an ecological economist and senior researcher in the Research Department of Statistics Norway since 1981. Her fields of expertise include ecological economics, biodiversity policy, sustainable development indicators, precautionary perspectives, and connecting ecological and feminist economics. She has recently been project leader for an interdisciplinary project on sustainable development indicators (SDI) in the context of the precautionary principle.

### Anders Baun

Technical University of Denmark  
Department of Environmental Engineering  
Miljoevej, building 113  
2800 Kgs. Lyngby  
Denmark  
e-mail: abau@env.dtu.dk

<sup>(1)</sup> The views expressed in the chapters are those of the authors and do not necessarily reflect those of the institutions where they work.

Anders Baun is a professor in risk assessment of nanomaterials and head of innovation at the Department of Environmental Engineering, Technical University of Denmark (DTU). His main research area is environmental risk assessment of nanomaterials. He has been the project manager at DTU for several research projects receiving both national and international funding, e.g. the EU FP7 projects NanoImpactNet and Engineered Nanoparticles — Review of Health and Environmental Safety (ENRHES).

#### **Constanța Belchior**

European Environment Agency  
Kongens Nytorv 6  
1050 Copenhagen K  
Tel. +45 3343 5920  
e-mail: constanca.belchior@eea.europa.eu

Constanța Belchior is a marine biologist of the European Environment Agency responsible for European marine indicators and management of marine data flows. Prior to this position she has been involved in strategic environmental assessments of public policies in Portugal, namely of the Portuguese Maritime Spatial Plan, and in assessing the impacts of socio-economic factors on the ecological status of coastal and marine ecosystems at the University of Sao Paulo, Brazil.

#### **Henk van den Berg**

Laboratory of Entomology  
Wageningen University  
Timmerhout 13, 6846EC  
Arnhem  
The Netherlands  
e-mail: henk.vandenberg@wur.nl

Henk van den Berg is a visiting senior scientist and independent research professional at Wageningen University, Netherlands. He also serves as a consultant for various UN organisations on matters related to pesticide management and disease vector control. Dr van den Berg has 25 years of professional experience in integrated pest and vector management with positions in research, project coordination, project development, evaluation, training development and education.

#### **Lisa A. Bero**

Department of Clinical Pharmacy  
Institute for Health Policy Studies  
Center for Tobacco Control Research and Education  
University of California  
3333 California Street  
Box 0613  
San Francisco, CA 94143-0613

United States  
e-mail: berol@pharmacy.ucsf.edu

Lisa A. Bero, Professor of Clinical Pharmacy and Health Policy at the University of California, San Francisco is a pharmacologist with primary interests in how clinical and basic sciences are translated into clinical practice and health policy. She has developed and validated methods for assessing bias in the design, conduct and publication of scientific research and measures influences on the quality of research, including university-industry relations. Dr Bero has also conducted analyses to examine the dissemination and policy implications of research evidence. This includes examining how evidence is used by regulators and legislators, and how it is covered in the lay press.

#### **Keith Beven**

Centre for Sustainable Water Management  
Lancaster Environment Centre  
Lancaster University  
Lancaster  
LA1 4AP  
United Kingdom  
e-mail: k.beven@lancaster.ac.uk

Keith Beven is Distinguished Professor of Hydrology at Lancaster University and visiting professor at Uppsala University and EPFL, Lausanne. He is well known for his work in distributed rainfall-runoff modelling, including the development of TOPMODEL. He is the instigator of the Generalised Likelihood Uncertainty Estimation (GLUE) methodology. Professor Beven is one of the most highly cited hydrologists and recipient of awards from the American Geophysical Union, European Geosciences Union and International Association of Hydrological Sciences.

#### **Eula Bingham**

Professor Emerita  
University of Cincinnati College of Medicine  
3547 Herschel View  
Cincinnati, OH 45208  
USA  
e-mail: eula.bingham@uc.edu

Eula Bingham began her career at the University of Cincinnati School of Medicine in 1961 as a researcher who did pioneering work on chemical carcinogens. She served as a scientific and policy advisor for the National Institute for Occupational Safety and Health from 1972 to 1976, in the Department of Labor as an advisor on coke oven emissions and carcinogens (1973–1975), in the National Academy of Sciences' Lead in Paint Commission (1974–1975), in the Food

and Drug Administration and in the Environmental Protection Agency (1976–1977). President Jimmy Carter appointed her Director of OSHA, and she served through his administration. She later served as Vice President and University Dean for Graduate Studies and Research at the University of Cincinnati (1982–1990), and as a distinguished professor of environmental health at the University of Cincinnati.

#### **Riana Bornman**

Department of Urology and University of Pretoria  
Centre for Sustainable Malaria Control  
University of Pretoria  
Pretoria  
South Africa  
e-mail: mbornman@medic.up.ac.za

Prof Riana Bornman is an extraordinary professor and head of Andrology in the Department of Urology as well as an extraordinary professor in Environmental Health at the School of Health Systems and Public Health at University of Pretoria, South Africa. Prof Bornman's area of expertise centres on the adverse health effects of the use of DDT as a pesticide. Since 2008 Prof Bornman has acted as temporary adviser to the Stockholm Convention on Persistent Organic Pollutants (WHO/UNEP) and to the World Health Organization (WHO) Consultation on DDT Hazard Assessment. She is a Working Member of the Group of the UNEP/WHO effort to update the endocrine disrupter chemical (EDC) document of 2002.

#### **Henk Bouwman**

Environmental Sciences and Development  
North-West University  
Private Bag X6001  
Potchefstroom 2520  
South Africa  
e-mail: Henk.Bouwman@nwu.ac.za

Henk Bouwman is a professor of zoology at North-West University, South Africa. His main research interests are malaria insecticides, environmental pollution and effects, persistent organic pollutants (POPs), and bird ecology. He is part of an international team of scientists conducting research on the possible hazards of DDT when used indoors for controlling malaria. He is also investigating crocodile deaths. Prof Bouwman is also panel member for chemicals of the Scientific and Technical Advisory Panel (STAP) of the Global Environment Facility (GEF).

#### **Diana M. Bowman**

University of Michigan  
School of Public Health

1415 Washington Heights  
Ann Arbor, Michigan 48109-2029  
USA  
e-mail: dibowman@umich.edu

Diana M Bowman is an Assistant Professor in the Risk Science Centre and the Department of Health Management and Policy, School of Public Health, the University of Michigan. With a background in both science and law, Bowman's research has primarily focused on legal, regulatory and public health dimensions of new technologies such as nanotechnologies. She is a member of the Australian Government's National Enabling Technology Strategy's Expert Forum, and is admitted to practice as a Barrister and Solicitor of the Supreme Court of Victoria (Australia).

#### **Sarah Brunel**

OEPP/EPPO  
21 Bld Richard Lenoir  
75011 Paris, France  
e-mail: brunel@epo.fr

Sarah Brunel is an agronomist presently scientific officer for the European and Mediterranean Plant Protection Organization. She has worked for 10 years in the field of biological invasions, and also developed expertise in pest risk analysis and risk modelling. She is also a member of the Invasive Species Specialist Group (ISSG) of the International Union for Conservation of Nature (IUCN).

#### **Michael Carlberg**

Department of Oncology  
University Hospital  
701 85 Örebro  
Sweden  
e-mail: michael.carlberg@orebroll.se;  
michaelrita@yahoo.se

Michael Carlberg obtained his MSc in Statistics in 1997 and has since then worked as a statistician at the University Hospital in Örebro, Sweden. He has been working together with Lennart Hardell on several projects over the years and has been a co-author of 50 peer-reviewed publications including recent studies of cellular and cordless telephones and the risk for brain tumours.

#### **Argelia Castaño**

Environmental Toxicology  
Instituto de Salud Carlos III  
C/Sinesio Delgado, 4  
28029 Madrid  
Spain  
e-mail: castano@isciii.es

Dr Argelia Castaño holds a PhD in Biological Sciences (Toxicology) and is head of the Environmental Toxicology Department at the National Center for Environmental Health (CNSA), Institute of Health Carlos III, Spain. Dr Castaño is former member of ECVAM (European Center of Validation of Alternative Methods) Scientific Advisory Committee (ESAC-ECVAM) European Commission (2002-2009). She is responsible for the national Spanish Human Biomonitoring program 'Bioambient' funded by the Ministry of Environment, Rural and Marine Affairs and work package leader (WP3) of the European Union project COPHES, which establishes a uniform protocol for European Human Biomonitoring, and National Focal Point for Spain for DEMOCOPHES which implements the COPHES protocol in 17 EU Member States. Dr Castaño is also a member of the Spanish delegation to the UNEP Intergovernmental Committee for global legally binding instrument for mercury.

#### **Barry Castleman**

Environmental Consultant  
P.O. Box 188  
Garrett Park, Maryland 20896  
USA  
e-mail: barry.castleman@gmail.com

Barry Castleman has degrees in chemical engineering (BES) and environmental engineering (MSE) from the Johns Hopkins University, and a doctorate (ScD) from the Johns Hopkins School of Public Health. He works on the regulation of toxic chemicals in the workplace and the environment. As an independent consultant he has worked with public interest groups around the world over the past 30 years on the control of asbestos and chemical hazards.

#### **David Owain Clubb**

RenewableUK Cymru  
22 Cathedral Road  
Cardiff CF11 9LJ  
Wales  
United Kingdom  
e-mail: david.clubb@renewableuk.com

David Owain Clubb is Director of RenewableUK – Cymru and former renewable energy project manager at the European Environment Agency. As a Chartered Physicist, an engineer and an environmental economist he is interested in all aspects of the environment and energy. He works on the environmental impacts of renewable energy, as well as energy externalities and economics, climate change adaptation and cross-sectoral analyses.

#### **Charlie Clutterbuck**

Charlie Clutterbuck  
10 Mayville Road  
Brierfield, Nelson  
Lancashire BB9 5RP  
United Kingdom  
Email: charlie@epaw.co.uk

Charlie Clutterbuck is a Research Fellow in Food Policy at City University. Having graduated with three degrees in agricultural science, he worked in the 1970s for British Society for Social Responsibility in Science working on improving public engagement with reduction in pollution at work, in the environment and food. He founded Hazards Bulletin (now Hazards) in the mid-1970s and worked for twenty years as a Senior Lecturer in trade union education at Blackburn College, Lancashire, focussing on the work environment. For over ten years, he has run his own business developing web-based learning materials to encourage people at work to improve health and the environment.

#### **Carl Cranor**

University of California, Riverside  
900 University Avenue  
Riverside, CA 92521  
United States  
e-mail: carl.cranor@ucr.edu

Carl Cranor is a distinguished professor of Philosophy and a faculty member of the Environmental Toxicology Graduate Program at the University of California. His generic research interests are in legal and moral philosophy. For more than 25 years he has focused on philosophic issues concerning risks, science and the law, writing on the regulation of carcinogens and developmental toxicants, the use of scientific evidence in legal decisions, the idea of acceptable risks, protection of susceptible populations, and how society might approach the regulation of new technologies and toxicants.

#### **Paul Dorfman**

Warwick Business School  
University of Warwick  
Coventry CV4 7AL  
United Kingdom  
Tel: +44 07972 385303  
e-mail: Paul.Dorfman@wbs.ac.uk

Dr Dorfman is a senior researcher at the University of Warwick and Energy Policy Research Fellow, Joseph Rowntree Charitable Trust UK. He is founding coordinator of Nuclear Consulting Group (NCG), comprising leading UK academics and

experts, and former co-secretary to the Committee Examining Radiation Risks from Internal Emitters (CERRIE).

#### **Eladio Fernández-Galiano**

Biological Diversity Unit  
Council of Europe/Conseil de l'Europe  
67075 Strasbourg Cedex France  
e-mail: eladio.fernandez-galiano@coe.int

Eladio Fernández-Galiano is a biologist, former lecturer in Ecology at the Universidad Autónoma de Madrid and presently Head of the Biodiversity Unit at the Council of Europe. He has been in charge of the Bern Convention on Conservation of European Wildlife and Natural Habitats since 1985.

#### **Gary Fooks**

University of Bath  
Claverton Down  
Bath  
BA2 7AY  
United Kingdom  
Tel: +44 (0)1225 386 448  
e-mail: G.Fooks@bath.ac.uk

Gary Fooks is a research fellow in Public Health at the University of Bath funded by the US National Institutes of Health. His research interests concern the relationship between corporate activity and social harm. He has previously carried out research on the effects of corporate power on financial regulation and is currently exploring the impact of innovative forms of corporate political activity on public health policy.

#### **Aleksandra Fucic**

Institute for Medical Research and Occupational Health  
2 Ksaverska cesta  
POB 291  
10001 Zagreb  
Croatia  
e-mail: afucic@imi.hr

Dr. Fucic is a Scientific Advisor at the Institute for Medical Research and Occupational Health in Zagreb with 25 years of research experience in genotoxicology and biodosimetry. Her main scientific interests are genome damage of subjects occupationally or environmentally exposed to chemical and physical agents and development of animal models for genotoxicology testing of transplacental and prepubertal period.

#### **Silvio Funtowicz**

University of Bergen  
Centre for the Study of the Sciences and the Humanities, SVT  
Allegaten 34 — Postboks 7805  
5020 Bergen,  
Norway  
e-mail: silvio.funtowicz@svt.uib.no

Silvio Funtowicz is now a professor at the Centre for the Study of the Sciences and the Humanities of the University of Bergen, Norway. He taught mathematics, logic and research methodology in Buenos Aires, Argentina. During the 1980's he was a research fellow at the University of Leeds, England. Since early 1990s, until his retirement in 2011, he was a member of the European Commission — Joint Research Centre (EC-JRC). He has authored publications on post-normal science and the book *Uncertainty and Quality in Science for Policy* in collaboration with Jerry Ravetz, and numerous papers in the field of environmental and technological risks and policy-related research.

#### **David Gee**

European Environment Agency  
Kongens Nytorv 6  
1050 Copenhagen K  
Denmark  
Tel.: + 45 33 36 71 00  
e-mail: David.Gee@eea.europa.eu

David Gee graduated in economics and politics but has been working at the interface of science, economics, production and policy-making, within occupational and environmental health, since 1974, for trade unions and non-governmental organisations. He is a former Director of Friends of the Earth, in the UK. Since 1995 he has worked with the European Environment Agency on science, policy and emerging issues. Among many other projects David has been the catalyst, EEA editor and a chapters author for the two volumes of *Late lessons from early warnings* published by the EEA (2001 and 2013).

#### **Piero Genovesi**

ISPRA (Institute for Environmental Protection and Research)  
Via Vitaliano Brancati 48  
00144 Roma  
Italy  
e-mail: piero.genovesi@isprambiente.it

Piero Genovesi is a senior conservation officer at ISPRA (Italian Protection and Research for the environment) and chairs the IUCN SSC Invasive



Species Specialist Group since 2009. He coordinated several research projects on the management of invasive species, patterns of invasions of mammals, the economics of biological invasions. He collaborates closely with many institutions including the Italian Ministry of Environment, the European Commission and the Convention on Biological Diversity to develop guidelines and policies on the management of alien species.

**Andreas Gies**

Federal Environment Agency  
Dept. Environmental Hygiene  
Corrensplatz 1  
14195 Berlin  
Germany  
e-mail: andreas.gies@uba.de

Andreas Gies has been working at the Federal Environment Agency in Berlin since 1988. Currently Dr Gies is head of the Department of Environmental Hygiene and also head of the WHO Collaborating Centre for Air Quality Management and Air Pollution Control at the Federal Environment Agency. Dr. Gies studied biology and chemistry at Free University of Berlin. He received a Master's degree on 'Biochemistry of the aging brain' and a doctorate on invertebrate muscle physiology. His research areas are human biomonitoring, assessment of health effects of environmental pollutants and exposure analysis. Andreas Gies is editor of *Chemosphere – Environmental Toxicology and Risk Assessment*.

**Anna Gilmore**

University for Bath  
Department for Health  
Bath, BA2 7AY  
United Kingdom  
e-mail: A.Gilmore@bath.ac.uk

Anna B. Gilmore is professor of Public Health and Director of the Tobacco Control Research Group at University of Bath. Her current research includes evaluating the impacts of policy interventions on health and health behaviours as well as corporate influence on health and policy.

**Philippe Grandjean**

Institute of Public Health  
University of Southern Denmark  
J. B. Winslowsvej 17  
5000 Odense  
Denmark  
Tel: +45 6550 3769  
e-mail: pgrand@sdu.dk

Dr. Grandjean is chair of Environmental Medicine, University of Southern Denmark, Denmark, and Adjunct Professor of Environmental Health at Harvard School of Public Health. He is Editor-in-Chief of the journal *Environmental Health* and member of several editorial boards of scientific journals. His research is mainly within the environmental epidemiology of developmental toxicity due to environmental chemicals. The results on neurotoxicity in children with prenatal methylmercury exposure helped inspire international efforts to control mercury pollution. Dr. Grandjean has also published on research ethics, genetic susceptibility, the setting of exposure limits, and the impact of the precautionary principle on prevention and research.

**Hartmut Grassl**

Max Planck Institute for Meteorology  
Bundesstrasse 53  
20146 Hamburg  
Germany  
e-mail: hartmut.grassl@zmaw.de

Prof. Hartmut Grassl is former director of the 'Climate Processes' division at the Max-Planck-Institute for Meteorology in Hamburg and professor emeritus of meteorology at the University of Hamburg. Since 2000 he has been a member of the European Space Agency's Earth Science Advisory Committee (ESAC) and its chair from 2003 until 2006. He served as the director of the Geneva-based World Climate Research Programme (1994–1999) and contributed to the Intergovernmental Panel on Climate Change, IPCC (1988–1994). His research fields include observing the earth from space, climate and aerosols as well as remote sensing of the lower atmosphere by applying lidar and radar methods.

**Tee L. Guidotti**

Medical Advisory Services, Inc.  
P.O. Box 7479  
Gaithersburg MD 20898-7479  
United States  
e-mail: tee.guidotti@gmail.com

Tee Guidotti, MD, PHP, DABT, is Vice President for Health, Safety, Environment, and Sustainability associated with Medical Advisory Services, Rockville, Maryland, USA. Dr Guidotti is an international consultant and physician certified as a specialist in internal medicine, lung diseases and occupational medicine. His primary research interests are air quality, inhalation toxicology and occupational and environmental lung diseases. In

recent years his work has also been directed toward policy and sustainability studies.

#### **Nigel Haigh**

e-mail: nhaigh@btinternet.com

Nigel Haigh is Honorary Fellow and a former Director of the Institute for European Environment Policy. He is an authority on the development and impact of EU environmental policy. He was a Board member of the Environment Agency of England and Wales when it was created in 1985, and was nominated by the European Parliament to the Management Board of the European Environment Agency from 2000 to 2005.

#### **Steffen Foss Hansen**

Technical University of Denmark  
Department of Environmental Engineering  
Miljoevej, building 113  
2800 Kgs. Lyngby  
Denmark  
e-mail: sfh@env.dtu.dk

Steffen Foss Hansen is a senior researcher at the Technical University of Denmark, Department of Environmental Engineering and NanoDTU Environment & Health. He conducts research into risk analysis, regulation and governance of nanotechnologies, and the applicability of decision-making tools under uncertainty. He is and has been actively involved in the expert advisory group on nanotechnology of the World Health Organization as well as the European Commission's REACH Implementation Projects on Substance identification, Hazard identification and Risk characterization of Nanomaterials.

#### **Masazumi Harada**

Department of Social Welfare Studies  
Kumamoto Gakuen University  
Japan

Masazumi Harada, MD, PhD, graduated from Kumamoto University School of Medicine. While working as a psychiatrist, he was involved in the study of Minamata disease throughout his career and is the author of the book 'Minamata disease' which gives a thorough account of the incident from the first outbreak to lawsuits. Professor Harada testified frequently in the Minamata disease court cases as well as in other environmental and occupational disease cases. His research areas include the congenital Minamata disease, fetal toxicology, environmental and occupational toxicology and epidemiology. Dr. Harada sadly passed away in June 2012.

#### **Lennart Hardell**

Department of Oncology  
University Hospital  
701 85 Örebro  
Sweden  
Tel: + 46 19 602 10 00  
e-mail: lennart.hardell@orebroll.se

Lennart Hardell is professor in oncology and cancer epidemiology at the University Hospital in Örebro, Sweden. Most of his research has been on risk factors for cancer such as exposure to pesticides and persistent organic pollutants. Examples of such agents are herbicides, dioxins, PCBs and brominated flame-retardants. During recent years he has studied use of cellular and cordless telephones and the risk for brain tumours.

#### **Jack A. Heinemann**

Centre for Integrated Research in Biosafety (INBI)  
School of Biological Sciences  
University of Canterbury  
Christchurch  
New Zealand  
e-mail: jack.heinemann@canterbury.ac.nz

Jack Heinemann is a professor of genetics and molecular biology in the School of Biological Sciences and director of the Centre for Integrated Research in Biosafety at the University of Canterbury, Christchurch, New Zealand since 1994. He is a recipient of the ICAAC Young Investigator Award from the American Society for Microbiology (ASM) and the New Zealand Association of Scientists Research Medal. He has served the Secretariat for the Convention of Biodiversity on the Ad Hoc Technical Expert Group on Risk Assessment and Risk Management under the Cartagena Protocol on Biosafety.

#### **Vernon H. Heywood**

University of Reading  
Centre for Plant Diversity & Systematics  
School of Biological Sciences  
Whiteknights  
Reading RG6 6AS  
United Kingdom  
e-mail: v.h.heywood@reading.ac.uk/  
vhheywood@btinternet.com

Vernon H. Heywood is professor emeritus at the University of Reading, UK. He is an authority on biodiversity, plant systematics and conservation and the conservation role of botanic gardens and has extensive experience of conservation problems in many parts of the world. He is currently concerned

with developing strategies for the conservation of germplasm of wild species, including wild relatives of crop plants and medicinal and aromatic plants, the effects of global change in Europe and the Mediterranean and its impacts on biological invasions. He coordinated and edited the UNEP Global Biodiversity Assessment, and has advised governments, ministries and universities and NGOs in many part so the world.

#### **Sybille van den Hove**

Median SCP  
Passeig Pintor Romero, 8  
08197 Valldoreix (Barcelona)  
Spain  
e-mail: sybille@median-web.eu

Sybille van den Hove is Director and Partner of MEDIAN SCP and visiting professor at the Institute for Environmental Science and Technology (ICTA) of the Autonomous University of Barcelona. Dr. van den Hove also serves as chairman of the scientific committee of the European Environment Agency. Her core expertise is in sustainability governance; science-policy interfaces; decision-making and policy formation under conditions of complexity; integration of natural and social sciences research; environmental research strategies; and corporate environmental responsibility. Her recent work has focused on biodiversity and climate change policies at international and EU levels.

#### **James Huff**

National Institute of Environmental Health Sciences  
Research Triangle Park  
North Carolina 27709  
USA  
e-mail: huff1@niehs.nih.gov

James Huff, PhD, is a staff scientist at the National Institute of Environmental Health Sciences (NIEHS), US, with expertise in chemical carcinogenesis and identifying environmental carcinogens. Before joining the National Toxicology Program to further develop and coordinate the carcinogenesis bioassay programme, Dr Huff was Chief of the International Agency for Research on Cancer (IARC) Monographs Program. His major research interests center on chemical carcinogenesis and their possible impact on environmental, occupational, and general public health and primary prevention of environmental-associated cancers. He is a Fellow of the Collegium Ramazzini and received the American Public Health Association's 2002 David P. Rall Award for science-based advocacy in public health.

#### **Susan Jobling**

Brunel University London Institute for the Environment  
Uxbridge, Middlesex, UB83PH,  
United Kingdom  
Tel: +44 1895 266284  
e-mail: susan.jobling@brunel.ac.uk

Professor Jobling is head of Brunel University London Institute for the Environment. Her work focuses on the ability of environmental contaminants to interfere with the actions of chemical messengers (hormones) and alter functioning of the reproductive and endocrine systems of aquatic wildlife. Prof Jobling's research team investigates effects of chemical pollution right from the molecular level, through to the individual and population levels. She has served on several government expert committees in Europe and the U.S. advising on test methods for chemicals present in food, consumer products and the environment. She is also an editor for *Chemosphere*.

#### **Bill Kovarik**

Radford University  
PO Box 6929  
Radford VA 24142  
USA  
e-mail wkovarik@radford.edu

Bill Kovarik is a Professor of Communication at Radford University in southwestern Virginia. He teaches science and environment writing, media history and media law. He has written extensively about environmental and energy issues for publications ranging from the *New York Times* to *Earth Island Journal*. He is also an environmental historian and has served as a consultant with the Nebraska State Historical Society, Lloyds of London and other organizations. His Ph.D. dissertation, *The Ethyl Controversy*, explored the role of the news media in protecting the public interest in a scientific controversy over leaded gasoline and safer alternatives.

#### **Christoph Kueffer**

ETH Zürich — Swiss Federal Institute of Technology  
Zürich  
Universitätstrasse 16  
8092 Zürich  
Switzerland  
Tel.: +41 44 632 43 08  
e-mail: kueffer@env.ethz.ch

Christoph Kueffer is a senior scientist at the Swiss Federal Institute of Technology in Zürich. His primary research interest is ecological change in



the Anthropocene, with a focus on oceanic islands and mountains, and expertise in transdisciplinary research. He is editor-in-chief of 'Perspectives in Plant Ecology, Evolution and Systematics' (PPEES) and coordinator of the 'Mountain Invasion Research Network'.

**Zbigniew W. Kundzewicz**

Institute for Agricultural and Forest Environment  
Polish Academy of Sciences  
Bukowska 19  
60-809 Poznań  
Poland  
e-mail: zkundze@man.poznan.pl

Zbigniew W. Kundzewicz is professor of Earth Sciences and head of Laboratory of Climate and Water Resources in the Institute for Agricultural and Forest Environment, Polish Academy of Sciences, Poznan, Poland. He is also associated, as senior scientist, with the Potsdam Institute for Climate Impact Research, Potsdam, Germany. His fields of expertise include climate change impacts, water resources and weather extremes. He is a corresponding member of the Polish Academy of Sciences and a member of the Advisory Board on the Environment (including climate change) of the EU Seventh Framework Programme. He has been heavily involved in preparation of multiple IPCC publications.

**Henrik Kylin**

Department of Water and Environmental Studies  
Linköping University  
581 83 Linköping  
Sweden  
e-mail: henrik.kylin@liu.se

Henrik Kylin is a professor of Water and Environmental Studies at Linköping University, Sweden. His research has covered organic environmental chemistry in the wide sense, including adjacent research areas such as environmental and human toxicology, and ecotoxicology. Much of prof. Kylin's research has been about the global distribution of persistent organic pollutants, including expedition to both the Polar Regions and the Tropics.

**Malcolm MacGarvin**

e-mail: MalcolmMacGarvin@dao-group.com

Dr Malcolm MacGarvin is a partner in Swedish based Dao Group, collaborating with the financial and business sectors, with government agencies and with environmental NGOs, on trend bending activities that create sustainable futures. Malcolm co-created the largest UK stakeholder-lead

exploration of the future of UK fisheries (Invest in Fish) and maintains an active involvement in marine fisheries through Pisces-RFR, was a technical consultant to DG Environment on nutrient pollution, and with the European Environment Agency on emerging megatrends. He was also technical editor and chapter contributor to the first volume of *Late lessons from early warnings*.

**Laura Maxim**

Institut des Sciences de la Communication,  
CNRS UPS 3088  
20 Rue Berbier du MetsRue  
75013 Paris  
France  
e-mail: laura.maxim@iscc.cnrs.fr

Laura Maxim holds a PhD in ecological economics and is a researcher at the CNRS Institute for Communication Sciences (ISCC). She presently leads interdisciplinary research on sustainable chemistry and on the analysis and communication of uncertainty in chemical risk assessments.

**Andrew Maynard**

University of Michigan  
School of Public Health  
SPH I Room 1792  
1415 Washington Heights  
Ann Arbor, Michigan 48109-2029  
USA  
e-mail: maynarda@umich.edu

Andrew Maynard is the Charles and Rita Gelman Risk Science Professor and director of the Risk Science Center at the University of Michigan. Prof Maynard is a leading authority on the responsible development and use of emerging technologies. His research interests span from identifying, assessing and managing emergent risks, to exploring innovative solutions to established and emerging human health and environmental risks, to equipping people with the tools they need to make informed decisions in the face of risk and uncertainty. Prof Maynard is a member of the World Economic Forum Global Agenda Council on the Challenges of Emerging Technologies.

**Jacqueline McGlade**

European Environment Agency  
Kongens Nytorv 6  
1050 Copenhagen K  
Denmark  
Tel. +45 33 36 71 00  
e-mail: Jacqueline.McGlade@eea.europa.eu

Professor McGlade became Executive Director of the European Environment Agency on 1 June 2003; she is on leave from University College London where she is a Professor in the Mathematics department. Prior to this she held academic and government positions in Europe and North America, focusing her research on spatial data analysis and informatics, climate change, scenario development and the international politics of the environment and natural resources.

#### **Owen McIntyre**

University College Cork  
College Road  
Cork  
Ireland  
e-mail: o.mcintyre@ucc.ie

Dr McIntyre is a Senior Lecturer specialising in Environmental Law at the Faculty of Law, University College Cork. He has co-authored a report for the Law Society of Ireland on Enforcement: *The Case for Reform* (2008). He has published extensively in all areas of environmental law, in particular in relation to international water law, emerging principles of environmental law and environmental liability.

#### **Marc Le Menestrel**

Department of Economics and Business  
University Pompeu Fabra  
08005 Barcelona  
Spain  
Tel. +34 93 542 27 23  
e-mail: marc.lemenestrel@upf.edu

Marc Le Menestrel teaches business at University Pompeu Fabra (Barcelona) where he is Associate Professor and at INSEAD (Fontainebleau and Singapore) where he is Visiting Professor of ethics. His core expertise is in decision-making, in particular the role of ethical values in business decisions. He proposes frameworks to improve decision-making in the presence of dilemmas between economic, environmental, social and individual values. At the practical level, Le Menestrel has worked and taught about ethical rationality, value-based strategic management, responsible leadership, communication in ethical crisis, corporate social responsibility, codes of conduct or e-business ethics. At the theoretical level, he does research on the rationality of human behaviour. Studying the mathematical foundations of the theory of choice, he uses objective and experimental methods to better reveal the subjectivity of human behaviour.

#### **Bert Metz**

European Climate Foundation  
Tournooiveld 4  
2511 CX Den Haag  
The Netherlands  
e-mail: Bert.Metz@europeanclimate.org

Bert Metz has vast experience in the field of climate change policy. He served as the coordinator of climate policy at the Netherlands Ministry of Housing, Spatial Planning and Environment and chief negotiator for the Netherlands and the European Union in the international climate change negotiations from 1992 to 1998. He was Co-chair of Intergovernmental Panel on Climate Change (IPCC) Working Group III on mitigation on climate change for the third and fourth assessment report of the IPCC. At the Netherlands Environmental Assessment Agency from 1998 to 2005, he led the group on climate change and global sustainability, publishing a large series of national and international policy analyses on climate change and sustainability. Since retiring, he is serving as advisor to the European Climate Foundation and other organisations.

#### **David Michaels**

Assistant Secretary of Labor for Occupational Safety and Health  
U.S. Department of Labor  
Occupational Safety & Health Administration (OSHA)  
200 Constitution Avenue  
Washington, D.C. 20210  
USA  
e-mail: publicmichaelsdavid@dol.gov

David Michaels, PhD, MPH, is an epidemiologist with extensive experience in research, regulatory and public policy and program administration. He is currently Assistant Secretary of Labor for Occupational Safety and Health; in addition, he is on leave from the George Washington University School of Public Health, where he is Professor of Environmental and Occupational Health. Much of Dr. Michaels' academic work focused on the use of science in public policy. He directed The Project on Scientific Knowledge and Public Policy (SKAPP), bringing together an interdisciplinary group of scientists to examine the use and misuse of science in two forums in which public policy is shaped: the courts and the regulatory arena. From 1998 to 2001, Dr. Michaels served as Assistant Secretary of Energy for Environment, Safety and Health. In this position, he had primary responsibility for protecting the health and safety of workers, the neighbouring communities and the environment surrounding the

nation's nuclear weapons facilities. David Michaels also served as an expert witness in a civil suit involving chronic beryllium disease.

#### **Erik Millstone**

University of Sussex  
SPRU — Science and Technology Policy Research,  
School of Business, Management and Economics  
Sussex House  
Brighton  
BN1 9RH  
United Kingdom  
e-mail: e.p.millstone@sussex.ac.uk

Erik Millstone is a Professor of Science Policy in SPRU — Science and Technology Policy, at the University of Sussex. He is co-leader of the Agriculture and Food domain of the STEPS Centre (see <http://www.steps-centre.org>), where STEPS stands for 'Social, Technological and Environmental Pathways to Sustainability'. Furthermore, he is the Director of Studies for the SPRU MSc programme in Science and Technology Policy. Much of Prof. Millstone's research has focused on the ways in which public policymakers reach decisions concerning the protection of environmental and public health, and particularly on the interactions between scientific and non-scientific considerations. In recent years his research has increasingly focused on agricultural policy in developing countries.

#### **Celeste Monforton**

George Washington University  
School of Public Health and Health Services  
Department of Environmental and Occupational Health  
2100 M Street NW, Suite 203  
Washington, DC 20037  
USA  
e-mail: cmonfort@gwu.edu

Celeste Monforton, DrPH, MPH, is a professorial lecturer at The George Washington University's School of Public Health and Health Services. Her research interests include regulatory policy and its effect on implementing timely protection for workers from occupational health hazards. Professor Monforton worked at the US Department of Labor's Occupational Safety & Health Administration, OSHA, as a policy analyst (1991–1995) and at Mine Safety and Health Administration, MSHA, as special assistant to the Assistant Secretary of Labor (1996–2001).

#### **Anne I. Myhr**

GenØk — Centre for Biosafety  
PB 6418 Forskningsparken  
9294 Tromsø  
Norway  
e-mail: anne.i.myhr@uit.no

Anne Ingeborg Myhr has been a senior scientist at GenØk — Centre for Biosafety since 2003. She holds a Master's degree in Biotechnology from NTNU, Trondheim, and a PhD from the University of Tromsø. The title of her PhD thesis is 'Precaution, Context and Sustainability. A Study of How Ethical Values may be Involved in Risk Governance of GMOs'. Her present research involves the use of emergent technologies, such as GMOs and nanobiotechnology, and capacity building in risk assessment and management of GMO use and release in the developing countries. She has been a member of the Norwegian Scientific Committee for Food Safety (VKM) and has internationally been involved in various issues related to GMOs including socio-economic impacts under the Cartagena Protocol on Biosafety.

#### **Herbert Needleman**

School of Medicine  
University of Pittsburgh  
3520 Fifth Avenue  
Pittsburgh, PA 15213  
United States  
e-mail: hlnlead@pitt.edu

Herbert Needleman is a pediatrician and child psychiatrist at the University of Pittsburgh Medical Center, known for ground-breaking studies on the developmental implications of lead exposure. Dr Needleman's research and advocacy were instrumental in federal regulations banning lead from gasoline and paint as well as the removal of lead from government housing. The federal Center for Disease Control and Prevention also issued guidelines for pediatric lead poisoning diagnosis and treatment due, in part, to his research.

#### **Joy Onasch**

Toxics Use Reduction Institute  
UMass Lowell  
One University Ave., Lowell  
MA 01854  
United States  
Tel.: +1 978 934 4343  
e-mail: joy@turi.org

Joy Onasch oversees the community program at TURI. She manages the Institute's community grants and works with the dry cleaning sector to reduce

their use of Perchloroethylene. She is an engineer with over 10 years of experience with industry, government, and institutions, assisting them with environmental compliance issues and pollution prevention projects. Her technical focus areas include hazardous waste, stormwater, wastewater, oil storage, and toxic use reduction. Joy earned a bachelor's degree in Mechanical Engineering from Union College and a Master's in Engineering and Policy from Washington University in St. Louis. She is a registered Professional Engineer in three states.

#### **Richard Owen**

University of Exeter Business School  
Streatham Court  
Exeter EX4 4PU  
United Kingdom  
e-mail: R.J.Owen@exeter.ac.uk

Richard Owen holds the Chair in Responsible Innovation at the University of Exeter Business School. Originally an environmental scientist by training Professor Owen's current research involves understanding the responsible emergence of innovation and new technologies in democratic society, with a particular emphasis on governance. In previous roles he was Head of the Environment and Human Health Programme at the Environment Agency (UK), which included research supporting policy development regarding endocrine disrupting chemicals and the UK National Demonstration Programme.

#### **David Ozonoff**

Boston University School of Public Health  
715 Albany Street, Talbot Building  
Boston, MA 02118  
USA  
e-mail: dozonoff@bu.edu

David Ozonoff is Professor of Environmental Health at the Boston University School of Public Health. He was the founding Chair of the Department of Environmental Health, a position he occupied from 1977 to 2003. His current research centers on community health effects of toxic exposures, especially from hazardous waste sites; the mathematical foundations of epidemiology; and the use of scientific evidence in court. Prof. Ozonoff has been principal or co-investigator of several major studies of waste sites and has been Director of the Superfund Basic Research Program—a multidisciplinary effort, funded by the National Institute of Environmental Health Sciences for the last 16 years.

#### **Andrew R.G. Price**

Environment Department | School of Life Sciences  
University of York | University of Warwick  
York YO10 5DD | Coventry CV4 7AL  
United Kingdom  
Tel: +44 (0) 24 76 524457  
e-mail: andrew.price@warwick.ac.uk

Andrew R.G. Price is an honorary professor at York University's Environment Department and visiting professor in Warwick University's School of Life Sciences. He is a marine biologist and environmental consultant, with specialist knowledge of the Gulf, Middle East and wider Indian Ocean. His research includes biodiversity, robustness/resilience and environmental disturbance. He has worked with many international organisations, overseas governments and industry. Professor Price has published more than 90 refereed publications. His most recent book is interdisciplinary, showing how robustness helps ensure smooth-running in nature, in what we do and in the things we create.

#### **David A. Quist**

GenØk — Centre for Biosafety  
PB 6418 Forskningsparken  
9294 Tromsø  
Norway  
e-mail: david.quist@uit.no

Dr. David Quist has been a senior scientist at the GenØk — Centre for Biosafety since 2005. He received his PhD from the University of California, Berkeley (2004), where he researched with indigenous Mexican campesinos questions surrounding the fate of transgenic DNA introgressed into traditional varieties of maize in Oaxaca, Mexico. He is a former Switzer Environmental Fellow (2003) and a founding member of the European Network of Scientists for Social and Environmental Responsibility (ENSSER). He served as the Norwegian representative on the Ad Hoc Technical Expert Group on Risk Assessment and Risk Management under the Cartagena Protocol on Biosafety.

#### **James W. Readman**

Plymouth Marine Laboratory  
Prospect Place  
The Hoe, Plymouth  
Devon PL1 3DH  
United Kingdom  
Tel: +44 1752 633100  
e-mail: jwre@pml.ac.uk

Professor Readman leads fundamental research into the composition/cycling of organic material and the behaviour and impact of pollutants in estuarine and coastal environments. His most recent research relates to emerging contaminants and nanoparticles. He has gained professional experience in academia, governmental service, industrial contract research and United Nations laboratories. Professor Readman has published over 100 refereed papers relating to environmental science and analytical chemistry.

### **Johnny Reker**

European Environment Agency  
Kongens Nytorv 6  
1050 Copenhagen K  
Tel. +45 3343 5955  
e-mail: johnny.reker@eea.europa.eu

Johnny Reker is a marine ecologist of the European Environment Agency. He is seconded from the Danish Ministry of the Environment, where he has been involved in the implementation of the Marine Strategy Framework Directive. He has also been involved in several national and international initiatives on the classification and mapping of marine habitats, assessment of the coherence of MPA (Marine Protected Areas) networks as well as large-scale restoration of offshore cave-forming reefs.

### **David M. Richardson**

Stellenbosch University  
Private Bag X1  
Matieland, 7602  
South Africa  
e-mail: rich@sun.ac.za

Professor Richardson is Deputy Director: Science Strategy at the Centre for Invasion Biology at Stellenbosch University in South Africa. David Richardson's specific expertise is in invasion ecology and particularly alien tree invasions. He is Editor-in-Chief of the journal 'Diversity and Distributions' and was editor of the book 'Fifty years of invasion ecology. The legacy of Charles Elton' (Wiley-Blackwell, 2011). He is a member of three specialist groups of the International Union for Conservation of Nature (IUCN), including the Species Survival Commission, Invasive Species Specialist Group (ISSG).

### **Julian Rode**

Department for Environmental Politics  
Helmholtz Centre for Environmental Research  
GmbH – UFZ  
Permoserstraße 15  
04318 Leipzig  
Germany

Tel. +49 341 235 1479  
e-mail: julian.rode@ufz.de

Julian Rode holds a PhD in economics and is a researcher at Helmholtz Centre for Environmental Research – UFZ in Leipzig, Germany. Dr Rode does academic research, teaching, and consulting mainly on ethical and environmental aspects in economic decision-making of individual or business actors. His research interests include: ethics in economic decision-making, values and decisions for environmental sustainability, Policy support for biodiversity protection, Business and biodiversity as well as behavioral and experimental economic research.

### **Christina Rudén**

Department of Philosophy  
Royal Institute of Technology (KTH)  
Teknikringen 78 B  
100 44 Stockholm  
Sweden  
Tel. +46 (0)8 790 95 87  
e-mail: cr@abe.kth.se

Christina Rudén is a professor at the Department of Philosophy at the Royal Institute of Technology (KTH) in Stockholm, Sweden. Her main research interest is in regulatory aspects of toxicology. The overall objectives of her research are to improve the scientific basis of risk assessment and management; and to strengthen the protection of human health and the environment against harmful effects of chemical substances. Professor Rudén is a member of Eurotox Executive Committee and of the Swedish Chemicals Agency's Supervisory Council ('Insynsråd').

### **Jennifer Beth Sass**

Natural Resources Defense Council (NRDC)  
1152 15th Street NW, Suite 300  
Washington, DC 20005  
USA  
e-mail: jsass@nrdc.org

Jennifer Sass is a senior scientist in the Health and Environment program of the Natural Resources Defense Council (NRDC), an environmental non-profit organisation dedicated to protecting the planet's wildlife and wild places and to ensuring a safe and healthy environment for all living things. Dr Sass is also a professorial lecturer at George Washington University. For NRDC, she reviews the US government regulations of industrial chemicals and pesticides and advocates for health protective regulations. Dr Sass has degrees in anatomy and cell biology from the University of Saskatchewan,



Canada, and in toxicology from the University of Maryland.

#### **Noelle E. Selin**

Engineering Systems Division  
Massachusetts Institute of Technology  
77 Massachusetts Avenue [E40-379], Cambridge, MA  
02139,  
USA  
e-mail: selin@mit.edu

Noelle Eckley Selin is Assistant Professor of Engineering Systems at the Massachusetts Institute of Technology, with a joint appointment as Assistant Professor of Atmospheric Chemistry in the Department of Earth, Atmospheric and Planetary Sciences. Her research focuses on using atmospheric chemistry modeling to inform decision-making strategies on air pollution, climate change and hazardous substances such as mercury and persistent organic pollutants (POPs). She developed and evaluated the mercury simulation for the GEOS-Chem global chemical transport model. She has also published articles and book chapters on the interactions between science and policy in international environmental negotiations.

#### **Jeroen van der Sluijs**

Copernicus Institute  
Department IMEV  
Utrecht University  
Heidelberglaan 2  
3584 CS Utrecht  
The Netherlands  
e-mail: J.P.vanderSluijs@uu.nl

Jeroen P. van der Sluijs holds an MSc in Chemistry from the Leiden University and received his PhD at Utrecht University. Currently, Van der Sluijs is Associate Professor and Senior Researcher on New Risks at Utrecht University. He has more than 20 years of research experience in understanding scientific controversies and systematic treatment of uncertainties and Knowledge Quality Assessment in scientific advice for policy making about complex risks such as climate change, nano particles, electromagnetic fields and systemic insecticides.

#### **Katherine Smith**

Global Public Health Unit  
Social Policy, School of Social & Political Science  
University of Edinburgh  
15a George Square, Edinburgh, EH8 9LD  
Scotland, United Kingdom  
Tel: +44 (0)131 651 1461  
e-mail: Katherine.smith@ed.ac.uk

Dr. Katherine Smith is a lecturer in Global Public Health at the University of Edinburgh. Her main research interest is the relationship between public health evidence and policy but she has also been involved in research exploring corporate influences on public policies, the role of think tanks in public health research and policy, and public health advocacy and lobbying in the EU.

#### **Morando Soffritti**

Cesare Maltoni Cancer Research Center  
European Ramazzini Foundation  
Castello di Bentivoglio  
Via Saliceto, 3, 40010 Bentivoglio  
Bologna  
Italy  
Tel. +39/051/6640460  
e-mail: crcfr@ramazzini.it

Dr. Morando Soffritti, M.D., is the Scientific Director of the Ramazzini Institute. His research focuses on the identification of the causes of tumors, particularly those of industrial and environmental origin. Dr. Soffritti's research also includes the evaluation of substances that can be effectively used in chemoprevention, in particular for mammary cancer. Dr. Soffritti holds degrees in medicine and surgery from the University of Bologna. He specialized in gastroenterology and completed an additional specialization in oncology. Dr. Soffritti serves as an expert for working groups at the International Agency for Research on Cancer in Lyon, France and the National Toxicology Commission of the Italian National Institute of Health. Dr. Soffritti is Adjunct Professor at the Department of Community and Preventive Medicine of the Mount Sinai School of Medicine New York.

#### **Ana Soto**

Tufts University School of Medicine  
136 Harrison Ave  
Boston, MA 02111  
USA  
e-mail: ana.soto@tufts.edu

Ana Soto is a professor of anatomy and cellular biology at Tufts University School of Medicine (Boston, USA), a professor of cancer development at the University of Ulster, (Coleraine, the United Kingdom) and a member of the Centre Cavailles for the study of history and philosophy of science at the Ecole Normale Supérieure (Paris, France). Her research interests have centred on the control of cell proliferation by sex steroids, the impact of endocrine disruptors on organogenesis, cancer and reproduction, and the role of stroma/epithelial interactions on organogenesis and carcinogenesis.

Prof. Soto also works on the clarification of epistemological issues arising from the study of complex biological phenomena (modeling, simulation etc).

#### **Hans von Storch**

Institute of Coastal Research  
Helmholtz Research Centre  
21502 Geesthacht  
Germany  
e-mail: hvonstorch@web.de

Hans von Storch is a director of the Institute for Coastal Research of the Helmholtz Research Center in Geesthacht, Germany and professor at the Meteorological Institute of the University of Hamburg. His research interests are coastal climate and impact (wind, storm surges and waves) in recent times and in possible futures, and methodical issues of statistical climatology (such as detection and attribution of anthropogenic climate change, or utility of proxy data). He has also been engaged in transdisciplinary research with social and cultural scientists for many years, including writings on gasoline lead emissions in Europe.

#### **Stephen Thomas**

University of Greenwich  
The Public Services International Research Unit  
The Business School  
University of Greenwich  
Old Royal Naval College  
Park Row London  
SE10 9LS  
United Kingdom  
e-mail: Stephen.Thomas@greenwich.ac.uk

Stephen Thomas is a professor of energy policy with more than 30 years of experience. Prof Thomas' work is international in scope and his main areas of research are on economics and policy towards nuclear power; liberalisation and privatisation of the electricity and gas industries; and trade policy on network energy industries.

#### **Joel A. Tickner**

Lowell Center for Sustainable Production  
University of Massachusetts Lowell  
One University Avenue  
Lowell, MA 01854  
United States  
Tel: 978-934-2981  
e-mail: Joel\_Tickner@uml.edu

Dr. Joel A. Tickner is Associate Professor in the Department of Community Health and Sustainability at the University of Massachusetts Lowell where he

is also a Principal Investigator at the Lowell Center for Sustainable Production. His training is in toxics chemicals policy, epidemiology, risk assessment, and pollution prevention. He is a noted authority on chemicals alternatives assessment and has served as an advisor and researcher for several government agencies, non-profit environmental groups and trade unions both in the US and abroad during the past twelve years.

#### **Klement Tockner**

Leibniz Institute of Freshwater Ecology and Inland Fisheries (IGB)  
Müggelseedamm 310  
12587 Berlin  
Germany  
Tel. +49 (0)30 64 181 601  
e-mail: tockner@igb-berlin.de

Klement Tockner is a Professor of Aquatic Ecology at the Free University Berlin and Director of the Leibniz-Institute of Freshwater Ecology and Inland Fisheries (IGB). He has special expertise on freshwater biodiversity, ecosystem functioning, and river and wetland restoration and management. He is member of several scientific committees including the crosscutting group on freshwater biodiversity of DIVERSITAS and GEO-BON.

#### **Toshihide Tsuda**

Department of Human Ecology  
Okayama University Graduate School of Environmental Science  
3-1-1 Tsushima-naka, Kita-ku, Okayama, 700-8530, Japan  
Tel: +81(JP)-86-251-8883  
e-mail: tsudatos@md.okayama-u.ac.jp

Toshihide Tsuda, MD, PhD, has been involved in the study of environmental and occupational epidemiology, such as arsenic poisoning, air pollution, Minamata disease, food-borne infectious disease, pneumoconiosis, occupational osteoarthritis, and epidemiologic theory. Professor Tsuda has testified frequently in court cases of such environmental and occupational problems in Japan. He is annually conducting a spring seminar on food-borne disease epidemiology for municipal and prefectural officers of the Japanese health centers. Recently, he wrote a book introducing on the Japanese atypical way of thinking on medicine and science which has induced expansion of disease outbreaks.

**Pier Vellinga**

Waageningen University and Research Centre  
Droevendaalsesteeg 4  
6708PB, Wageningen  
The Netherlands  
Tel. +31 0317 486665  
e-mail: pier.vellinga@wur.nl

Pier Vellinga is professor in Climate Change at Wageningen University Research and VU University Amsterdam. Originally, he specialised in Coastal Morphology and Coastal Engineering contributing to the Deltaplan of the Netherlands. After 12 years of research in this field he specialised in climate sciences. Over time his work focused more and more on the societal implications of climate change in the field of energy and water. At national level he is chairing the National Research Programme on Adaptation to Climate Change, Knowledge for Climate.

**Takashi Yorifuji**

Department of Human Ecology  
Okayama University Graduate School of  
Environmental Science  
3-1-1 Tsushima-naka, Kita-ku, Okayama, 700-8530,  
Japan  
Tel: +81(JP)-86-251-8925  
e-mail: yorichan@md.okayama-u.ac.jp

Takashi Yorifuji, MD, PhD, was born in a city of Yatsushiro, which is very close to Minamata. He has been involved in Minamata disease incidents from his university days and graduated from Kumamoto University School of Medicine. After working as a paediatrician, he has been involved in environmental epidemiological studies, such as Minamata disease, air pollution, arsenic poisoning, dioxin poisoning, asbestos exposure, lead exposure, volatile organic chemicals exposure and other field investigations. His research areas also include epidemiology, perinatal epidemiology and maternal health.

## **Annex 2 – An overview of *Late lessons from early warnings: the precautionary principle 1896–2000 vol. 1***

---

Volume 1 of *Late lessons from early warnings* was published in 2001. The rationale behind the report was that science's growing powers of innovation seem to be outstripping its ability to predict the consequences of its applications, while the scale of human interventions in nature increases the chances that any hazardous impacts could be serious and global. The report therefore aimed to take stock of past experiences and identify lessons on how we can adapt to these changes, particularly in terms of providing information and identifying early warnings.

The lessons of history have rarely been used in trying to manage current and future risks. In volume 1 of *Late lessons from early warnings*, fourteen case studies were chosen where sufficient is now known about their impacts to draw

conclusions about how well they were addressed by governments and civil society. Such conclusions were based on 'the spirit of the times' and not on the luxury of hindsight. The authors, all experts in their particular field of environmental, occupational and consumer hazards, were asked to identify the dates of early warnings, to analyse how the information was used or not used in reducing hazards, and to describe the resulting costs, benefits and lessons for the future.

This annex summarises the fourteen cases studies included in *Late lessons from early warnings: the precautionary principle 1896–2000*. The full report is available at: <http://www.eea.europa.eu/publications/late-lessons-2001>. A free printed copy can be ordered from the EU Bookshop: <http://bookshop.europa.eu>.

**Table A2.1 Case studies in *Late lessons from early warnings: the precautionary principle 1896–2000***

Case study	Date of first early warning	Date of effective risk reduction action	Years of substantial inaction
Fisheries: taking stock	1376	1995–2008 'responsible' management (which is not very effective)	Hundreds
Radiation: early warnings, late effects	1896	1961–1996 UK and other countries, then EU laws.	65
Benzene: occupational setting	1897	1978 benzene voluntarily withdrawn from most US consumer products.	81
Asbestos: from 'magic' to malevolent material	1898	1999 EU ban by 2005	101
PCBs and the precautionary principle	1899	1970–1980s: EU and US restrictions, phase out by 2010	c. 100
Halocarbons, the ozone layer and the precautionary principle	1974	1987–2010 global ban on CFCs and other ozone depleters	10–30
DES: long-term consequences of pre-natal exposure	1938	1971–1985 US, EU, global ban	30–50
Antimicrobials as growth promoters: resistance to common sense	1969	1999 EU ban	30
SO <sub>2</sub> : from protection of human lungs to remote lake restoration	1952 (lung) 1968 (lakes)	1979–2001 increasing EU and other restrictions leading to c. 90 % reduction on 1975 levels by 2010	25–55
MTBE in petrol as a substitute for lead	1960 taste/ odour/ persistence in water	2000 undesirable in Denmark and California, permitted elsewhere	40+
Great Lakes contamination	1962/1963	1970s DDT banned in North America and the EU. Debates continue about persistent health damaging pollution	45+
TBT antifoulants: a tale of ships, snails and imposex	1976–1981 French oyster beds collapse	1982–1987 French, UK then north-east Atlantic ban; 2008 global ban	5–30
Beef hormones as growth promoters	1972/1973 oestrogen effects on wildlife	1988 EU ban, US continues	16+
Mad cow disease — reassurances undermined precaution	1979–1986	1989 partial; 1996 total ban	10–17

**Source:** Gee, 2009.



## Fisheries: taking stock

*Malcolm MacGarvin*

Measures to secure sustainable fishing have been known for centuries. However, when industrial fishing intensified in the second half of the 20th century pressure on fish stocks increased dramatically. Necessary safety margins were

underestimated, bringing, for example, North Sea herring to the brink of collapse by the 1970s.

The chapter analyses different approaches to managing stocks in Canada, the US and the EU. It also evaluated the implications of international documents introducing the term 'precautionary approach' to fisheries.

**Table A2.2 Fisheries – early warnings and actions**

<b>Early fisheries in the United Kingdom</b>	
1376–1377	Setting up a committee is the answer of the English parliament to a call for precautionary actions in fishing by controlling the mesh of the nets
1866–1893	Following uncertainty about the consequences of fisheries growth official enquiries take place, but no action is taken
<b>Sardine fisheries in California</b>	
Mid-1920s	Californian sardine fisheries scientists call for precaution and research
1942	Continuous inaction leads to the collapse of the sardine stock (signs of recovery only in mid-1980s)
<b>Northern cod fisheries in Canada</b>	
Late 1970s	Canada starts managing the northern cod fisheries up to 200 nautical miles, claiming it is doing so cautiously
1986	Keats Report commissioned by inshore fishers indicates severe underestimation of the fishing pressure
1988	Alverson Report, prepared by fishery scientists, states that consistent overestimation of the stock size leads to overfishing
1989	A new government assessment recommends that the offshore catch should be halved
1990	A new independent assessment, the Harris Report, confirms overfishing
1992	The stock collapses and a moratorium is imposed
1999	Restart of the northern cod fisheries at low levels, but dissidents state it is not low enough
<b>General fisheries</b>	
1990s	The ecosystem approach slowly settles in fisheries management procedures
1995	FAO Code of Conduct for Responsible Fisheries and the UN Agreement on Straddling Fish Stocks and Highly Migratory Fish Stocks are negotiated and published
2001	European Commission Green Paper on the future of the Common Fisheries Policy
2001	Positive changes are occurring, but are they happening fast enough to avoid further collapses?

## Radiation: early warnings; late effects

*Barrie Lambert*

This case study analyses the development of radiation and radium protection over more than 100 years. Although injuries and fatalities caused by radiation were acknowledged as early as 1896, the serious consequences of widespread use of radiation were not recognised. Absence of an agreed unit to measure radiation made the introduction of effective standards of protection difficult. In the 1930s–1950s there were still many examples of ill-conceived

use of radiation e.g. for fitting children's shoes, the treatment of ringworm and removal of hair.

In the 1950s Alice Stewart was instrumental in collecting evidence linking radiology during pregnancy to leukaemia in children. Although controversial at first, her work along with that of other researchers eventually lead the way for the principles of justification, optimisation and dose limitations aimed at protecting patients as well as radiologists. Similar concerns are now being expressed at the frequent over-exposure to radiation from CT scans.

**Table A2.3 Radiation — early warnings and actions**

1896	Injuries from exposure to X-rays noted by Edison, Tesla and Grubbe
1899	John Dennis, New York journalist, campaigns for licensing of radiologists and warns of harm from X-rays
1904	Death of Edison's assistant from complications arising from severe X-ray radiodermatitis
1904	William Rollins, Harvard dentist/doctor, publishes many warnings on X-ray hazards, and recommendations on prevention for radiologists and patients, including pregnant women
1913	First published rules of voluntary radiological protection by German Radiological Society
1924	New York dentist, Theodore Blum, identifies 'radium jaw' in radium dial painters: but wrongly attributes this to phosphorous
1925–1929	Harrison Martland, New Jersey pathologist, identifies radium as the cause of the jawbone cancers in the dial painters studied
1928	Establishment of the International X-ray and Radium Protection Committee: which later became the International Committee on Radiological Protection (ICRP)
1934	Reports by Colwell and Russ, on the death of more than 200 radiologists from radiation-induced cancers
1949	ICRP concludes that there is no dose threshold for radiation-induced cancer and optimisation of all exposures is crucial
1958	Alice Stewart reports that 'low dose' X-rays to pregnant women can cause leukaemia in their children. Not generally accepted until the 1970s
1961	The United Kingdom publishes regulations covering the use of radioactive substances
1977	ICRP updates its radiation protection recommendations and links dose limits to risk
1988	Regulations covering radiation doses to patients produced in the United Kingdom
1990–1997	NRPB reports 20 % of medical X-rays are probably clinically unhelpful; that 50 % of the collective dose to patients could be avoided; and that individual doses for the same X-ray vary by 100x between hospitals
1990	ICRP concludes in Publication 60 that the risk of radiation-induced cancer is 4–5 times greater than estimated in 1977 — reduces the occupational dose limit to 20mSv per year
1996	EU Directive on Ionising Radiations based on ICRP 60 which will be mandatory on Member States

## Benzene: an historical perspective on the American and European occupational setting

*Peter F. Infante*

Despite early knowledge that benzene is poisonous to bone marrow, it was used as a solvent in the rubber industry from 1910 and later expanded into

many other industries. This was accompanied by reports of benzene-induced leukaemia as well as other cancers and non-cancer diseases. Exposure recommendations were set slowly and remained at high levels for many years. From the 1970s the benzene industry began to attack the science demonstrating its harm. This contributed to delays in government action and in identifying safer threshold limit values on occupational exposures.

**Table A2.4 Benzene – early warnings and actions**

1897	Santessen report on observed aplastic anaemia in Sweden and other reports show that benzene is a powerful bone marrow poison
1926	Greenburg and colleagues observe abnormally low white blood cell counts in benzene workers
1928	Dolore and Borgomano publish the first case of benzene-induced leukaemia
1939	A number of investigators recommend the substitution of benzene with other solvents, but this was not implemented
1946	American Conference of Governmental Industrial Hygienists (ACGIH) recommends a limit of 100 ppm for benzene exposure, even though some cases of benzene poisoning were associated with levels of 25 ppm and 10 ppm
1947	Recommended value reduced to 50 ppm
1948	Further reduced to 35 ppm
1948	American Petroleum Institute (API) concludes that the only absolutely safe level is zero, but recommends 50 ppm or less
1957	ACGIH lowers recommended exposure to 25 ppm
1950s–1960s	Obvious lack of precaution for workers exposed to benzene in many parts of the world with fatal consequences
1977	Infante et al. publish the first cohort study of workers linking benzene exposure directly to leukaemia
1977	Based on these results, the US Department of Labor wants to reduce exposure to 1 ppm, but is challenged in the courts by API
1978	Benzene was voluntarily withdrawn from consumer products in the United States of America
1980	US Supreme Court issues the Benzene Decision severely limiting regulatory actions
1987	New benzene standard of 1 ppm. This 10-year delay caused more than 200 deaths in the United States
1996	Studies showing benzene-related diseases from 1 ppm level of exposure
2001	Petrol contains benzene, giving public exposure risk

## Asbestos: from 'magic' to malevolent mineral

*David Gee and Morris Greenberg*

Asbestos became increasingly popular among manufacturers and builders in the late 19th century because of its sound absorption and its resistance to fire, heat, electrical and chemical damage. A severe downside, however, was the risk for workers in the mining and production industries, as exposure to asbestos dust proved to cause the lung disease asbestosis and cancer. With an average latent

period of 20–40 years from first exposure to cancer outbreak, it took a long time before the seriousness of the problems were recognised, although inspectors had warned about the risks as early as 1898.

From 1959 a third asbestos-induced disease, mesothelioma cancer, was identified. It is this cancer that is now causing the bulk of current and future harm from asbestos, including some 400 000 expected deaths in Europe over the next three decades.

**Table A2.5 Asbestos – early warnings and actions**

1898	UK Factory Inspector Lucy Deane warns of harmful and 'evil' effects of asbestos dust
1906	French factory report of 50 deaths in female asbestos textile workers and recommendation of controls
1911	'Reasonable grounds' for suspicion, from experiments with rats, that asbestos dust is harmful
1911 and 1917	UK Factory Department finds insufficient evidence to justify further actions
1918	US insurers refuse cover to asbestos workers due to assumptions about injurious conditions in the industry
1930	UK Merewether Report finds 66 % of long-term workers in Rochdale factory with asbestosis
1931	UK Asbestos Regulations specify dust control in manufacturing only and compensation for asbestosis, but this is poorly implemented
1935–1949	Lung cancer cases reported in asbestos manufacturing workers
1955	Doll establishes high lung cancer risk in Rochdale asbestos workers
1959–1960	Mesothelioma cancer in workers and public identified in South Africa
1962/1964	Mesothelioma cancer identified in asbestos workers, in neighbourhood 'bystanders' and in relatives, in the United Kingdom and the United States, amongst others
1969	UK Asbestos Regulations improve controls, but ignore users and cancers
1982–1989	UK media, trade union and other pressure provokes tightening of asbestos controls on users and producers, and stimulates substitutes
1998–1999	EU and France ban all forms of asbestos
2000–2001	WTO upholds EU/French bans against Canadian appeal

## PCBs and the precautionary principle

*Janna G. Koppe and Jane Keys*

PCBs were primarily used in the electrical industry where they facilitated smaller, lighter, and what were thought to be safer, equipment. Use subsequently expanded to many other industries. Within the electrical industry, adverse effects on workers such as a painful disfiguring skin disease,

chloracne, and severe liver damage, were already well known in the 1930s. From the 1960s findings emerged of PCBs in the tissues of wildlife causing infertility and severe damage to animals. Later PCB contamination of human breast milk was found and studies showed effects of endocrine disruption. Prohibition only happened gradually with each government action taken on the basis of a high level of scientific proof.

**Table A2.6 PCB – early warnings and actions**

1899	Chloracne identified in workers in chlorinated organic industry
1929	Mass production of PCBs for commercial use begins
1936	More workers affected by chloracne and liver damage
1937	Chloracne and liver damage observed in experiments with rats. Results did not gain attention from policymakers but both labour regulators and manufacturers were made aware of the concerns surrounding PCBs
1966	Jensen discovers unknown molecules in sea eagles in Sweden — only in 1969 was he able to demonstrate that they were PCBs
1968	Poisoning of 1 800 people who had ingested PCB-contaminated rice oil in Japan gives rise to a new Japanese word: Yusho — rice oil disease, and to the first well-publicised warning that PCBs are harmful to humans
1970s	High levels of PCBs found in infertile seals of three different species
1972	Sweden bans 'open' uses of PCBs
1976	Toxic Substances Control Act (United States) — PCBs to be used only in a 'totally enclosed manner'
1979	2 000 people again poisoned, in Taiwan, by polluted rice oil. Follow-up research showed that 25 % of children born of poisoned mothers died before the age of four years
1980s	Evidence of PCB contamination of breast milk
1990s	PCBs associated with IQ and brain effects in children exposed in utero to mothers' PCB-contaminated diets. Fetotoxicity represents a new paradigm for toxicology
1996	EU directive to eliminate PCBs, with phase-out by 2010
1999	Chicken food contaminated with PCBs is found in Belgium



## Halocarbons, the ozone layer and the precautionary principle

*Joe Farman*

CFCs came into industrial use in the 1930s as refrigerants and their use increased during the Second World War when widespread use of aerosol sprays commenced. The ozone layer had been discovered at that time and variations in the amount of ozone measured. Concerns linking human activities to the ozone layer did not arise before the

1970s. Five reports from the World Meteorological Organization published in the period 1985–1999 concluded that halocarbons were beyond reasonable doubt responsible for damage to the ozone layer. When phasing out CFCs they were largely replaced by HCFCs (ozone depleting substances, but less harmful than CFCs) and HFCs (with zero ozone depletion but powerful greenhouse gases). The political process failed to stimulate more radical changes towards halocarbon-free and energy-efficient technology.

**Table A2.7 Halocarbons – early warnings and actions**

1907	Laboratory experiments by Weigert on the decomposition of ozone photosensitised by chlorine
1934	Ditto by Norrish and Neville
1973	Global survey of CFCs by Lovelock et al. showing their distribution in the atmosphere worldwide
1974	Molina and Rowland publish their theoretical arguments that CFCs would be destroying the ozone layer
1977	United States bans CFCs in aerosols based on 'reasonable expectation' of damage, followed by Canada, Norway and Sweden
1977	Research-oriented 'world plan of action on the ozone layer' agreed, overseen by UNEP
1980	European decision restricting use of CFCs in aerosols, but rising use in refrigerators, etc. marginalises this restriction
1985	UNEP Vienna Convention for the protection of the ozone layer agrees research, monitoring, information exchange and restrictions if and when justified
1985	Farman, Gardiner and Shanklin publish results showing hole in ozone layer over Antarctica
1987	Montreal Protocol on protection of the ozone layer is signed, with phasing out of ozone depleting substances for both developed and developing countries within different timescales
1990s	Increasing finance to developing countries to help them reduce their dependence on ozone depleting substances
1997	Amendments to the Montreal Protocol in order to restore levels of chlorine by 2050–2060
1999	Beijing Declaration calling for efforts to stop illegal trade in ozone depleting substances

## The DES story: long-term consequences of prenatal exposure

*Dolores Ibarreta and Shanna H. Swan*

In 1970 seven young women were diagnosed with a rare vaginal cancer in the US. Studies in the following years linked these and other cases to consumption of DES (a synthetic oestrogen diethylstilboestrol) by the patients' mothers during

pregnancy. DES had been prescribed to pregnant women from 1947 in the belief that it prevented miscarriages. Prescription continued even though trials in the 1950s established the ineffectiveness of DES in preventing miscarriages. The cancer findings forced scientists to abandon their commonly held view of the foetal environment as a safe place, protected by the placental 'barrier' and replace it with an understanding of the extreme vulnerability of the developing foetus.

**Table A2.8 DES – early warnings and actions**

1938	DES synthesised
1938	First report of increased cancer incidence in animals after DES administration
1939	First report of DES administered to patients
1942	Approval of DES by the American Council of Pharmacy and Chemistry
1942	First report of DES used for prevention of abortion
1947	US Food and Drug Administration (FDA) approves DES for the treatment of threatened or habitual abortion
1948	Use of DES increases following publication of large-scale study in the US
1953	First large placebo-controlled randomised trial shows DES ineffective in the prevention of miscarriage
1970	Published report of seven cases of vaginal clear-cell adenocarcinoma in young women
April 1971	Prenatal DES exposure is linked to vaginal clear-cell adenocarcinoma
November 1971	FDA withdraws approval of DES for use by pregnant women
1972	Registry of Clear-Cell Adenocarcinoma of the Genital Tract in Young Females is established
1978	Reanalysis of 1953 Dieckmann data shows that DES actually increased the risk of miscarriage and other adverse pregnancy outcomes
1985	Last reported use of DES by pregnant women world-wide

### Antimicrobials as growth promoters: resistance to common sense

*Lars-Erik Edqvist and Knud Børge Pedersen*

Antimicrobials are defined as substances of natural, semisynthetic or synthetic origin that kill or inhibit the growth of microorganisms. Growth promoting properties of antimicrobial agents in farm animals were discovered in the late 1940s, resulting in e.g. faster growth of chicken, improved egg

production in laying hens and increased milk yields in dairy cows. Bacteria exposed to antimicrobials can, however, develop resistance to them with possible effects on human health. The number of independent scientific studies of this issue was relatively small compared to the number of studies supported by the pharmaceutical industry. The number of independent studies only increased when the resistance associated with using additives in animal feed was made clear.

**Table A2.9 Antimicrobials as growth promoters – early warnings and actions**

1945	Alexander Flemming warns against misuse of penicillin as 'microbes are educated to resist'
1950s	Antibiotic resistance widely recognised – vertical transmission
1960s	Horizontal transmission recognised
1969	Swann Committee recommends severe restrictions on antimicrobials in animal feed
1970s	Most Swann recommendations initially implemented in the United Kingdom and EU
1975	Swann recommendations are relaxed: tolysin and spiramycin still permitted as growth promoters as human equivalents; vancomycin comes into use
1977	Swedish Agriculture Board considers potential risk of antibiotic resistance, but concludes it is negligible
1984	Swedish farmers ask for government ban on antimicrobials in animal feed because of health and consumer concerns
1985	Swedish ban on grounds of antibiotic resistance in animals and 'uncertain' long-term effects
1997	Swedish report concludes that risk of antibiotic resistance in humans is 'far from negligible'
1997	WHO scientific meeting concludes that it is 'essential to replace growth promoting antimicrobials'
1998	EU bans four antimicrobials in animal feed as 'precautionary' measure
1999	EU Scientific Steering Committee recommends phase-out of antimicrobials that may be used in human/animal therapy
1999	Pharmaceutical industry opposes EU bans and takes EU to the European Court; judgement expected end 2001 (*)
2000	WHO recommends ban on antimicrobials as growth promoters if used in human therapy and in absence of risk-based evaluation

**Note:** (\*) EU won the case against Pfizer Animal Health (Pfizer Animal Health SA v Council of the European Union, judgment available at: <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:61999A0013:EN:HTML>).

## Sulphur dioxide: from protection of human lungs to remote lake restoration

Arne Semb

Dense smog over London in 1952 and 1962 drew attention to air pollution and its severe health impacts. Measures were slowly taken to reduce the emission of sulphur dioxide (SO<sub>2</sub>) but increasing

energy consumption in the 1960s resulted in large emission increases. Studies of precipitation introduced the concept of 'acid rain' and determined the long-range impact of emissions. Its harmful effects on forests and fish drew attention to the need for transnational cooperation. In Europe, this was extremely difficult during the Cold War period but progress in reducing SO<sub>2</sub> emissions were achieved during the 1980s and 90s.

**Table A2.10 Sulphur dioxide – early warnings and actions**

1952	A dense smog kills more than 2 000 people in London
1952	The Beaver Report prepared by a parliamentary commission proposes modest remedies
1962	Second smog incident kills 800 people in London
1968	Acidification of precipitation and rivers in Sweden is linked to sulphur dioxide emissions in other countries
Late 1960s	An OECD Air Management Sector Group is set up, contributing to solving air problems
1972	Further evidence of acidification of Swedish lakes presented to the UN environment conference, Stockholm
1972	OECD acid rain study is launched
1972	OECD programme on long-range transport of air pollutants is launched
1977	OECD report is published, determining the relationship between emissions and depositions of sulphur compounds
1979	Convention on Long-range Transboundary Air Pollution (LRTAP Convention) is agreed
1979	WHO recommends air quality guidelines, setting a standard for the pollution abatement work in Europe
1980s	Forest death from 'acid rain' in Germany, Poland, Czechoslovakia and North America
1985	LRTAP Convention protocol agrees 30 % reduction in sulphur emissions
1988	The EU directive on large combustion plants is published, and amended in 1988. These were very efficiently used by Germany against the British opposition to emission controls
1994	Second sulphur protocol, based on the critical load concept that had already been mapped all over Europe

## MTBE in petrol as a substitute for lead

*Martin Kraye von Krauss and Poul Harremoës*

The toxic effects of lead have been well-known for centuries (as noted in Chapter 3 on lead in petrol). Following debate about the hazards of using lead as an anti-knocking agent in petrol in the 1960s, the petrochemical industry chose MTBE as a substitute. In around 1990 concerns arose as studies identified

MTBE contamination of groundwater, which rendered large water reserves useless and thereby put pressure on supplies in many areas. Suspicions were also raised that MTBE causes asthma, cancer and endocrine disruption.

The chapter examines the extent to which it would have been possible to foresee undesirable properties of MTBE at the time of its introduction.

**Table A2.11 MTBE in petrol – early warnings and actions**

1954	First scientific paper demonstrates low biodegradability of the ether family in water
1960	Information about taste and odour in water and low biodegradability available in textbook
1990	First indications of the potential for groundwater pollution with MTBE at laboratory scale
1990	Significant increase in use of MTBE in the United States due to amendments to the Clean Air Act
1990	Comprehensive investigations of carcinogenicity initiated in the 1990s
1995	MTBE detected in wells that supplied drinking water in Santa Monica, California. These had to be closed and the city lost 71 % of its local water supply
1996	Concerns become widespread following a US Geological Survey report
1997	Field studies demonstrate that MTBE is highly soluble, mobile and persistent and therefore a potential risk to groundwater
1998	A Danish EPA report acknowledges that the government was informed in 1990 that MTBE might give rise to groundwater problems and presents an action plan for MTBE remediation and risk reduction
1999	California recommends removal of MTBE from petrol as soon as possible, but not later than end 2002
2000	Indications that MTBE might be linked to asthma in some US cities
2000	Indications that MTBE might be an endocrine disrupter
2000	US EPA announces that steps will be taken to significantly reduce or eliminate MTBE as a petrol additive
2000	Danish EPA places MTBE on its list of undesirable substances
2001	EU reports on analysis of risks and risk reduction related to MTBE. European Chemicals Bureau decides that MTBE should not be classified as a carcinogen
2001	The debate goes on

## The precautionary principle and early warnings of chemical contamination of the Great Lakes

Michael Gilbertson

The Great Lakes on the border between the US and Canada have been subject to comprehensive pollution for decades. In 1972, the two governments responded to findings of organochlorine compounds

in wildlife with the Great Lakes Water Quality Agreement and prohibitions of DDT and other substances. In the 1980s, however, the political climate changed and statements about the effects of persistent toxic substances on wildlife and humans were met with scepticism and demands for proof of a causal relationship before appropriating funds for remedial works. Decades later the efforts to clean up the area continue.

**Table A2.12 Great Lakes contamination — early warnings and actions**

1962	<i>Silent spring</i> by Rachel Carson is the significant early warning of the effects of organochlorine pesticides on fish and wildlife as well as the threat of cancer in humans
1963	First observation of changes in eggshell quality on Pigeon Island in Lake Ontario
1966	Hickey et al. publish the first analytical results of the presence of organochlorine compounds in organisms in the Great Lakes
1969	DDT and related pesticides are banned in Canada
1972	DDT is banned in the United States (dieldrin is banned in 1973) and gradual improvements in wildlife begin in the Great Lakes
1974	Concerns of possible effects of organochlorine compounds on human health
1978	Association of incidence of diseases (high rates of birth defects, miscarriages, cancers, etc.) in Love Canal, Niagara Falls with the disposal of toxic wastes (including dioxin) denied by Hooker Chemical Company
1978	Renegotiation of the Great Lakes Water Quality Agreement, including a precautionary policy, but it is not properly implemented
1980	President's Emergency Declaration moves 900 families from the hazardous Love Canal area
1984	Studies show that, at birth, infants exposed to high levels of PCBs (maternal consumption of Lake Michigan contaminated fish) weighed less and had smaller heads
1996	Studies of Lake Ontario affected children published that observed same behavioural effects as in affected children from Lake Michigan
2000	The specific relationship between behavioural anomalies and prenatal exposures to the highly chlorinated biphenyls is determined
2000	Reluctance to undertake costly remedial actions even after causal relationship is proven



## Tributyltin (TBT) antifoulants: a tale of ships, snails and imposex

*David Santillo, Paul Johnston and William J. Langston*

Preventing plants and animals from growing on and fouling hulls has a huge effect on the fuel consumption of boats. TBT marine paint was introduced in the late 1960s and the first incidents

of imposex in gastropods were discovered in France in 1970. It was not until early 1980s, however, that analytical techniques were sensitive enough to identify TBT as the agent responsible for sex reversals in oysters and snails caused by disruption to the endocrine system. This case study analyses the process leading up to the prohibition of TBT for vessels under 25 metres and subsequently for all vessels.

**Table A2.13 TBT – early warnings and actions**

Early 1970s	Rapid increase in the use of TBT antifouling paints on vessels of all sizes and first reports of imposex in marine snails (Blaber, 1970; Smith, 1971)
1976–81	Repeated failure of larval settlement leads to near collapse of oyster fishery, Arcachon Bay, France
1982	France introduces legislation prohibiting the use of TBT paints on small vessels
1985	First controls introduced in United Kingdom limiting concentrations of TBT in paints
1986	Bryan et al. (1986) report widespread imposex in dogwhelks on southern coast of United Kingdom, linked to TBT
January 1987	United Kingdom announces further restrictions on TBT content of applied antifouling paint
May 1987	United Kingdom introduces ban on retail sale of TBT paint for use on vessels < 25 m and on fish cages
June 1987	PARCOM Recommendation 87/1 calls for similar ban over entire convention area (Northeast Atlantic)
1988	United States introduces restrictions. Waldock et al. (1988) highlight significance of inputs from shipyards
1989	Restrictions introduced in Canada, Australia and New Zealand
1991	Harmonised ban on retail sale of TBT paint introduced at European Union level
1994	Early reports of imposex in whelks from offshore areas of North Sea linked to shipping activity
1995	Ministerial declaration of fourth North Sea conference (Esbjerg) commits to working for global phase-out of TBT paint within IMO
1997	Concept of global phase out of organotin containing paints agreed at MEPC's 40th session
1998	Draft mandatory regulations aimed at such a phase-out adopted. OSPAR (Convention for the Protection of the Marine Environment of the Northeast Atlantic) prioritises organotins for action to cease all releases. Cessation of all releases of organotins to marine environment, under OSPAR's hazardous substances strategy in 2020
November 1999	Deadlines for phase-out adopted under IMO Assembly Resolution A.895(21)
2001	Text of International Convention on the Control of Harmful Anti-fouling Systems to be finalised. In 2003 worldwide prohibition on new application of organotin antifoulants to all vessels and in 2008 the existing organotin antifouling coatings will be replaced on all vessels worldwide

## Hormones as growth promoters: the precautionary principle or a political risk assessment?

*Jim W. Bridges and Olga Bridges*

Oestrogen and androgen hormones have been used as growth promoters to increase meat production since the 1940s, with diethylstilboestrol (DES) being the favoured growth promoter for cattle, sheep and poultry in many countries. In the early 1970s concerns about safety were raised as DES was

confirmed to be a human carcinogen. Although expert scientific committees concluded that growth hormones were safe to use, the EU banned several hormones as growth promoters within Member States in 1988 and later extended this to imports as well. This can be seen as an early example of application of the precautionary principle.

The case study discusses the approach of the European Commission and the legal and financial implications of the trade restrictions in the World Trade Organization context.

**Table A2.14 Hormones as growth promoters – early warnings and actions**

1970s	Concerns about growth promoters' safety, as DES confirmed a human carcinogen
1972	Peakal publishes that DES likely to affect a wide range of species in the environment (wildlife) but this was ignored until the late 1980s
1972	DES banned as a hormone growth promoter in the United States
1974	Use of DES reinstated in the United States
1976	US Food and Drug Administration (FDA) sets the minimum detectable level of DES
1979	DES banned again on the grounds of the impossibility of identifying levels below which it would not be carcinogenic
1982	EU expert working group (Lamming Committee) concludes that some growth promoters are safe
1985	First EU ban is adopted, ignoring results from the Lamming Committee because the scope of their assessments had not been broad enough
1987	Lamming Committee disbanded by EU and their results were not published
1988	Ban of several growth promoters throughout the EU based on uncertainty of their effects on humans
1988	WHO/FAO Joint Expert Committee on Food, using standard risk assessments, reaches same conclusions as Lamming Committee
1989	EU ban extended to other growth promoters and to imports from third world countries
1989	Pimenta Report finds illegal use of growth promoters in some Member States
1989–1996	USA takes unilateral retaliatory measures on EC exports
1995	European Commission organises an international conference on growth promoters and meat production where uncertainties remain regarding effects on the immune system, endocrine system and cancer
1999	The EU Scientific Committee on Veterinary Measures Relating to Public Health publishes a report concluding that no threshold levels can be defined for six growth promoters
2000	International workshop on hormones and endocrine disrupters in food and water confirms impacts on the environment (wildlife) of veterinary drugs
2001	EU still suffers from sanction to its exports of around EUR 160 million per year

### Mad cow disease 1980s–2000: how reassurances undermined precaution

*Patrick van Zwanenberg and Erik Millstone*

With the first case of an infected animal acknowledged in 1986, BSE (popularly known as mad cow disease) evolved into a serious crisis in the United Kingdom. The source of the epidemic was suspected to be animal slaughterhouse wastes recycled in animal feed, which was infected with

scrapie. A decade later, suspicions that BSE might transmit to humans in the form of Creutzfeld-Jakob disease were confirmed.

This case study analyses the decisions of action and inaction taken by policymakers when weighing human health and financial consequences. The lack of precautionary measures and information to the public about the risks contributed to prolonging the crisis and the collapse of public trust in scientists and governments.

**Table A2.15 Mad cow disease — early warnings and actions**

Mid-1970s	The United States of America bans scrapie-infected sheep and goat meats from cattle food chain
1979	UK Royal Commission on Environmental Pollution recognises risks of pathogens in animal feed and recommends minimum processing standards in rendering industries
1986	First cases of bovine spongiform encephalopathy (BSE) are officially acknowledged
1988	First documented official acknowledgement that BSE may be transmissible to humans
1988	Southwood Committee is set up and recommends that clinically affected cattle should not go into human and animal food
1989	Ruminant feed ban, slaughter and destruction of affected cattle and specified bovine offal (SBO) ban
1995	Almost 50 % of the abattoirs checked are found to be failing to comply with the SBO ban
1995	Evidence that BSE may cause Creutzfeldt-Jakob disease (CJD)
1996	At last, experiments start to see whether cattle fed on rations deliberately infected with scrapie would get BSE
1996	BSE crisis, after a new variant of CJD emerged in the United Kingdom and consuming BSE contaminated food was considered the most probable cause
1998–2000	The Phillips Inquiry takes place and its 16-volume report is published. Its conclusions do not seem sufficiently rigorous on judging government actions over time. These conclusions state that appropriate policy decisions had been taken, although not always timely, or adequately implemented or enforced

### References

Gee, D., 2009, 'Late Lessons from Early Warnings: Towards realism and precaution with EMF?', *Pathophysiology*, (16) 217–231.

## Annex 3 – An update of some case studies from *Late lessons from early warnings: the precautionary principle 1896–2000 vol. 1*

---

### Introduction

During the preparation of Volume 2 of *Late lessons from early warnings* it became clear that there had been some important developments in several of the earlier case study chapters which perhaps merited a brief update.

It was a step too far to ask for Volume 1 authors to provide comprehensive updates of their chapters. However, we did manage to get the following short updates focusing on the most important developments in some of the case studies since 2001.

For a few subjects the case study authors had subsequently died or could not be contacted. However, some issues were clearly of increasing importance or there had been a very significant legal development and we found other experts to briefly provide an update on these chapters.

The updates also include one contribution, to the fisheries chapter, from another expert who is not the chapter author but, in our view, has provided a different and new early warning, about the health benefits of farmed fish, which we thought was in the spirit of the Late Lessons project, especially as it has been greeted in some quarters an 'inconvenient truth'.

These selective chapter updates illustrate the nature and extent of continuing damage to ecosystems and people since Volume 1 (EEA, 2001) such as the breast cancer now arising in the daughters of the mothers who took the pregnancy pill, DES, and who survived the vaginal cancer of their twenties. Together these updates illustrate an important lesson of Volume 2 of *Late lessons from early warnings*, namely that for most of the harmful agents described in the case studies, their capacity to harm expands over time from that which generated the first 'early warnings' to other kinds of harm and which is often caused by levels of exposure that were previously considered 'safe'.

**All case studies referred to in this annex can be found in:**

EEA, 2001, *Late lessons from early warnings: the precautionary principle 1896–2000*, Environmental issue report No 22, European Environment Agency.

## Fisheries/aquaculture: emerging challenges

Jérôme Ruzzin, *Department of Biology, University of Bergen, Bergen, Norway*

(Original case study *Fisheries: taking stock* by Malcolm MacGarvin)

Aquaculture supplies more than half of the total fish and shellfish for human consumption, and aquaculture's pressure on forage fisheries has been a source of intense debate (Naylor et al., 2009). Research on the health benefits of seafood, especially fatty fish and their long-chain n-3 polyunsaturated fatty acids (omega-3), started decades ago, and a protective effect on cardiovascular disease was reported (Kromhout et al., 1985). More recently, several studies found that the consumption of fish could induce a higher risk for type 2 diabetes (Zhou et al., 2012). In one study, four servings of fish per week was associated with a 49 % increased risk of type 2 diabetes (Djousse et al., 2011). The cardiac protective effects of omega-3 have also seriously been questioned (Rizos et al., 2012; Saravanan et al., 2010) and a possible link between omega-3 and prostate cancer has even been reported (Dahm et al., 2012). Two main factors may help us to better understand these recent findings: the presence of environmental pollutants and the new nutritional value of fish.

### *Environmental pollutants*

There is evidence that the health outcomes of fatty fish are reduced by the presence of persistent organic pollutants (POPs), which are hazardous chemicals highly resistant to degradation. In 2010, it was documented that rats fed fish oil extracted from farmed Atlantic salmon developed multiple disorders associated with type 2 diabetes as well as obesity. On the other hand, when the same salmon oil was purified for POPs, animals were protected from these disorders (Ruzzin et al., 2010). Later, mice fed commercially available farmed Atlantic salmon fillet were found to develop severe metabolic dysfunctions mimicking those present in diabetes, obesity and fatty liver disease. When less POPs were present in farmed salmon fillet, animals exhibited better metabolic profile (Ibrahim et al., 2011). In concert, these data demonstrate that background levels of POPs, which many people consider to be at safe levels, can fully abolish the potential health benefits of fish nutrients. These findings are also consistent with the emerging view that POPs are

contributors to the epidemic of type 2 diabetes (Alonso-Magdalena et al., 2011; Neel and Sargis, 2011; UNEP and WHO, 2013).

### *Nutritional value of fish*

The rapid growth of aquaculture production and the limited marine resources have led to important changes for farmed fish. The traditional fishmeal and fish oil present in aquafeeds (food given to farmed fish) have been largely replaced by vegetable oil and protein. Important financial resources have been used to select the best vegetable ingredients to maximize the growth and health of farmed fish. As a consequence, the nutritional value of farmed fish has significantly changed. For example, the ratio of eicosapentaenoic acid (EPA) (20:5n3) and docosahexaenoic acid (DHA) (22:6n3) to n-6 PUFAs has, between 2005 to 2009, decreased by about 50 % in farmed Atlantic salmon (NIFES), one of the most consumed fishes worldwide. Yet, the impact of this reduction in the more nutritious EPA and DHA has not been researched, but it is likely to have significantly reduced the health benefits of farmed fish.

In conclusion, there is 'early warnings' evidence that the health benefits of seafood and fish may be over-estimated. The presence of environmental pollutants in marine food in the EU is still poorly regulated compared with other dietary products. For instance, organochlorine pesticides, some polychlorinated biphenyls (PCBs), polybrominated diphenyl ethers (PBDEs) and perfluorinated compounds (PFCs) are still unregulated in seafood intended for human consumption (Ruzzin, 2012). In addition, the common use of vegetable ingredients in farmed fish food introduces new hazardous chemicals that may threaten human health. There is therefore urgent need to better control the levels of environmental pollutants in seafood, and to document the human health impacts of the current farmed fish. Ignoring these issues may have important public health consequences.

## References

- Alonso-Magdalena, P., Quesada, I. and Nadal, A., 2011, 'Endocrine disruptors in the etiology of type 2 diabetes mellitus', *Nat Rev Endocrinol* (7) 346–353.
- Dahm, C.C., Gorst-Rasmussen, A., Crowe, F.L., Roswall, N., Tjønneland, A., Drogan, D., Boeing, H., Teucher, B., Kaaks, R., Adarakis, G., Zylis, D., Trichopoulou, A., Fedirko, V., Chajes, V., Jenab, M., Palli, D., Pala, V., Tumino, R., Ricceri, F., van Kranen, H., Bueno-de-Mesquita, H.B., Quiros, J.R., Sanchez, M.J., Lujan-Barroso, L., Larranaga, N., Chirilaque, M.D., Ardanaz, E., Johansson, M., Stattin, P., Khaw, K.T., Wareham, N., Wark, P.A., Norat, T., Riboli, E., Key, T.J. and Overvad, K., 2012, 'Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition', *Am J Clin Nutr*, doi:10.3945/ajcn.3112.034157.
- Djousse, L., Gaziano, J.M., Buring, J.E. and Lee, I.M., 2011, 'Dietary omega-3 fatty acids and fish consumption and risk of type 2 diabetes', *Am J Clin Nutr* (93) 143–150.
- Ibrahim, M.M., Fjaere, E., Lock, E.J., Naville, D., Amlund, H., Meugnier, E., Le Magueresse Battistoni, B., Frøyland, L., Madsen, L., Jessen, N., Lund, S., Vidal, H. and Ruzzin, J., 2011, 'Chronic consumption of farmed salmon containing persistent organic pollutants causes insulin resistance and obesity in mice', *Plos One* (6/9) e25170.
- Kromhout, D., Bosschieter, E.B. and Coulander, C.D., 1985, 'The Inverse Relation between Fish Consumption and 20-Year Mortality from Coronary Heart-Disease', *N. Engl. J. Med.* (312) 1 205–1 209.
- Naylor, R.L., Hardy, R.W., Bureau, D.P., Chiu, A., Elliott, M., Farrell, A.P., Forster, I., Gatlin, D.M., Goldburg, R.J., Hua, K. and Nichols, P.D., 2009, 'Feeding aquaculture in an era of finite resources', *PNAS* (106) 15 103–15 110.
- Neel, B.A. and Sargis, R.M., 2011, 'The paradox of progress: environmental disruption of metabolism and the diabetes epidemic', *Diabetes* (60) 1 838–1 848.
- NIFES, National Institute of Nutrition and Seafood Research, Norway, 'Atlantisk laks – oppdrett (Salmo salar)' ([http://www.nifes.no/index.php?page\\_id=168](http://www.nifes.no/index.php?page_id=168)) accessed 7 March 2013.
- Rizos, E.C., Ntzani, E.E., Bika, E., Kostapanos, M.S. and Elisaf, M.S., 2012, 'Association between omega-3 fatty acid supplementation and risk of major cardiovascular disease events: a systematic review and meta-analysis', *JAMA* (308) 1 024–1 033.
- Ruzzin, J., 2012, 'Public health concern behind the exposure to persistent organic pollutants and the risk of metabolic diseases', *BMC Public Health* (12) 298–302.
- Ruzzin, J., Petersen, R., Meugnier, E., Madsen, L., Lock, E.J., Lillefosse, H., Ma, T., Pesenti, S., Du, Z.Y., Chavey, C., Fajas, L., Lundebye, A.K., Brand, C.L., Vidal, H., Kristiansen, K. and Frøyland, L. (2010), 'Persistent organic pollutant exposure leads to insulin resistance syndrome', *Environ Health Perspect* (118) 465–471
- Saravanan, P., Davidson, N.C., Schmidt, E.B., and Calder, P.C., 2010, 'Cardiovascular effects of marine omega-3 fatty acids', *Lancet* (376) 540–550.
- UNEP and WHO, 2013, *State of the science of endocrine disrupting chemicals – 2012*, United Nations Environment Programme and the World Health Organization.
- Zhou, Y., Tian, C., and Jia, C., 2012, 'Association of fish and n-3 fatty acid intakes with the risk of type 2 diabetes: a meta-analysis of prospective studies', *Br J Nutr* (108) 408–417.



## **Benzene and gasoline: An update on risk of adult and childhood cancers and issues with quantitative risk assessment**

*Peter F. Infante, M.P.H., Dr.P.H., Peter F Infante Consulting, Falls Church, Virginia, USA*

(Original case study *Benzene: an historical perspective on the American and European occupational setting* by Peter F. Infante)

Benzene is the most toxic aromatic hydrocarbon. It has been widely used in the exploitation of oil and in the manufacture and use of chemicals and paints. Significant environmental exposures arise from vehicle exhaust and from gasoline vapors. In the home, exposure to benzene can occur through the use of gasoline as a solvent for cleaning; use of petroleum derived paints and paint products; and from leaking underground gasoline storage tanks (Talbot et al., 2011). See Infante and Bingham (2012) for more detail on sources of environmental benzene exposure.

Since 1897 (LeNoir and Claude, 1897), benzene has been known to cause fatal blood diseases from high exposure levels. Research since then has continued to demonstrate adverse effects on the lymphohematopoietic system, including leukemias and some lymphomas, from lower and lower benzene exposure levels which are now down to average atmospheric exposures that are below 1 ppm.

The vast literature on benzene toxicity now indicates a significantly elevated risk of several types of cancer from benzene exposure including all of the major forms of leukemia, such as acute myelogenous leukemia (AML), acute lymphatic leukemia (ALL), chronic myelogenous leukemia (CML), non-Hodgkin's Lymphoma (NHL), multiple myeloma (MM) and chronic lymphatic leukemia (CLL) (Infante and Bingham, 2012; Infante, 2006; Glass, 2003). Recent studies demonstrate elevated risks of AML and MM associated with average benzene exposure levels below 1 ppm (Kirkeleit et al., 2008; Talbot et al., 2011). These observations of elevated leukemia risk from low level exposure are supported by data demonstrating lower white blood cell counts and damage to hematopoietic stem cells and to leukocytes among workers exposed to benzene down to the lowest levels evaluated (0.1–0.2 ppm) (Lan et al., 2004; Lan et al., 2006; Qu et al., 2002;). The elevated risk of non-Hodgkin's Lymphoma is supported by a large number of experimental studies demonstrating that benzene induces lymphomas, and by current knowledge of the mechanisms of benzene's effect

on human lymphocytes all of which provides a high level of biomedical plausibility supporting a causal relationship between benzene exposure and multiple myeloma, chronic lymphatic leukemia, and lymphomas in general (Infante, 2011; Goldstein, 2009).

Gasoline, a major source of benzene exposure in the workplace and in the environment in general, has been associated with elevated risks of AML and various cytopenias from workplace and residential exposures. These are also the most commonly observed lymphohematopoietic (LHP) diseases among individuals exposed to benzene and may be a reflection of their higher background rates in the populations studied in combination with a relatively shorter latency period and a more potent effect of benzene for these diseases. As the source of high benzene-containing mixtures, e.g. today at least 1–2 %, gasoline should be considered a cause of all lymphohematopoietic cancers associated with benzene exposure to both adults and children (Infante and Bingham, 2012).

Childhood leukemia, both ALL and AML, appears to be significantly elevated in relation to both transplacental and childhood exposures to various sources of benzene exposure as found in gasoline, paint and paint products as well as secondary cigarette smoke. Benzene exposures from these sources were likely to have been well below 1 ppm. For example, children whose mothers were occupationally exposed to benzene or gasoline (Shu et al., 1988), children living in homes where painting occurred during pregnancy (Shu et al., 1999; Schuz et al., 2000; Freedman et al., 2001; Bailey et al., 2011) or children residing near to gasoline stations (Steffen et al., 2004; Brosselin et al., 2009) demonstrate elevated risks of leukemia. Epidemiological observations demonstrating transplacental benzene exposure and elevated risk of leukemia in offspring are supported by experimental studies demonstrating that transplacental benzene exposure induces hematopoietic tumors (Maltoni et al., 1989; Badham, 2010a) and causes oxidative stress in critical embryonic cell signaling pathways involved in normal hematopoiesis (Badham et al., 2010b).

Recent studies indicate that quantitative risk assessments for benzene that extrapolate cancer risk to environmental levels of exposure from data derived from occupational cohorts are likely to underestimate risk by 3- to 9-fold because of more efficient, and alternative, benzene metabolism from exposure levels below 1 ppm (Kim et al., 2006a; Kim et al., 2006b). The major benzene metabolites exhibit a nonlinear dose-response attributable to saturated metabolism of benzene which starts at around 1 ppm. From these results, it was concluded that workers exposed to benzene below 0.1 ppm metabolize benzene to active metabolites about nine times more efficiently, and therefore more adversely than do those more heavily exposed. Other research has shown that humans exposed to ambient air benzene concentrations that are well below 1 ppm also metabolize benzene by a pathway previously unrecognized), with more efficient metabolism than what occurs at concentrations > 1 ppm (Rappaport et al., 2009).

The NIOSH Pliofilm study of the 1970s has since been widely used by government agencies and others to evaluate the cancer dose response relationship between cumulative benzene exposure and leukemia (Infante et al., 1977; White et al., 1982; Rinsky et al., 2002; OSHA, 1987; Paxton et al., 1994; EPA, 1998; IARC, 1982; Silver et al., 2002; Vlaanderen et al., 2010; Vlaanderen et al., 2011). More recent analysis, however, suggests that use of the published data from the Pliofilm cohort to estimate quantitative dose-response for benzene exposure and leukemia will result in an underestimate of leukemia risk by failing to include approximately 4–9 additional leukemia deaths among cohort members over the entire 1950–1996 follow-up period (Infante, 2013a; Infante, 2013b).

Taken together, the new information on benzene metabolism and on the previously missing leukemia deaths in the Pliofilm study indicates that quantitative cancer risk assessments have underestimated cancer risk resulting from environmental benzene exposure levels.

### References

- Badham, H.J., LeBrun, D.P., Rutter, A. and Winn, L.M., 2010a, 'Transplacental benzene exposure increases tumor incidence in mouse offspring: possible role of fetal benzene metabolism', *Carcinogenesis* (31) 1 142–148.
- Badham, H.J., Renaud, S.J., Wan, J. and Winn, L., 2010b, 'Benzene-initiated oxidative stress: Effects on embryonic signaling pathways', *Clinico Biol Interactions* (184/1–2), 218–221.
- Bailey, H.D., Milne, E., De Klerk, N.H., Fritschi, L., Attia, J., Cole, C., Armstrong, B.K. and Aus-ALL Consortium, 2011, 'Exposure to house painting and the use of floor treatments and risk of childhood acute lymphoblastic leukemia', *Int J Cancer* (128) 2 405–2414.
- Brosselin P, Rudant, J., Orsi, L., Leverger, G., Baruchel, A., Bertrand, Y., Nelken, B., Robert, A., Michel, G., Margueritte, G., Perel, Y., Mechinaud, F., Bordigoni, P., Hémon, D. and Clavel, J., 2009, 'Childhood acute leukemia and residence next to gas stations and automotive repair garages: the ESCALE study (SFCE)', *Occup Env Med* (66) 598–606.
- Crump, K.S., 1996, 'Risk of benzene-induced leukemia predicted from the Pliofilm cohort', *Env Health Perspect* (104) 1 437–1441.
- EPA, 1998, *Carcinogenic effects of benzene: An update*, National Center for Environmental Assessment, Office of Research and Development, Washington, DC.
- Freedman, D.M., Stewart, P., Kleinerman, R.A., Wacholder, S., Hatch, E.E., Tarone, R.E., Robison, L.L. and Linet, M.S., 2001, 'Household solvent exposures and childhood acute lymphoblastic leukemia', *Am J Pub Health* (91) 564–567.
- Glass, D.C., Gray, C.N., Jolley, D.J., Gibbons, C., Sim, M.R., Fritschi, L., Adams, G.G., Bisby, J.A. and Manuell, R., 2003, 'Leukemia risk associated with low-level benzene exposure', *Epid* (14) 569–577.
- Goldstein, B.D., 2009, 'Benzene as a cause of lymphoproliferative disorders', *Chemico-Biological Interactions* (184/1-2) 147–150.
- Hogstedt, B., Holmen, A., Karlsson, A., Raihle, G., Nillius, K. and Vestlund, K., 1991, 'Gasoline pump mechanics had increased frequencies and sizes of micronuclei in lymphocytes stimulated by pokeweed mitogen', *Mutat Res* (263) 51–55.
- IARC, 1982, *Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Humans: Some Industrial Chemicals and Dyestuffs*, Vol. 29, International Agency for research on Cancer, WHO, Lyon France.
- Infante, P.F., 2013a, *Benzene and Leukemia: Pliofilm Revisited: I. An historical review of the leukemia among*

- Akron Goodyear Tire and Rubber Company Employees (submitted for publication).
- Infante, P.F., 2013b, *Benzene and Leukemia: Pliofilm Revisited: II. Statistical analysis to estimate the number of leukemia deaths that may be missing from the cohort.* (submitted for publication).
- Infante, P.F., 2011, 'The IARC October 2009 evaluation of benzene carcinogenicity was incomplete and needs to be reconsidered', *Am J Indust Med* (54) 157–164.
- Infante, P.F., 2006, 'Benzene exposure and multiple myeloma: a detailed meta-analysis of benzene cohort studies', *Ann New York Acad Sci* (1076) 90–109.
- Infante, P.F. and Bingham, E., 2012, 'Chapter 29. Aromatic Hydrocarbons Benzene and Other Alkylbenzenes', In: *Patty's Toxicology*, Sixth Edition, Vol 2, E. Bingham and B. Cohns, eds.) John Wiley & Sons, Inc.
- Infante, P.F., Rinsky, R.A., Wagoner, J.K. and Young, R.J., 1977, 'Leukaemia in benzene workers', *Lancet* (ii) 76–78.
- Kim, S., Vermeulen, R., Waidyanatha S, Johnson, B.A., Lan, Q., Smith, M.T., Zhang, L., Li, G., Shen, M., Yin, S., Rothman, N. and Rappaport, S.M., 2006a, 'Using urinary biomarkers to elucidate dose-response patterns of human benzene metabolism', *Carcinogenesis* (27) 772–781.
- Kim, S., Vermeulen, R., Waidyanatha, S., Johnson, B.A., Lan, Q., Smith, M.T., Zhang, L., Li, G., Shen, M., Yin, S., Rothman, N. and Rappaport, S.M., 2006b, 'Modeling human metabolism of benzene following occupational and environmental exposures', *Cancer Epidemiol Biomarkers Prev* (15/11) 2 246–252 (2006b).
- Kirkeleit, J., Riise, T., Bratveit, M. and Moen, B., 2008, 'Increased risk of acute myelogenous leukemia and multiple myeloma in a historical cohort of upstream petroleum workers exposed to crude oil', *Cancer Causes Control* (19) 13–23.
- Lan Q, Zhang L, Li G, Vermeulen, R., Weinberg, R.S., Dosemeci, M., Rappaport, S.M., Shen, M., Alter, B.P., Wu, Y., Kopp, W., Waidyanatha, S., Rabkin, C., Guo, W., Chanock, S., Hayes, R.B., Linet, M., Kim, S., Yin, S., Rothman, N. and Smith, M.T., 2004, 'Hematotoxicity in workers exposed to low levels of benzene', *Science* (306) 1 774–1 776.
- Lan Q, Vermeulen, R., Zhang, L., Li, G., Rosenberg, P.S., Alter, B.P., Shen, M., Rappaport, S.M., Weinberg, R.S., Chanock, S., Waidyanatha, S., Rabkin, C., Hayes, R.B., Linet, M., Kim, S., Yin, S., Rothman, N. and Smith, M.T., 2006, 'Response to Lamm and Grunwald, benzene exposure and hematotoxicity', *Science* (312) 998–999.
- LeNoir and Claude, 1897, 'On a case of purpura attributed to benzene intoxication', *Bul Mem Soc Med Hop* (3) 1 251–1 261.
- Maltoni, C., Ciliberti, A., Cotti, G., Conti, B., Belpoggi, F., 1989, 'Benzene, an experimental multipotential carcinogen: Results of the long-term bioassays performed at the Bologna Institute of Oncology', *Env Health Perspect* (82) 109–124.
- OSHA, 1987, *Occupational Exposure to Benzene; Final Rule, Part II, Federal Register*, 52: 34460–34578, Occupational Safety and Health Administration.
- Qu, Q., Shore, R., Li, G., Jin, X., Che, L.C., Cohen, B., Melikian, A.A., Eastmond, D., Rappaport, S.M., Yin, S., Li, H., Waidyanatha, S., Li, Y., Mu, R., Xiaoling Zhang, X. and Li, K., 2002, 'Hematological changes among Chinese workers with a broad range of benzene exposures', *Am J Ind Med* (42) 275–285.
- Paxton MB., 1996, 'Leukemia risk associated with benzene exposure in the Pliofilm cohort', *Env Health Perspect* (104/Suppl 6), 1 431–1 436.
- Rappaport, S.M., Kim, S., Lan, Q., Vermeulen, R., Waidyanatha, S., Zhang, L., Li, G., Yin, S., Hayes, R.B., Rothman, N. and Smith, M.T., 2009, 'Evidence that humans metabolize benzene via two pathways', *Environ Health Perspect* (117) 946–952.
- Rinsky, R.A., Hornung, R.W., Silver, S.R. and Tseng, C.Y., 2002, 'Benzene exposure and hematopoietic mortality: A long-term epidemiologic risk assessment', *Am J Indust Med* (42) 474–480.
- Schuz, J., Kaletsch, U., Meinert, R., Kaatsch, P. and Michaelis, J., 2000, 'Risk of childhood leukemia and parental self-reported occupational exposure to chemicals, dusts, and fumes: Results from pooled analyses of German population-based case control studies', *Cancer Epid, Biomarkers & Prevention* (9) 835–838.
- Shu, X.O., Gao, Y.T., Brinton, L.A., Linet, M.S., Tu, J.T., Zheng, W., Fraumeni, J.F., 1988, 'A population-based case-control study of childhood leukemia in Shanghai', *Cancer* (62) 635–643.
- Shu, X.O., Stewart, P., Wen, W-Q., Han, D., Potter, J.D., Buckley, J.D., Heineman, E. and Robison, J.D., 2006, 'Response to Lamm and Grunwald, benzene exposure and hematotoxicity', *Science* (312) 998–999.

- L.L., 1999, 'Parental occupational exposure to hydrocarbons and risk of acute lymphocytic leukemia in offspring', *Cancer Epid Biomarkers Prev* (8) 783–791.
- Silver, S.R., Rinsky, R.A., Cooper, S.P., Hornung, R.W. and Lai, D., 2002, 'Effect of follow-up time on risk estimates: A longitudinal examination of the relative risks of leukemia and multiple myeloma in a rubber hydrochloride cohort', *Am J Indust Med* (42) 481–489.
- Steffen, C., Auclerc, M.F., Auvrignon, A., Baruchel, A., Kebaili, K., Lambilliotte, A., Leverger, G., Sommelet, D., Vilmer, E., He' mon, D. and Clavel, J., 2004, 'Acute childhood leukaemia and environmental exposure to potential sources of benzene and other hydrocarbons; a case-control study', *Occup Environ Med* (61) 773–778.
- Talbott, E.O., Xiaohui Xu, X., Youk, A.O., Rager, J.R., Juley A., Stragand, J.A., Malek, A.M., 2011, 'Risk of leukemia as a result of community exposure to gasoline vapors: A follow-up study', *Env Res* (111) 579–602.
- Vlaanderen, J., Portengen, L., Rappaport, S.M., Glass, D.C., Kromhout, H. and Vermeulen, R., 2011, 'The impact of saturable metabolism on exposure-response relations in 2 studies of benzene-induced leukemia', *Am J Epid* (174) 621–629.
- Vlaanderen, J., Portengen, L., Rothman, N., Lan, Q., Kromhout, H. and Vermeulen, R., 2010, 'Flexible meta-regression to assess the shape of the benzene-leukemia exposure-response curve', *Env Health Perspect* (118) 526–532.
- White, M.C., Infante, P.F. and Chu, K.C., 1982, 'A quantitative estimate of leukemia mortality associated with occupational exposure to benzene', *Risk Analysis* (2) 199–203.

## Asbestos – the campaign for a global ban

Barry Castleman and David Gee

(Original case study *Asbestos: from 'magic' to malevolent mineral* by David Gee and Morris Greenberg)

Several of the harmful agents from both volumes of *Late lessons from early warnings* have been banned or phased out at a global level (TBT, CFCs, leaded petrol), sometimes with essential use exceptions (DDT) and the global treaty to phase out mercury will be signed in Minamata (see Chapter 5) in October 2013. But what of asbestos, banned throughout Europe in 2005?

The World Health Organization (WHO) estimates that, worldwide, at least 107 000 people die each year from occupational exposure to asbestos. Thousands more deaths every year are attributed to non-occupational exposure to asbestos. WHO estimates that 125 million people are exposed to asbestos at work, much of that from installed asbestos materials in buildings and vehicle brakes. The eventual asbestos death toll may reach 5–10 million.

Global asbestos consumption dropped by half from historic levels in the 1990s but has stabilised at around 2 million metric tonnes per year since 2000, with Russia being the leading producer. In 2004, Russia, China, India, Kazakhstan, Thailand and Ukraine together accounted for about three-quarters of world asbestos consumption. Other major consumers of asbestos are Iran, Brazil, Vietnam and Indonesia. Bans in over 50 countries have been offset by dramatically increasing use in China, India and other emerging economies.

National bans on asbestos have been enacted in many countries since 2000 including all countries in the European Union (WHO, 2012), Chile, Argentina, Australia and Japan. In 2006, the International Labour Organization (ILO) and the World Health Organization called for all countries to ban asbestos and developed a program to help countries with national plans for the elimination of asbestos disease. Their assistance enabled Thailand to move toward banning asbestos, during which it was established that the roof for a town house would cost only USD 65 more if it was asbestos-free, adding 0.5 % to the overall cost. However, strong pressure from Russia has held up this progress. (Annex 4 in WHO 2012 contains information about substitutes for asbestos construction materials).

Even in countries where additional asbestos product use is banned there remains a vast tonnage of asbestos-containing material (ACM) in buildings, vehicles and industries. Legislation in some countries requires ACM in buildings to be inventoried so the location and condition of the ACM is determined. When repairs and renovations require the disturbance or replacement of the ACM by safer materials, this has to be done by trained and certified workers following special procedures, using required equipment and taking measures to avoid environmental contamination on-site and during transport and waste disposal.

The European Parliament agreed to a new initiative on removing asbestos from public buildings in the EU which was accepted by a large majority on 13 March 2013. The report called for the removal of asbestos from all public buildings and buildings requiring public access by 2028, an EU-wide model for screening and registration of asbestos, and a roadmap for its removal.

The need for such measures is illustrated in the United Kingdom where, in 2013, the UK Parliament held hearings on asbestos in schools following 139 mesothelioma deaths in school teachers in the last 10 years. 253 teachers have died of mesothelioma since 1980, and the rate per year has risen from 3 in the 1980s to 14 a year in the last decade (Lees, 2013). Children are also at risk from the asbestos exposure in school building material, which is mainly chrysotile (white) but large quantities of amosite (brown) and some crocidolite (blue) (MRC, 1997).

Professor Peto, in his evidence to the UK Committee, stated, following asbestos exposure as a child at school:

'It is reasonable to say that something in the order of 100 to 150 mesothelioma deaths a year in women now could be from asbestos exposure in schools in the 1960s and 1970s, and if levels (asbestos fibre levels) are ten times lower now, then it is reasonable to assume that may go down by a factor of ten in fifty years time... under current conditions there might be 20 or



30 deaths a year in men caused by asbestos exposure in schools...'

There have been successful compensation cases for mesothelioma victims who were exposed as a child at school (UK Supreme Court, 2011).

Asbestos was banned in The Netherlands 20 years ago, but in-place asbestos will give rise to exposures for many years to come. The Health Council of The Netherlands has recommended maximum permissible risk limits of 2 800 chrysotile fibres per cubic metre, 1 300 fibres per cubic metre for mixed exposure to chrysotile and up to 20 % amphibole, and 300 fibres per cubic metre for 100 % amphiboles, as measured with Transmission Electron Microscopy (TEM). These exposure limits are for lifetime environmental exposure. Occupational limits recommended were 2 000, 1 300 and 420 fibres per cubic metre, respectively, for 40 hours/week and 40 years, corresponding to an estimated rate of death from occupational cancer of 4 per 100 000 persons exposed. These values are well below the current Dutch occupational exposure limit for all forms of asbestos, corresponding to 20 000 fibres per cubic metre by TEM (0.01 fibres per cubic centimetre, or equivalently 10 000 fibres per cubic metre measured by phase-contrast microscopic analysis) (GR, 2010).

Transmission electron microscopy is much higher magnification than phase-contrast (optical) microscopy, but mainly because of cost and availability considerations, phase-contrast microscopy has been routinely used in workplace air sampling and therefore in epidemiological studies on dose-response relationships and in regulations. The advantage of TEM is it detects even the smallest asbestos fibres and is considered most appropriate for non-occupational, environmental air sampling.

The World Bank Group (WBG, 2009) published an asbestos guidance note for project officers and international lending institutions advising the use of safer materials in new construction and observance of protective measures when doing repairs and renovations on structures containing asbestos materials. It specifies that:

'the use of ACM should be avoided in new buildings and construction or as a new material in remodelling or renovation activities. Existing facilities with ACM should develop an asbestos management plan that clearly identifies the locations where the ACM is present, its condition (e.g. whether it is in friable form or has the potential to release fibres), procedures for monitoring its condition, procedures to

access the locations where ACM is present to avoid damage, and training of staff who can potentially come into contact with the material to avoid damage and prevent exposure'.

On safer substitutes for asbestos it further notes that: 'Fibre-cement roof panels using polyvinyl alcohol (PVA) or polypropylene combined with cellulose now cost 10–15 % more to manufacture than asbestos-cement (A-C) sheets. Polypropylene-cellulose-cement roofing, a new product, is made at a cost of about 12 % more than A-C roofing and has superior impact resistance. The non-asbestos fiber-cement panels are lighter, less brittle, and have improved nailability over A-C. The increase in the overall cost of building construction that such products represent is to some degree offset by the obviation of special hygiene measures in installation/maintenance/renovation, the lack of a continuing hazard to building workers and occupants, and reduced costs of waste removal and disposal. Micro concrete tiles are cheaper than A-C to produce, and can be made in a basic workshop near the building site with locally available small contractors and materials, lowering transport costs. Compared with A-C pipes, iron pipes can be transported and installed with less difficulty and breakage, take greater compression loading and last longer'.

Some large corporations including Honeywell, Dow, ICI and Unilever have announced that they have global policies of not using asbestos in new construction and observing codes of practice where structures they own contain asbestos and need to be repaired or replaced.

Canada was the world's largest asbestos exporter when it challenged the asbestos ban in France and the EU at the World Trade Organization in 1999 (See the asbestos chapter for a summary of the WTO case, which France and the EU won (EEA, 2001, Ch. 5)). Canada's continuing mining of asbestos, almost all of it for export to India and other Asian countries, has drawn strong opposition from Canadian and other public health authorities and organisations. The Canadian Broadcasting Corporation aired a documentary showing workers picking up bundles of Canadian asbestos loosely in their arms, the dust swirling around their faces, in an Indian asbestos plant (CBC, 2009).

Canada, however, led the opposition to including chrysotile asbestos under the Rotterdam Convention on Prior Informed Consent, a treaty ratified by over 120 countries. The Convention provides that countries



exporting widely banned listed products have to provide pre-export notification of the status of the products and obtain prior informed consent to the transfer before shipping the products. Despite the recommendation of the Convention Chemical Review Committee to add chrysotile to the list of substances covered by the Convention, Canada led opposition from 2004 and in 2011 blocked the addition just after India announced it would drop its opposition. Later in 2011, the last operating asbestos mine in Canada closed.

In mid-2010, the Province of Quebec offered to provide a CAD 58 million loan guarantee to foreign investors, mainly from India, to re-open the giant Jeffrey Mine in the town of Asbestos in Quebec. Unions and opposition political parties as well as the Canadian Cancer Society and leading medical, public health and human rights associations opposed re-opening the mine. A delegation of Asian unionists, asbestos victims and activists came to Quebec to express their opposition. A series of media reports showed that national and regional asbestos trade associations outside Canada closely followed the lines developed by industry defenders in Canada. When the Indo-Canadian businessman who was pushing to re-open the Jeffrey Mine went on a public relations campaign, he was rebuked publicly by the World Health Organization for misrepresenting WHO policy that no exposure for asbestos was free from cancer risk. The deadline for finalising the plan to re-open the Jeffrey Mine was repeatedly postponed following much adverse media coverage in French and English Canada.

At the Canadian Federal level, legislation was advanced by the opposition parties to ban asbestos and provide economic assistance to workers displaced as a result. On 4 September 2012 Quebec's newly elected government cancelled a public loan to the mining company in Asbestos. The Federal authorities in Ottawa have indicated that they will no longer fight international efforts to have Chrysotile declared a hazardous substance under the Rotterdam Convention.

Conferences on asbestos have been important in advancing international cooperation, including several in Europe, e.g. Rome 2006. People from 32 countries attended the conference in Osasco, Brazil in 2000, followed by the first national asbestos bans in South America. Health professionals, unionists and asbestos victims' groups formed the Asian Asbestos Network to assist in efforts to eliminate asbestos hazards and ban new product use. After Brazilian efforts to ban asbestos failed at the Federal level, bans were enacted by some of the country's most populous states; the

Supreme Court agreed in 2008 that the constitution supported the state bans. Court battles followed when labour inspector Fernanda Giannasi blocked shipments of asbestos sacks for export through the port of Santos, in the State of Sao Paulo where asbestos was banned.

Since 2000 unions, community groups and international organisations representing medical and health professionals (such as the Joint Policy Committee of the Societies of Epidemiology (JPC-SE, 2012)) have stepped up efforts to close down the global asbestos trade but the road ahead remains difficult, especially in those remaining countries that still consume much asbestos, particularly India, China and Russia.

### References

- CBC, 2009, *Canada's Ugly Secret*, 10 June, Canadian Broadcasting Corporation.
- GR, 2010, *Asbestos: Risks of environmental and occupational exposure*, Gezondheidsraad/Health Council of the Netherlands (<http://www.gezondheidsraad.nl/sites/default/files/201010E.pdf>).
- JPC-SE, 2012, *Position Statement on Asbestos*, Joint Policy Committee of the Societies of Epidemiology ([www.jpc-se.org/documents/03.JPC-SE-Position\\_Statement\\_on\\_Asbestos-June\\_4\\_2012-Full\\_Statement\\_and\\_Appendix\\_A.pdf](http://www.jpc-se.org/documents/03.JPC-SE-Position_Statement_on_Asbestos-June_4_2012-Full_Statement_and_Appendix_A.pdf)).
- Lees, M., 2013, *Asbestos in schools, evidence to Commons Select Committee*, United Kingdom, 20 February. (<http://www.parliamentlive.tv/Main/Player.aspx?meetingId=12840&st=10:12:55>).
- MRC, 1997, *Fibrous Materials in the Environment*, Medical Research Council Institute for Environment and Health (<http://www.asbestosexposureschools.co.uk/pdfnewslinks/MRC%20Fibrous%20Materials%20in%20the%20environment%20IEH%201997%20complete%20document.pdf>).
- UK Supreme Court, 2011, *Judgment Knowsley Metropolitan Borough Council v Willmore*, 9 March, High Court QBD Liverpool District.
- WBG, 2009, *Good Practice Note: Asbestos: Occupational and Community Health Issues*, World Bank Group.
- WHO, 2012, *National programmes for elimination of asbestos related diseases: review and assessment*, World Health Organization, WHO Regional Office for Europe, Copenhagen, Denmark.

## PCBs and the precautionary principle

Janna G. Koppe, Emeritus Professor of Neonatology, University of Amsterdam

(Original case study *PCBs and the precautionary principle* by Janna G. Koppe and Jane Keys)

In the Volume 1 of *Late lessons from early warnings* the PCB story was told until 2000 and it ended with the statement 'the non-application of the precautionary principle has left us with a legacy, the total effects and costs of which can only be guessed at'. In the following period of 2000-2010 parts of the effects on human health and the costs became clearer. Important papers have shown the relation of PCBs with diabetes especially of type 2 diabetes in the last years (Lee et al., 2006). There is a sharp rise in this disease and at the moment 1 million people out of the total population of 17 million in the Netherlands has developed the disease and the same numbers are mentioned. Costs in the Netherlands because of this disease are about EUR 4.5 billion every year.

Scientific understanding has become more sophisticated. And the most important understanding is the process of epigenetic changes. Epigenetics refers to processes that alter the gene expression without changes in DNA sequence. Both DNA hypo- or hypermethylation and changes in histone structure can take place changing the phenotype. Very important are prenatal and early-life environmental factors like PCBs that appear to play a role in the etiology of chronic diseases like diabetes and other chronic diseases. PCBs are causing intra-uterine growth retardation. And at follow-up more obesity is demonstrated (Valvi et al., 2011). An important genetic factor is the Pdx1, a pancreatic and duodenal homeobox 1 transcription factor that is essential for the development and function of the beta-cells in the pancreas. The level of this factor is lower in the intra-uterine growth retarded offspring in a rat model, that also have a reduced beta cell mass and in adult rats that develop diabetes, the Pdx1 expression is permanently silenced. We know that during the Dutch Hunger winter of 1944–1945 more babies were born with intra-uterine growth retardation and at follow-up more obesity in adolescence and more diabetes in adulthood were found with epigenetic changes.

In Slovakia in the Michalovce region a hot spot of PCB intoxication took place. In follow-up studies in

children abnormal gene expressions are found under which the ones important for insulin regulation, mostly causing a reduced activity in relation to PCB exposure. Interestingly in their study authors were able to show in two different groups of children, one group exposed to high levels of PCBs and one group with higher levels of DDT/DDE/HCB that the same 14 genes were epigenetically changed in the same direction. This finding indicates the additive effect of these two well-known groups of environmental toxic chemicals. One of those 14 genes is the TSGA 14 gene that is related to familial autism. And the TSGA gene is mentioned to be related with obesity in mice studies. (Mitra et al., 2012)

Denying toxic effects of PCBs has not only made more people ill, but has also hampered the innovative development to cure the epigenetic changes.

This denial is still taken place inhibiting new innovations and developments.

### References

- Lee, D.H., Lee, I.K., Song, K., Steffes, M., Toscano, W., Baker, B.A. and Jacobs, D.R. Jr., 2006, 'A strong Dose-Response Relation Between Serum Concentrations of Persistent Organic Pollutants and Diabetes', *Diabetes Care* (29) 1 638–1 644.
- Mitra, P.S., Ghosh, S., Zang, S., Sonneborn, D., Hertz-Picciotto, I., Trnovec, T., Palkovicova, L., Sovcikova, E., Ghimbovschi, S., Hoffman, E. and Dutta, S.K., 2012, 'Analysis of the toxicogenomic effects of exposure to persistent organic pollutants (POPs) in Slovakian girls: correlations between gene expression and disease risk', *Environ Int.* (39/1) 188–199.
- Valvi, D., Mendez, M.A., Martinez, D., Grimalt, J.O., Torrent, M., Sunyer, J., 2011, 'Prenatal Concentrations of PCBs, DDE, DDT and Overweight in Children: A Prospective Birth Cohort Study', *Environmental Health Perspectives* (120/3) 451–457.

## Ozone layer update

The following is a summary of *Twenty Questions and Answers About the Ozone Layer: 2006 Update*, Fahey, D.W. (lead author), 2007, World Meteorological Organization, Geneva (<http://www.esrl.noaa.gov/csd/assessments/ozone/2006/report.html>)

(Original case study *Halocarbons, the ozone layer and the precautionary principle* by Joe Farman)

Reactive gases containing chlorine and bromine destroy stratospheric ozone in 'catalytic' cycles made up of two or more separate reactions. As a result, a single chlorine or bromine atom can destroy many hundreds of ozone molecules before it reacts with another gas, breaking the cycle. In this way, a small amount of reactive chlorine or bromine has a large impact on the ozone layer. Certain ozone destruction reactions become most effective in polar regions because the reactive gas chlorine monoxide reaches very high levels there in the late winter/early spring season.

Ozone-depleting gases are present throughout the stratospheric ozone layer because they are transported great distances by atmospheric air motions. The severe depletion of the Antarctic ozone layer known as the 'ozone hole' occurs because of the special weather conditions that exist there and nowhere else on the globe. The very low temperatures of the Antarctic stratosphere create ice clouds called polar stratospheric clouds (PSCs). Special reactions that occur on PSCs and the relative isolation of polar stratospheric air allow chlorine and bromine reactions to produce the ozone hole in Antarctic springtime.

Severe depletion of the Antarctic ozone layer was first observed in the early 1980s. Antarctic ozone depletion is seasonal, occurring primarily in late winter and early spring (August-November). Peak depletion occurs in early October when ozone is often completely destroyed over a range of altitudes, reducing overhead total ozone by as much as two-thirds at some locations. This severe depletion creates the 'ozone hole' in images of Antarctic total ozone made from space. In most years the maximum area of the ozone hole far exceeds the size of the Antarctic continent.

The ozone layer has been depleted gradually since 1980 and now is about an average of 4 % lower over the globe. The average depletion exceeds the natural variability of the ozone layer. The ozone loss is very small near the equator and increases with latitude toward the poles. The larger polar depletion is primarily a result of the late winter/early spring ozone destruction that occurs there each year.

As a result of the Montreal Protocol, the total abundance of ozone-depleting gases in the atmosphere has begun to decrease in recent years. If the nations of the world continue to follow the provisions of the Montreal Protocol, the decrease will continue throughout the 21st century. Some individual gases, such as halons and hydrochlorofluorocarbons (HCFCs), are still increasing in the atmosphere but will begin to decrease in the next decades if compliance with the Protocol continues. Around midcentury, the effective abundance of ozone-depleting gases should fall to values that were present before the Antarctic 'ozone hole' began to form in the early 1980s.

Ultraviolet radiation at the Earth's surface increases as the amount of overhead total ozone decreases, because ozone absorbs ultraviolet radiation from the Sun. Measurements by ground-based instruments and estimates made using satellite data have confirmed that surface ultraviolet radiation has increased in regions where ozone depletion is observed.

Ozone depletion itself is not the principal cause of climate change. However, because ozone absorbs solar radiation and is a greenhouse gas, ozone changes and climate change are linked in important ways. Stratospheric ozone depletion and increases in global tropospheric ozone that have occurred in recent decades both contribute to climate change. These contributions to climate change are significant but small compared with the total contribution from all other greenhouse gases. Ozone and climate change are indirectly linked because both ozone-depleting gases and substitute gases contribute to climate change.

Substantial recovery of the ozone layer is expected near the middle of the 21st century, assuming global compliance with the Montreal Protocol. Recovery will occur as chlorine- and bromine-containing gases that cause ozone depletion decrease in the coming decades under the provisions of the Protocol. However, the influence of changes in climate and other atmospheric parameters could accelerate or delay ozone recovery, and volcanic eruptions in the next decades could temporarily reduce ozone amounts for several years.

## DES: the view from 2013

Shanna H. Swan, Professor and Vice-Chair for Research and Mentoring, Department of Preventive Medicine, Mount Sinai School of Medicine, New York, USA

(Original case study *The DES story: long-term consequences of prenatal exposure* by Dolores Ibarreta and Shanna H. Swan)

Looking back at 'The DES story: long-term consequences of prenatal exposure', it is now evident that the long-term consequences we wrote about in 2000 were merely the tip of the iceberg. Since then, our understanding of the synthetic oestrogen diethylstilboestrol (DES), now viewed as the archetypical environmental estrogen and endocrine disruptor, has greatly increased. We have a far greater understanding of how DES acts to disrupt fetal reproductive tract development, leading to cancer in rare instances but reproductive dysfunction commonly. DES has been extensively studied in non-human species, and rodents and humans show a remarkable concordance in the outcomes affected (Newbold, 1995). Most dramatically, follow-up studies in DES exposed have shown the impacts of prenatal exposure to be far more extensive and far-reaching than had been anticipated. Perhaps most alarming are data from rodent studies showing that in utero DES exposure causes heritable epigenetic alterations, and recent studies of the DES 'grandchildren' are starting to identify third generation effects in humans.

### *The DES daughters*

Most available data on the long-term effects of prenatal exposure in DES daughters comes from the US, where the National Cancer Institute (NCI) assembled three cohorts with known prenatal DES exposure and suitable unexposed controls. Studies of health outcomes in these cohorts have been published since 2000, most comprehensively in 2011 (Hoover et al., 2011). This latter study, including 4 653 women with documented in utero exposure to DES compared with 1 027 women without, found increased risks of clear-cell adenocarcinoma of the vagina and cervix and 11 other more common adverse health outcomes, including increased risks of infertility and a range of adverse pregnancy outcomes, as well as early menopause and breast cancer in women over the age of 40; hazard ratios ranged from 1.4 to 8.1. For most outcomes, risks among those exposed who showed evidence of vaginal epithelial changes (VEC) at a young age — a marker of higher DES dose and exposure early in gestation — were at far greater risk

than those without VEC. Perhaps most dramatically, the cumulative risks in the VEC group for infertility and preterm birth were 68 % and 41 %, compared to 15 % for both outcomes in the unexposed. Thus, for DES daughters (particularly those with VEC) becoming pregnant at all, maintaining the pregnancy, and delivering a live term baby has proven to be a severe challenge.

### *The DES sons*

Recent studies have confirmed the earlier suggestions of significant reproductive tract damage to DES sons. Male urogenital abnormalities were examined in three US cohorts of DES-exposed sons and suitable controls (Palmer et al., 2009). Significant excess risks were observed for cryptorchidism, epididymal cyst and testicular inflammation/infection. As with the DES daughters, stronger associations were observed for DES exposure that began before the 11th week of pregnancy. A study investigating three endpoints related to testicular dysgenesis syndrome (cryptorchidism, hypospadias and testicular cancer) found doubled risk ratios after DES exposure for all three (Martin et al., 2008).

### *The DES grandchildren*

Children born to DES sons and daughters were survivors of high-risk pregnancies. These DES grandchildren are currently being followed, most extensively in the third generation cohort established by the NCI. Based on the mothers' reports, overall birth defects were elevated in the sons (Odds Ratio (OR) = 1.53; 95 % Confidence Interval (CI) = 1.04, 2.23) and in the daughters (OR = 2.35; 95 % CI = 1.44, 3.82), although the pattern of defects did not resemble those observed in the prenatally exposed men or women (Titus-Ernstoff et al., 2010). Few reproductive tract anomalies were reported, perhaps because most participants had not reached reproductive age. Follow-up of the DES grandchildren is just beginning, and further data is needed to determine whether future generations are affected by ancestral DES exposure.

In conclusion, the tragic DES 'experiment' had consequences even more profound and far-reaching than we predicted in 2000. This is an important lesson when considering synthetic estrogens currently in commerce. For example, Sir Charles Dodds (who synthesized DES) recognized the estrogenicity of bisphenol-A (BPA) in 1930, but following its introduction into plastic in 1940, its use soared, and today 10 billion pounds of BPA are manufactured annually. Exposure by pregnant women is ubiquitous and studies to identify its effects are only now being conducted.

### References

- Hoover, R.N., Hoover, R.N., Hyer, M., Pfeiffer, R.M., Adam, E., Bond, B., Cheville, A.L., Colton, T., Hartge, P., Hatch, E.E., Herbst, A.L., Karlan, B.Y., Kaufman, R., Noller, K.L., Palmer, J.R., Robboy, S.J., Saal, R.C., Strohsnitter, W., Titus-Ernstoff, L. and Troisi, R., 2011, 'Adverse health outcomes in women exposed in utero to diethylstilbestrol', *The New England Journal of Medicine* (365/14) 1 304–1 314.
- Martin, O.V., Shialis, T., Lester, J.N., Scrimshaw, M.D., Boobis, A.R. and Voulvoulis, N., 2008, 'Testicular dysgenesis syndrome and the estrogen hypothesis: a quantitative meta-analysis', *Environmental Health Perspectives* (116/2) 149–157.
- Newbold, R., 1995, Cellular and molecular effects of developmental exposure to diethylstilbestrol: implications for other environmental estrogens, *Environmental Health Perspectives* (103/Suppl 7) 83–87.
- Palmer, J.R., Herbst, A.L., Noller, K.L., Boggs, D.A., Troisi, R., Titus-Ernstoff, L., Hatch, E.E., Wise, L.A., Strohsnitter, W.C. and Hoover, R.N., 2009, 'Urogenital abnormalities in men exposed to diethylstilbestrol in utero: a cohort study', *Environmental Health* (8) 37.
- Titus-Ernstoff, L., Troisi, R., Hatch, E.E., Palmer, J.R., Hyer, M., Kaufman, R., Adam, E., Noller, K. and Hoover, R.N., 2010, 'Birth defects in the sons and daughters of women who were exposed in utero to diethylstilbestrol (DES)', *International Journal of Andrology* (33/2) 377–384.



## Antimicrobials as growth promoters

Ellen K. Silbergeld, Professor, Johns Hopkins Bloomberg School of Public Health, Baltimore, USA

(Original case study *Antimicrobials as growth promoters: resistance to common sense* by Lars-Erik Edqvist and Knud Børge Pedersen)

### Introduction

Edqvist and Pedersen rightly referred to the continued use of antimicrobial drugs as feed additives for animals grown for human consumption as 'resistance to common sense'. Since the publication of the case study, much has been little changed (to quote Edmund Burke) in terms of public policy or drug usage. Those countries that were among the first to adopt bans and restrictions on nontherapeutic uses in agriculture have generated convincing empirical evidence that their actions have not reduced productivity or measurably affected the economics of the food production sector, nor have these bans adversely impacted the health and welfare of animals raised for food. In fact in Denmark and the Netherlands, for example, banning growth-promoting antibiotics (GPA) use has been accompanied by improvements in animal husbandry in part to prevent any impacts of the ban and in part to respond to separate public pressures.

However, these positive steps have been overwhelmed by the failure of major agricultural producing countries to act and by the rapid uptake of the industrial model of food animal production, along with GPA use, by many countries. The US, which has restricted use of only one drug (fluoroquinolones in poultry feed), retains its resistance to change. The US government finally compelled the release of industry data, which showed that nearly 80 % of antimicrobial production is used as feed additives for food animals. With this example, overall drug uses have increased substantially as Brazil, China, and India are now among the top 15 producers of poultry, and China is one of the top producers of swine (OECD-FAO, 2012).

The challenge now is to communicate the evidence for this 'new wave' as they move into global prominence in regional and world markets. The adoption of antimicrobials as feed additives in these and other countries has implications for the health of all. As noted by Thomas O'Brien, the use of antimicrobials anywhere 'can increase resistance to any antimicrobial anywhere else.'

Meanwhile, the crisis in antimicrobial resistance has only grown. Scientists discuss 'the end of the antibiotic era' (Bush et al., 2011) and reports appear in the popular press as well on pathogens with high resistance to multiple classes of antimicrobials. One sign of the importance of drug resistance is the fact that the single most important cause of infectious morbidity and mortality in the US in 2012 is no longer human immunodeficiency virus (HIV) or tuberculosis (TB), but methicillin resistant *Staphylococcus aureus* (MRSA). In the EU, livestock – especially swine and cows – are a major source of human exposures to MRSA. Thus, this is no longer an issue of a failure to heed 'early warnings' but rather a case study of intransigence in the face of overwhelming evidence. To succeed in change requires us to understand the sources and motivations of the continued opposition to ending the use of antimicrobial drugs as animal feed additives.

The global adoption of this practice has implications for the health of all: as stated by Thomas O'Brien (2002), 'use of an antimicrobial anywhere can increase resistance to any antimicrobial anywhere else'.

### New evidence

Since the publication of Volume 1 of *Late lessons from early warnings*, evidence has continued to accumulate in two important areas: strengthening the associations between agricultural uses of antimicrobials (AMs) and the selection and spread of multidrug resistant pathogens; and challenging the assumptions that this use is economically important for the food animal production industry.

#### *New evidence on associations between antimicrobials as feed additives and risks for human health*

While it was quickly admitted that the use of AMs as feed additives would select for drug resistance in gut bacteria of animals, many industry and government scientists have argued for decades that there is no evidence that this increases risks of drug



resistant infections in human populations. It is increasingly difficult to ignore the overwhelming scientific evidence against this position (Marshall and Levy, 2011).

In conjunction with the removal of AMs from animal feeds in several northern European countries, monitoring programs were initiated to determine if these steps affected the prevalence of drug resistant pathogens carried by food animals, presence on consumer meat and poultry products, and prevalence of resistance in bacteria isolated from human subjects. Data collected in several European countries demonstrated significant reductions in avoparcin resistance in enterococci isolated from animals, consumer food products, and human biosamples over the first three years after removal (reviewed by Marshall and Levy, 2011).

Since 2002, this topic has also been investigated using powerful molecular methods that can demonstrate connections between the sources and transmission pathways that connect herds and flocks to the consumer food supply and to consumers. It is now common to utilize these tools of multilocus genetic sequencing and even whole genome sequencing in studies that test linkages between swine farms and MRSA or poultry houses and *C. difficile*. For the public, used to TV shows like CSI that use similar technologies, this information is readily understandable.

Since Volume 1 of *Late lessons from early warnings*, studies have been conducted in many countries on the prevalence of drug resistant pathogens in the food supply and in farms using the standard industrial model.

These risks are not limited to meat and poultry. Antimicrobials are heavily used in production of fish and shellfish in aquaculture throughout the world. Moreover, since Volume 1 of *Late lessons from early warnings*, we have gained more understanding of the risks of this practice for human health through pathways in addition to food consumption.

#### ***One reservoir***

Our understanding of microbial resistance has also deepened in the intervening years. We recognize the limitations of the old notion of evaluating the significance of actions that promote selection for resistance on the basis of the clinical importance of the drug and the severity of disease caused by the bug (Silbergeld et al., 2008). Stuart Levy and others had warned against the dangers of this concept in

the early 1970s, based on the well-known ability of bacterial to exchange resistance genes horizontally across many different species and strains but these fundamental events in microbial response to antimicrobial stress (Blazquez et al., 2012) were apparently ignored by regulators and industry in their protection of drug use in animal feeds.

In addition, our awareness has also increased about the environmental impacts of antimicrobial use in food animal production in terms of expanding the resources of resistance available to microbial communities (Davis et al., 2011) and introducing the importance of non-food pathways of exposure for human populations (Feingold et al., 2012).

#### ***Economic need for growth promoting antimicrobials***

Industry has long argued — since 1947 — and government has long accepted the assumption that GPA use confers important advantages in terms of productivity in food animal production. On that basis, Volume 1 of *Late lessons from early warnings* argued that the case for banning these uses depending upon a risk/benefit balancing. Since that time, evidence has emerged to challenge the nature and extent of any benefits associated with drug use in animal feeds. Review of the early studies submitted in support of the registration by The U.S. Food and Drug Administration (US FDA) of drugs for feed additive use has indicated the limitations of these data. The most persuasive evidence actually comes from two recent industry studies as well as the careful documentation of empirical experience of the industry in Denmark.

#### ***The industry study of poultry production***

In 1989, the Perdue Company, one of the oldest and largest poultry integrators in the US, undertook a study of AM efficacy in a major study of their poultry growers in Maryland and North Carolina (Engster et al., 2002). This study has many of the hallmarks of a randomized clinical trial in terms of its size, duration, use of a treatment and control group, and a cross over design. All the outcomes of economic importance were directly measured: growth rate, feed consumption, animal diseases and mortality, as well as acceptability for processing. The only variable in the study was the addition of the standard package of antimicrobial drugs; no other changes were made in animal husbandry, housing conditions, or other practices.

The data as reported by Perdue in its original publication did not indicate major impacts on any parameter of economic importance in comparing production outcome in drug to drug free flocks.

Because the authors did not report data on variance within groups it is not possible to conclude that no effects were observed, but they were certainly relatively small and well below the claims in earlier studies of double digit increases in growth rates. Very importantly, the Perdue study provides no support for the assumption that GPAs reduce diseases or mortality in poultry flocks, as no differences in these variables were found.

We reanalyzed these data to answer an additional question: assuming a significant increase in benefit (improved performance), what was the cost/benefit ratio of antimicrobial use in broiler poultry feeds (Graham et al., 2007). That is, what was the marginal benefit and marginal cost, in monetized variables? Our analysis found that instead of an economic benefit, the use of AMs in animal feeds was actually a net loss for producers. There has been no dispute of this paper in the published literature.

#### *The USDA studies of swine production*

The U.S. Department of Agriculture (USDA) has analyzed data from its 2004 survey of swine farmers reporting on drug use and production variables (McBride et al., 2008). These studies are considerably weaker than the Perdue study in that the data are self-reported (not verified) and the participating farmers were not randomly selected. Moreover, the data are basically observational rather than based on a deliberate experiment in which only drug use differed. A 'surprising result', in the words of the authors, was that antimicrobial use was significantly and negatively associated with productivity, in sharp contrast to other factors as carefully managed nutrition that were positively associated with increases in productivity.

#### *How could this be so?*

The failure of recent studies as well as the experience of industry in those countries that have banned GPA use to confirm long held assumptions as to the purported benefits of GPA use should cause us to demand a complete re-evaluation of this practice. Until now, the debate has pitted much of the agribusiness sector and many national agricultural ministries against public health practitioners and public health agencies.

None of the early studies was as comprehensive or as systematically designed to incorporate real world conditions as the Perdue study. As recently as 1987, industry was publishing the same inadequate studies to support claims of growth promotion: for example, a study in which groups of 7 new born chicks were tested in a lab for 9 days

(Feighner and Dashkevich, 1987). It is difficult to infer anything from such a limited test to the real world performance of drugs in large flocks over the lifespan of broilers.

There may be reason to accept the possibility that GPAs once conferred real benefits to industrial food animal production. The early evidence to support drug use came from studies in which antimicrobials were shown to substitute for the so-called 'animal protein factor' to support growth and prolong life among confined species. APF was identified as vitamin B12, and the search for alternatives was mainly driven by the costs of isolating large quantities of this substance back in the 1940s (Stokstad and Jukes, 1959). Since that time methods for synthesis of vitamin B12 have been discovered and implemented. Most animal feeds now contain significant amounts of vitamin B12, which may remove the need for additions of drugs. Additionally, other significant advances in animal breeding, animal husbandry, and feed formulation may have replaced the need for drugs as suggested in the USDA studies (McBride et al., 2008).

#### *Conclusions*

The use of antimicrobials in food animal production has very little support in evidence for efficacy and an increasing body of evidence of harm to public health. Since the shoe is clearly now on the other foot, governments and industry have little justification to resist change. This is no longer an issue of 'early warnings in the absence of proof', but rather persistence in a clearly dangerous practice in the absence of benefit.

#### *References*

- Blázquez, J., Couce, A., Rodríguez-Beltrán, J. and Rodríguez-Rojas, A., 2012, 'Antimicrobials as promoters of genetic variation', *Curr Opin Microbiol.* (15/5) 561–569.
- Bush, K., Courvalin, P., Dantas, G., Davies, J., Eisenstein, B., Huovinen, P., Jacoby, G.A., Kishony, R., Kreiswirth, B.N., Kutter, E., Lerner, S.A., Levy, S., Lewis, K., Lomovskaya, O., Miller, J.H., Mobashery, S., Piddock, L.J., Projan, S., Thomas, C.M., Tomasz, A., Tulkens, P.M., Walsh, T.R., Watson, J.D., Witkowski, J., Witte, W., Wright, G., Yeh, P. and Zgurskaya, H.I., 2011, 'Tackling antibiotic resistance', *Nat Rev Microbiol* (9) 894–896.

- Davis, M.F., Price, L.B., Liu, C.M. and Silbergeld, E.K., 2011, 'An ecological perspective on U.S. industrial poultry production: the role of anthropogenic ecosystems on the emergence of drug-resistant bacteria from agricultural environments', *Curr Opin Microbiol.* (14/3) 244–250.
- Engster, H.M., Marvil, D. and Stewart Brown, B., 2002, 'The effect of withdrawing growth promoting antibiotics from broiler chickens: a long term commercial poultry industry study', *J Appl Poult Res* (11) 431–436.
- Feighner, S.D. and Dashkevicz, M.P., 1987, 'Subtherapeutic levels of antibiotics in poultry feeds and their effects on weight gain, feed efficiency, and bacterial cholytaurine hydrolase activity', *Appl Environ Microbiol.* (53/2) 331–336.
- Feingold B.J., Silbergeld, E.K., Curriero, F.C., van Cleef, B.A.G.L., Heck, M.E.O.C. and Kluytmans, J.A.J.W., 2012, 'Livestock Density as Risk Factor for Livestock-associated Methicillin-Resistant *Staphylococcus aureus*, the Netherlands', *Emerg Infect Dis* (18) 1 841–1 849.
- Graham, J.P., Boland, J. and Silbergeld, E., 2007, 'Growth promoting antibiotics in food animal production: an economic analysis', *Public Health Rep* (122) 79–87.
- Marshall, B.M. and Levy, S.B., 2011, 'Food animals and antimicrobials: impacts on human health', *Clin Microbiol Rev* (24) 718–733.
- McBride, W.D., Key, N. and Mathews, K.H., 2008, 'Subtherapeutic antibiotics and productivity in US hog production', *Rev Agricult Econ* (30) 270–288.
- O'Brien T F., 2002, 'Emergence, spread, and environmental effect of antimicrobial resistance', *Clin Infect Dis* (34) S78–S84.
- OECD/FAO, 2012, *Agricultural Outlook 2012–2021*, Organization for Economic Cooperation and Development/Food and Agriculture Organization, ([http://dx.doi.org/10.1787/agri\\_outlook-2012-en](http://dx.doi.org/10.1787/agri_outlook-2012-en)).
- Silbergeld, E.K., Davis, M., Leibler, J.H. and Peterson, A.E., 2008, 'One reservoir: redefining the community origins of antimicrobial-resistant infections', *Med Clin North Am.* (92/6) 1 391–1 407.
- Stokstad, E. and Jukes, T., 1959, 'Studies of the growth-promoting effect of antibiotics in chicks on a purified diet', *Antibiotics Annual* (6) 998–1 002.

## A brief comment on MTBE

Fiorella Belpoggi, Director, Cesare Maltoni Cancer Research Centre (CMCRC), Ramazzini Institute (RI), Bologna, Italy.

(Original case study *MBTE in petrol and as substitute for lead* by Martin Kraymer von Krauss and Poul Harremöes)

Experimental evidence demonstrates that methyl tert-butyl ether (MTBE) is carcinogenic in rats and mice. MTBE is probably carcinogenic for humans; children are particularly at risk; syncancerogenic effects must be taken in consideration. The specific tumors induced by MTBE in the CMCRC/RI experimental model are lymphomas/leukemias in females and testicular tumors. It cannot be ignored that the incidence of lymphomas/leukemias in humans is increasing and that this increase has recently been confined to women (American Cancer Society, 2006; NCI, 2005). Likewise, the rate of testicular cancer has been increasing in many countries (NCI, 2007).

The European Environment Agency calls the case of MTBE one of its *Late lessons from early warnings*, recommending additional research and extreme precaution for use of this persistent chemical (EEA, 2001). While we await new experimental data to better quantify the carcinogenic risks of MTBE, we must recognize the existence of this risk and act accordingly to protect public health.

In the past, our laboratory had different experiences in which its experimental results were ignored for risk assessment, but then confirmed by epidemiology. For example, in 1989 we published the first results showing that formaldehyde is a strong carcinogen for multiple sites, in particular inducing leukemias. In 2009 the IARC Working Group stated that 'there is sufficient evidence in humans for a causal association of formaldehyde with leukaemia' and the overall evaluation is: Formaldehyde is carcinogenic to humans (Group 1) (IARC, 2012). It is very well known that in our body, every molecule of MTBE is transformed in one of formaldehyde.

## References

- American Cancer Society, 2006, *Cancer Statistics 2006*.
- EEA, 2001, *Late lessons from early warnings: the precautionary principle 1896–2000*, Environmental issue report No 22, European Environment Agency.
- NCI, 2005, *Cancer Trends Progress Report: 2005 update*, National Cancer Institute, U.S. National Institutes of Health.
- NCI, 2007, *What are the key statistics for testicular cancer?*, National Cancer Institute, U.S. National Institutes of Health.
- IARC, 2012, *Chemical agents and related occupations volume 100 F A review of human carcinogens* International Agency for Research on Cancer, Monograph 100F.

## Hormones as growth promoters

*The following is a personal summary of the report of the WTO Appellate Body in United States, Canada - continued suspension of obligations in the EC – Hormones Dispute (AB-2008-5 and AB-2008-6) by Theofanis Christoforou, Principal Legal Adviser, European Commission.*

(Original case study *Hormones as growth promoters: the precautionary principle or a political risk assessment?* by Jim W. Bridgess and Olga Bridges)

The World Trade Organization (WTO) Appellate Body Report <sup>(1)</sup> in United States, Canada – continued suspension of obligations in the EC – Hormones Dispute was published on 16 October 2008. In its longest report to date, the Appellate Body reverses most of the conclusions previously reached by the WTO Panel.

In particular, the Appellate Body confirms practically all the SPS (Agreement on the Application of Sanitary and Phytosanitary Measures) related arguments made by the Community on appeal. The Appellate Body found that the panel committed numerous flaws in its analysis including breaching the due process rights of the Community; failing to conduct an objective assessment of the matter and facts before it; incorrectly reversing the burden of proof; failing to apply the correct standard of review under the SPS Agreement; and incorrectly finding that the Community's import ban on hormone treated meat was inconsistent with the SPS Agreement.

With regard to the procedural elements of the case, the Appellate Body report clarifies the existing dispute settlement rules and provides a clear roadmap for resolving implementation disputes. The Appellate Body agrees with the Community on the question which procedure is to be followed when there is a disagreement on the implementation of previous rulings. However, the Appellate Body disagrees with the Community on the question at what point retaliatory sanctions must cease to apply and consequently considers that the United States and Canada did not act in a unilateral manner.

After five years of work, on 14 October 2003, the Parliament and the Council adopted new legislation, Directive 2003/74/EC, which explicitly implemented the recommendations of the Dispute Settlement Body (DSB) of 13 February 1998 in EC – Hormones. After consideration of the new risk assessments, the Directive provides that a definitive prohibition

on the use of oestradiol-17 $\beta$  is necessary but that the scientific evidence is insufficient to come to a definitive conclusion on the use of testosterone, progesterone, trenbolone acetate, zeranol and melengestrol acetate and that a provisional prohibition on the use of these five hormones is required.

The European Communities communicated the draft and finally adopted measure to the WTO and the United States and Canada and requested them to withdraw the retaliatory sanctions that they had imposed in the meantime. They refused.

Consequently, due to the conduct by the United States and Canada the Community had no option but to bring dispute settlement proceedings against the United States and Canada for violation of the DSU.

The Panel came to contradictory findings and conclusions which all parties appealed.

### *The SPS analysis*

The SPS analysis is a considerable victory to the Community. The Appellate Body agrees with the Community on all essential elements of the case.

The Appellate Body considers that the Panel infringed the Community's due process rights because the appointment and consultation with two scientific experts was likely to affect or give justifiable doubts as to their independence or impartiality. Thus, their appointment and consultation compromised the adjudicative independence and impartiality of the Panel. Consequently, the Panel failed to make an objective assessment of the matter before it in breach of Article 11 of the DSU (in particular paras 481 to 482).

The Appellate Body found that the Panel's interpretation of 'risk assessment' resulted in the

<sup>(1)</sup> There are formally two reports i.e. AB-2006-5 and AB-2006-6. References are to the paragraphs in Appellate Body report AB-2008-6.



same 'restrictive notion of risk assessment' that the Appellate Body found erroneous in the original EC – Hormones case (in particular para 542). This was due to the Panel's interpretation and application of the SPS Agreement in relation to risk of misuse and abuse in the administration of hormones (paras 543 to 555). The Appellate Body also found that the Panel erred in the allocation of the burden of proof in its assessment of the consistency of Directive 2003/74/EC with Article 5.1 of the SPS Agreement (paras 576 to 584).

The Appellate Body also found that the Panel had incorrectly allocated the burden of proof to the detriment of the Community (paras 716 to 718).

The Appellate Body considered that the Panel failed to conduct an objective assessment of the matter before it, in breach of the SPS Agreement and Article 11 of the DSU, because it went well beyond its role and 'somewhat peremptorily decided what it considered to be the best science, rather than following the more limited exercise that its mandate required' (para 612).

The Appellate Body reverses also the Panel's finding that the Community's provisional ban on meat treated with five specific hormones failed to meet the requirements of Article 5.7 of the SPS Agreement because the relevant scientific evidence was not 'insufficient' within the meaning of the provision.

The Appellate Body considers that the existence of international standards is not dispositive on the sufficiency of the relevant scientific information. The Appellate Body explicitly confirms that a WTO member choosing a higher level of protection than would be achieved by a measure based on international standards is not obliged to frame the scope and methods of its risk assessments in the same manner as the international body that performed the risk assessment underlying the international standards (para 685). The Appellate Body found that the Panel's 'critical mass' standard for determining 'insufficiency' under Article 5.7 of the SPS Agreement was too inflexible (paras 703 to 712).

Overall the Appellate Body's report is a significant victory to the Community in substance and in particular in relation to the SPS Agreement. However, because of the serious flaws in the Panel's analysis and the highly contested facts the Appellate Body could not complete the analysis. Therefore, the confirmation of the consistency of the Community's import ban on hormones treated meat with the WTO rules and the removal of the US and Canadian imposed sanctions will need either an agreement between the parties to the dispute or another round of litigation. Nevertheless, should further litigation become necessary, the Community's position is significantly strengthened following the Appellate Body's report. The SPS findings of the Appellate Body will also be highly relevant for the Community's other SPS disputes.



# Index: *Late lessons from early warnings: science, precaution, innovation*

Note: Page numbers in *italic* refer to tables or boxes, those in **bold** to figures or photos and those followed by the letter 'n' refer to footnotes

- Accident Compensation Corporation (ACC) 599  
 ACE Project 270, 274  
 acetaldehyde production 94–6, **96**, 104  
 ACGIH, *see* American Conference of Governmental Industrial Hygienists  
 'acid rain' 20, 572, 711  
 acoustic neuroma 513, 514, 516, 518  
 acroosteolysis 183–4  
 adaptive cycles 417, 419  
 adaptive management 424  
 aerosol particles 313  
 Aerts, Jeroen 685  
 Africa  
     agriculture 474  
     DDT use 244, 249  
 AFSSA 386  
 AGD, *see* anogenital distance  
 Agenda 21 310  
 agricultural innovation 459, 461, 463  
     bottom-up 458, 461, 462, 471–4, 476–8  
     investment 466–7, 474  
     and IP rights 467, 472–3  
     top-down 458, 461, 462, 463–71, 476, 477  
     and water stress 474–5  
 agriculture  
     high-input industrialised 459, 460  
     nitrates 570  
     subsidies 464–5, 476  
     sustainable 471–4  
     *see also* genetically modified (GM) crops; seed-dressing insecticides  
 agroecology 458, 460, 471–4  
 Agrol 55–6  
 air pollution  
     and climate change 313  
     costs of inaction 571, 572–3, 577  
     DDT 248–9  
     first recognition 572  
     sulphur dioxide 20, 572–3, 702, 711  
 Air Resources Board (ARB) 153  
 airborne nanoscale particles 534  
 albedo, planetary 313  
 Albin, Maria 685  
 alcohol fuel, as alternative to leaded petrol 54–6  
 alfalfa, genetically modified 463n  
 alien species  
     definition 486  
     river floodplains 349–50  
     *see also* invasive alien species  
 alkyphenols 288, 289  
 aluminium oxide, ultrafine 534  
 Alverson Report 703  
*Ambrosia artemisiifolia* 496–7  
 American Conference of Governmental Industrial Hygienists (ACGIH) 138, 139, 145, 184, 613, 705  
 American Industrial Hygiene Association 134  
*The American Journal of Public Health* 52  
 American Petroleum Institute (API) 705  
 American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE) 162  
 amines 103n  
 amphibians, endocrine disruption 285  
 Amvac Chemical Corporation 209  
*An enemy of the people* (Ibsen) 48n, 94n  
 Andersen, Mikael Skou 685  
 angioneuropathy 182  
 angiosarcoma, liver 185, 186–8, 193  
 animal feeds, antimicrobial agents 702, 710, 731–3  
 animal testing  
     BPA 221, 226, 227–8  
     carcinogens 194–6  
     DBCP 204, 205, 207, 211  
     nanomaterials 534–5  
     PCE 79  
     variability in responses 631  
     vinyl chloride 182, 184–7  
 animal welfare groups 495  
 anogenital distance (AGD) 222  
*Anopheles funestus* 243  
 ANSES, *see* French Agency for Food, Environmental and Occupational Health and Safety  
 Antarctic, ozone layer depletion 728  
 anthelmintics, PCE 79–80  
 'Anthropocene' 416  
 anti-androgens 287, 290  
 anti-social behaviour, and lead exposure 61  
 antifouling agents 266  
     booster biocides 267–71  
     early warnings and actions 276  
     monitoring 274  
     new-age (non-toxic) 274–5  
     permitted agents 271, 272  
     toxicity and persistence 269–71, 273–4  
     tributyl tin (TBT) 266–7, 714  
 antifouling paints 714

- antimicrobials  
  growth promoters 702, 710, 731–3  
  resistance to 710, 731
- APENET 392–3
- Aphalara itadori* 496
- aphids, sensitivity to Gaucho® seed-dressing 401
- aquaculture 718, 732
- Arachon Bay 267
- Archives of Environmental Health* 57–8, 184
- Arctic, mercury 121
- Arctic Monitoring and Assessment Programme (AMAP) 125
- Argentina, GM crop production **464**
- Ariake 108
- Armstrong, Bruce 518
- Arnold, Thurman 57
- Arrhenius, Svante 310–11, 339
- asbestos 612, 614–15, 647, 702, 724–6  
  chrysotile 725–6  
  conferences 726  
  early warnings and actions 706  
  global consumption 724  
  litigation for related illness 590, 591–3  
  national bans 724  
  number of publications 1899–2009 626  
  ongoing risks 724–5  
  safe substitutes 725
- asbestos-cement sheets 725
- asbestosis 590, 591
- asbestos-containing materials (ACM) 724
- ascorbate 25
- Aslaksen, Iulie 685
- assisted migration 495
- Associated Octel 67, 68
- assumptions, erroneous 630–1
- assurance bonds 600–1, 602–3, 611–12
- Astacus astacus* 497
- Astra Zeneca 647
- astrocytoma 512
- atmosphere-ocean models, coupled 314
- atmospheric general circulation models (AGCMs) 312–13
- atmospheric transfer of energy 311–12
- Atomic Energy Commission 133
- Australia  
  cane toad 496  
  GM crop production **464**  
  nanotechnology regulation 541
- Austria 443
- 'authoritative assertions' 50–2, 70
- autism, and MMR vaccine 22–3
- awards, early warning scientists 585
- azoospermia, DBCP exposure 204, 206
- b-hexachlorocyclohexane (b-HCH) 246
- bacon, preservatives 25
- Baker, Sir George 48
- Bakir, Farhan 121
- 'Bali Action Plan' 327
- Baltic Sea, DDT concentrations **242**
- banana production  
  DBCP use 207–9  
  workers compensation cases 209–10
- Bananas!* 208
- Bangladesh  
  DDT use 243  
  floodplains 359
- Bank of America Merrill Lynch 445–6
- Barents Sea, cod stocks 411, 414
- barnacles, vessel hulls 266
- BASF 647
- battery, compensation 589
- Baun, Anders 685–6
- Bavaria, flood protection 355
- Bayer CropScience  
  comments on Maxim and van der Sluijs chapter 401–2  
  authors' response 403–6  
  communication strategy 381–2, 391  
  detection of imidacloprid in nectar and pollen 373–5, 381–2  
  honeybee research 375–6
- Bayesian statistics 633
- BBC, *see* British Broadcasting Corporation
- beach nourishment 364
- beam trawling 421
- beekeepers, France 372–3, 380, 386, 387
- bees, *see* honeybees
- Belchior, Constança 686
- Bellow, Saul 59
- benzene 613, 702, 720–1  
  early warnings and actions 705  
  number of publications 1899–2009 626
- Berkeley, George 348
- Berlin Mandate 324
- Bermuda, antifouling agents 271
- Bern Convention 492, 495
- Bero, Lisa A. 686
- beryllium 132–3, 610  
  blood lymphocyte proliferation tests (BeLPT) 135, 140, 147, 148  
  Chronic Disease 132, 134–5  
  continuing health risks 139  
  early warnings and actions 140  
  evidence for carcinogenicity 135  
  exposure standard 133–5, 138–9, 150  
  industrial uses 132–3  
  industry's public relations efforts 135–6  
  lessons for policymakers 139–40  
  metal recycling 139, 140  
  number of environmental science publications 627  
  sensitisation (BeS) 135
- Beryllium Case Registry 133–4
- Beven, Keith 686
- bias  
  publication 635–6  
  research 332, 635–6, 677, 678
- bibliometric analyses 625–7, 639
- Bingham, Eula 686–7

- bioaccumulation  
 DDT 242  
 mercury 121, 122  
 nanomaterials 544
- Biocidal Products Directive (EC) 271, 275
- biodiversity 471  
 and invasive alien species 487, 502
- bioindicators 111, 285–6  
 honeybees 393
- biological control agents 496
- biological invasions 486, 487
- biosafety research, GM crops 468–70
- biosecurity 498, 501
- birds  
 endocrine disruption 285  
 impact of environmental chemicals 241, 242, 253  
 methylmercury toxicity 97
- bisphenol A (BPA) 215, 730  
 dose-response curves 217–19  
 growth of production 216  
 in human bodies 223–5  
 independent research 636  
 influences on science and policy 225–6, 228  
 mammalian studies 227–8  
 modes of action 219–20  
 number of environmental publications 627  
 reviews and risk assessments 220–3  
 sources of 216–17, 224
- Black-Lung Benefits Act 594
- bladder cancers 570
- Blanchard, Lawrence 60
- blind spots, in understanding 543
- 'blogosphere' 338
- Blum, Theodore 704
- Boer War Recruits Health Report 171
- Bolin, Bert 317
- Bolivia, GM crop production 464
- Bologna Hospital Administration 185
- bonds, environmental protection 600–1, 602–3, 611–12
- bone disease, vinyl chloride exposure 183–4
- booster biocides  
 development of alternatives 274–5  
 early warnings and actions 276  
 ecological effects 270–1, 273–4  
 effects of banning 273  
 legislative position of EU members 272  
 permitted agents 271, 272  
 sources 268  
 toxicity and persistence 269–70, 273–5  
 usage as antifoulants 268, 272
- Bornman, Riana 687
- botanical gardens 499
- botulism 25
- bounded ethicality 614–15
- bounded rationality 613–14
- Bouwman, Henk 687
- bovine spongiform encephalopathy (BSE/mad cow disease) 545, 612, 649, 702, 716
- Bowman, Diana M. 687
- BP Baglan Bay 190
- BPA, *see* bisphenol A
- Bradford Hill, A. 171, 191, 287, 512n, 517, 631–2, 651–4
- brain cancers  
 risk from mobile phones 21–2, 50n, 510–13  
 vinyl chloride 188, 191, 192
- Brazil  
 asbestos 726  
 GM crops 464
- breast cancer 219, 245, 436
- breast milk 247, 436, 707
- breeder's rights 472
- Brighty, Geoff 290
- British American Tobacco (BAT) 155, 156, 164–5
- British Broadcasting Corporation (BBC) 288, 518
- British Nuclear Fuels (BNFL) 598
- British Petroleum 67
- Brown & Williamson Tobacco Company 155–6
- Brückner, Eduard 311
- Brunel, Sarah 687
- Brush Wellman 133, 135–8, 145–50, 610
- Bryce v. Swan Hunter Group plc 592
- Bulgaria 443
- Bunn, M. 448
- Bureau of Mines (US) 51–2, 193n, 611, 613
- Burkina Faso, GM crop production 464
- business decisions 608  
 economic rationality 608–9  
 political 615, 617  
 psychological factors 613–15  
 and public opinion 609  
 and regulatory frameworks 611–13
- bystander effect 437
- CABI 489, 496
- Cactoblastis cactorum* 496
- Cadbury, Deborah 288
- caesium-134/137 439–41
- California risk assessment (ETS) 166
- California Well Inventory Database 210
- Callendar, Guy Stewart 311, 339
- Campbell, Judge Douglas 419, 423
- Canada  
 asbestos 725–6  
 BPA risk assessment 222  
 fisheries 411–15, 419–20, 703  
 GM crop production 464  
 mercury 121  
 methylmercury 121
- Canadian Atlantic Fisheries Scientific Advisory Committee (CAFSAC) 412–14
- Canadian Broadcasting Corporation (CBC) 725
- canals 350
- cancer risk  
 asbestos exposure 706  
 and benzene 720–1  
 DBCP 207  
 and DDT 245–6  
 hormone growth-promoters 715  
 irradiated food 29–31

- latency period 512, 592  
 mobile (cell) phones 21–2, 50n, 510–13  
 MTBE 735  
 radiation exposure 23–4, 433–6, 434n  
     compensation 598–9  
 saccharin 31–2  
 tobacco smoke 153, 158, 171  
 tools and concepts for identification 512  
 and UVB radiation 571, 574, 575, 576  
*see also* carcinogens
- Cancun, climate conference 328  
 canned foods 216  
 capelin, collapse 411  
 carbon black 534  
 carbon dioxide (CO<sub>2</sub>)  
     emission reductions 319–20  
     emission targets 433  
     and global mean temperatures 310–11, 319–20  
     ice cores 314, 318, 337, 339  
     increase rate 313  
     Keeling's measurements 410  
     long-term history 314, 339  
     long-term measurements 312, 339  
 carbon futures 320  
 carbon nanotubes (CNTs) 534–5, 537  
     early warning signs 544  
     multi-walled (MWCNTs) 535  
     single-walled (SWCNT) 535, 542  
 carbon tetrachloride 79  
 carcinogens  
     beryllium 135  
     IARC classification 522  
     methods of identification 195  
     nitrosamines 25  
     operational definition 194  
     value of animal testing 194–6  
     vinyl chloride 184–6, 188, 191  
 cardiovascular disease  
     and fish consumption 718  
     following radiation exposure 436  
     and lead 568  
 Cardis, Elisabeth 518, 519–20  
 Carlberg, Michael 687  
 Carlisle, 2005 floods 356, 357  
 Carpenter, C.P. 80–1  
 Carson, Rachel 240, 241, 244–5, 408, 645, 713  
     on human health 248  
     legacy 252–3  
 Cartagena Protocol on Biosafety 648  
 case studies  
     examples of late action 644  
     *Late Lessons* volume 1 (2001) 671, 702  
         antimicrobial growth promoters 710, 731–2  
         asbestos 706, 724–6  
         benzene 705, 720  
         DES 709, 729  
         fisheries/aquaculture 703, 718  
         Great Lakes contamination 713  
         halocarbons 708  
         hormones as growth promoters 715, 736  
         mad cow disease (BSE) 716  
         MTBE in petrol 712, 735  
         number of publications 1899–2009 626  
         PCBs 707, 727  
         radiation 704  
         sulphur dioxide 702, 711  
         TBT 714  
         *Late Lessons* volume 2 (2013) 644–5, 671  
     Castaño, Argelia 687–8  
     Castleman, Barry 688  
     catalytic converters 60, 68  
     cataracts 436–7  
     catchment management 349–50  
     cats, methylmercury poisoning 97, 101, 105, 114  
     *Caulerpa taxifolia* 498  
     causality 650–5  
         Bradford Hill's 'criteria' 651–4  
         co-factors 674  
     cause-in-fact rules 588  
     Causse Méjan, France 418  
     CBD, *see* Chronic Beryllium Disease  
     CBD, *see* Convention on Biological Diversity  
     CDC, *see* Center for Disease Control  
     CEFALO study 514  
     cell phones, *see* mobile phones  
     Center for Disease Control (CDC)  
         Advisory Committee on Immunization  
         Practices (ACIP) 27  
         lead blood levels 62  
         NHANES survey 224  
         swine flu 26–9  
     Center for Indoor Air Research (CIAR) 156–7, 158  
     Center for Public Integrity 188  
     Centre Technique Interprofessionnel des Oléagineux  
     Métropolitains (CETIOM) 373, 383–4  
     cerebral palsy-like disease 106  
     cetaceans, endocrine disruption 285  
     CETIOM, *see* Technical Center for Oilseed Crops  
     Chagos 271, 274  
     Chapel Hill Consensus statement 222  
     Chemical Abstract Service (CAS) 625, 626  
     Chernobyl nuclear accident 24, 433–7  
         acute medical care of casualties 435  
         cancer risks 435–6  
         estimated costs 445  
         non-cancer risks 436–7  
         post-accident meta-analyses 433–5  
         remediation 433  
     Child Health and Development Studies (CHDS) 245  
     children  
         benzene toxicity 720–1  
         BPA exposure 219, 223, 224, 226  
         health risks of mobile phones 50n, 514, 516  
         lead poisoning 47, 49, 60–1, 62, 566, 567–8  
             electronic wastes 69  
             sources of lead 47  
         leukaemias 23, 434, 436

- maternal X-rays 704
- mercury poisoning 97, 121–2
- MMR vaccine 22–3
- PCB exposure 707, 727
- risk from asbestos 724–5
- susceptibility to ionizing radiation 438
- China
  - floods 351
  - GM crop production 463n, 464
- Chisso factory 94–6, 96, 99–103
  - compensation payments 107–8
  - demonstration of methylmercury pollution 99–103
- chloracne 707
- chlordane 246
- chlorinated ethylenes 78–9, 86
  - chemical structures 78
  - see also* perchlorethylene
- chlorofluorocarbons (CFCs) 316, 575, 647, 708
- chlorothalonil 269, 272
- chromium trioxide 272
- Chronic Beryllium Disease (CBD) 132, 134–5
- chronic diseases, and PCBs 727
- chrysotile asbestos 725–6
- CIAR, *see* Center for Indoor Air Research
- Cibdela janthina* 496
- cider making, lead poisoning 48
- Cientifica 534
- cinnamon 494
- CJD, *see* Creutzfeldt-Jakob disease
- Clark, Justice Tom 187
- class actions 588–9
- Clean Air Act (1970) 60, 71
- Clean Development Mechanism (Kyoto Protocol) 325–6
- Clean Water Act (1972) 287, 291n
- CLEAR campaign 63, 68
- Climate Action Network 316, 320
- climate change
  - and air pollution 313
  - anthropogenic 309, 311, 318
  - debate on post-2012 actions 327–8, 336
  - discounting future effects 614
  - early science 310–14
  - early warnings and actions 339–40
  - and economic development 309, 339
  - economics of 319, 565
  - emerging policy 320–7
  - and flooding 351–2, 355, 363–4
  - future energy demands 433
  - global coordination of research 316–20
  - models 314, 315
  - and ozone-depleting substances 576, 728
  - politics 309–10, 320–1
  - precautionary approach 326–7, 336–8
  - risk management/mitigation 320, 338–9
  - scientific breakthroughs (1980s) 314–16
  - scientific uncertainty 328–36, 610
  - Stern review 319, 565, 571, 647
  - tipping elements 417
- 'climate proofing' 364
- 'climate sensitivity' 319–20
- 'Climategate' 330
- Clostridium botulinum* 25
- clothianidin 387, 392–3
- clouds, and global warming 312, 313
- CLRTAP, *see* Convention on Long-range Transboundary Air Pollution
- Clubb, David Owain 688
- Clutterbuck, Charlie 688
- co-causal factors 674
- coal, mercury 125
- coal mines, closure 324
- coal mining, compensation 594
- coastal flooding 363–4
- coastal waters, booster biocide pollution 267–8
- coastal zone management strategies 363
- Cochrane Collaboration 161
- cod, collapse of stocks 411–15, 419
- 'cognitive bias' 332
- cognitive development
  - lead exposure 567–8
  - mercury toxicity 121, 122, 569
- 'cognitive dissonance' 614
- cohort studies 631
  - benzene exposure (Pliofilm) 721
  - DES exposure 729
- Colborn, Theo 288
- colic, lead poisoning 48
- Collingwood, R.G. 408
- colon cancer 570
- Colony Collapse Disorder 393
- Colten, Craig 83
- COMARE, *see* Committee on Medical Aspects of Radiation in the Environment
- Commission for Toxic Products, France (CTP) 378–80
  - Honeybee Working Group 379n
- Committee on Medical Aspects of Radiation in the Environment (COMARE) 23, 434
- Committee for Pesticides Authorisation 385
- Common Fisheries Policy (CFP) 421–2
- compensation 582, 585–603, 679
  - asbestos-related illness 590, 591–3, 725
  - class actions 588–9
  - DBCP linked infertility 209–10, 211
  - desirable features 601, 603
  - generic schemes 594–6
  - guidance 587
  - Minamata disease 107–8
  - no-fault schemes 599–600, 679
  - rationales for 586–7
  - reparations 586
  - September 11 victim fund 597–8
  - tort/personal injury law 587–90
  - UK scheme for radiation-linked diseases 598–9
  - US Vaccine Injury system 596–7
  - workers' 590, 594
- confidence intervals 512, 633–5
- configurational complexity 424



- conflicts of interest 390–1, 636  
 conflicts of values 615–17  
 congenital malformations 286  
 Consultative Group on International Agriculture Research 466  
 'contingent valuation method' (CVM) 574  
 contraceptive pill 280–2  
     current usage 281, 289  
     development 280–1  
     evidence of environmental harm 281–5  
     historical usage 287  
     mechanism of action 281  
 Convention on Biological Diversity (CBD) 487–8, 489, 491, 498, 502  
 Convention on Long-Range Transboundary Air Pollution (CLRTAP) 126, 127  
 cooperation 678–9  
 Cooperation Centre for Scientific Research Relative to Tobacco (CORESTA) 162  
 Copenhagen Accord 327–8  
 copper, antifoulants 267, 272  
 coral reefs 270–1, 273–4  
     Caribbean 418  
 corporate behaviour 645–7  
     beryllium regulation 135–8, 140, 145–50  
     BPA risk assessment 225–9  
     examples of responsible 647  
     tobacco industry 153–70, 521n, 610, 612–13, 645  
     vinyl chloride 180, 182–4, 193  
 corporate liability 612  
 cost–benefit analyses  
     food irradiation 31  
     swine flu vaccination 28–9  
 Costle, Douglas M. 207  
 costs of inaction  
     air pollution 571, 572–3, 577  
     discount rate 571, 574  
     lead 565–6, 567–8  
     mercury 569  
     nitrate in drinking water 566, 570–1, 577  
 cotton 463  
 Council for Tobacco Research 155, 156  
 counterfactual thinking 408–9, 410, 424  
 coupled atmosphere–ocean models 314  
 Covington and Burling 155, 157, 158, 165  
 Cranor, Carl 688  
*Crassostrea gigas* 266  
 crayfish  
     European 497  
     signal 497  
 Creech, Dr John 183, 186  
 Creutzfeldt–Jakob disease (CJD) 716  
 crop breeding  
     drought tolerance 474–5  
     participatory 472  
 crop yields, agroecology 473–4  
 Cruiser ® 387  
 crustaceans, vessel hulls 266  
 CUDOS acronym 636, 638  
 cultural factors, business decisions 616  
 Cummings, H. 50  
 cyclobutanones 30  
 Czech Republic 443  
  
*Daily Telegraph* 517–18  
 dairies, use of DDT 242  
 DAISIE database 488, 489–90, 492  
 Darwin, Charles 489, 502  
 data access law 162–3  
 data interpretation 33, 85, 140  
 Data Quality Act (2000) 163  
 data-sharing 639  
 Daubert v. Merrell–Dow Pharmaceuticals (1993) 588  
 Davy, Sir Humphrey 78  
 DBCP, *see* dibromochloropropane  
 DDT, *see* dichlorodiphenyltrichloroethane  
 Deane, Lucy 706  
 Dearsley, Tony 282  
*Deepwater Horizon* 602–3  
 degreasing agents 80–2, 586  
 Denmark  
     antifouling agents 271, 272  
     mobile phone studies 521–3  
 Dennis, John 704  
 Dennison, Richard 546  
 Department for Environment, Food and Rural Affairs (DEFRA) 537  
 Depression (1930s) 55  
 detergents, industrial 288  
 developing countries  
     food irradiation 31  
     lead toxicity in children 49  
 developmental harm 650  
 DHA, *see* docosahexaenoic acid  
 diabetes mellitus 246, 718, 727  
 dibromochloropropane (DBCP) 203  
     animal toxicity 204, 205, 207, 211  
     carcinogenicity 207  
     exports 207, 209  
     key early warnings 212  
     male infertility  
         compensation cases 209–10, 211  
         manufacturing workers 204, 206  
         users of pesticide 207–9  
     number of environmental science publications 167  
     registration 204–5  
     soil and water pollution 210  
     uses and trade names 203, 204  
 dichlofluanid 267, 269, 272, 273  
 dichlorodiphenyltrichloroethane (DDT) 241  
     compounds 245  
     current human exposure 248–50  
     current human health concerns 244–8  
     current uses 243–4  
     early warnings and actions 253  
     future of 250–2  
     history 241–3  
     indoor residual spraying 248, 249, 252



- insect resistance 241, 243  
 interactions 250  
 legacy issues 249–50  
 persistence 241  
 US ban 713
- dieldrin 713  
 dietary advice, fish consumers 127  
 diethylstilbestrol (DES) 216, 219, 280, 285, 729–30  
   early warnings and actions 709, 715  
   long-term effects 729–30  
   number of publications 1899–2009 626
- dikes 356  
 Dillard, Annie 407, 408  
 Dioscerides 48  
 disasters, floods 349, 351  
 discounting 574, 614  
 discrimination, Minamata disease 113  
 diuron 267, 269, 270, 272, 273–4  
 diversity-oriented approach 408–9, 424  
 docosahexaenoic acid (DHA) 718  
 Dodds, Sir Charles 280, 288, 730  
 2-dodecylcyclobutanone (DCB) 30  
 Dole Food Company (Standard Fruit) 207–9  
 Doll, Richard 171, 192  
 Dorfman, Paul 688–9  
 dose-response curves 677  
   u-shaped 217–19
- doubt  
   manufactured 112  
   *see also* uncertainty
- Dow Chemicals 81, 82, 180, 182, 204, 205, 206  
 Down Syndrome 438  
 Drinker, Cecil 51  
 drinking water  
   DBCP contamination 210  
   endocrine disrupting agents 287  
   nitrate 566, 570–1, 577  
   US standards 82
- drought, agriculture 474–5  
 dry cleaning 79, 87  
 duck, American ruddy 495  
 DuPont Corporation 50, 54, 549–50  
 Dupont, Pierre 50  
 Durban, climate conference 327  
 Dutch Hunger winter 727
- Earth Summit 310  
 Earth System 424  
 earthquakes, Japan 438  
 ECETOC, *see* European Centre for Ecotoxicology and Toxicology of Chemicals  
*Ecology of Invasions by Animals and Plants* (Elton) 498  
 economic development  
   and climate change 309, 339  
   and invasive species 500  
   and public health interests 112–13  
 economic rationality 608–9  
*Economist* 521  
 ecosystem services 349, 602  
 ecosystems, resilience 417, 425  
 ecosystems management 349–50, 408  
 ecosystems science 416  
 Edens, J.E. 156  
 Edsall, Dr David 51, 52, 56  
 EE2, *see* ethinyloestradiol  
*Eichhornia crassipes* 492, 496, 497  
 eicosapentaenoic acid (EPA) 718  
 Einstein, Albert 477  
 Eisenbud, Marril 133, 136  
 Eisenhower, Dwight D. 477  
 El Niño Southern Oscillation (ENSO) 417  
 electromagnetic radiation (non-ionizing)  
   mobile phones 510  
     IARC evaluation 510, 520–1  
 electronic waste, lead in 69  
 Elton, Charles S. 489, 502  
 emerging hazards, research 625–9, 675–6  
 Emerson, Haven 52  
 Employment Medical Advisory Service (EMAS, UK) 189–90  
 endangered species, statistical analyses 634–5  
 endocrine disruptors 211, 280  
   additive effects 280, 290  
   anti-androgens 287, 290  
   assessment of effects 219–20  
   bisphenol A 215, 216  
   booster biocide antifoulants 269–70  
   BPA 216–20  
   DES 729  
   first described 217  
   fish feminisation 282–4, 288–90  
   human reproductive health 285–7  
   industrial chemicals 288–90  
   oestrogenic compounds 282–4, 288–9  
     recent research 289–90  
     risk management 290–4  
   tributyl tin (TBT) 266, 267, 280  
   Weybridge workshop 289  
   *see also* diethylstilbestrol
- endometrial cancer 245–6  
 Energiekonzept 433n  
 energy crisis (1970s) 24  
 energy demands 433  
 energy policies  
   EU 443–5  
   Finland 445  
   Germany 445  
   IPCC special report 320
- Ensor, David 282  
 Environment Agency, England and Wales (EA) 282, 290–1, 358, 362  
 Environment Canada 222  
 Environmental Agency of Japan (EAJ) 107–11  
 environmental chemistry, origins 242  
 Environmental Defence Fund 546, 549–50  
 Environmental Quality Standards 291  
 Environmental Working Group (EWG) 210  
 EPA, *see* eicosapentaenoic acid  
 EPA, *see* US Environmental Protection Agency  
 epidemiological studies

- 'black-box' 632
- interpretation 85, 631–2
- lead toxicity 85
- low level radiation 434
- Minamata disease 111, 114
- mobile phones and brain tumours 510–13, 523, 524
- PCE 85
- validity of 631–2
- vinyl chloride 192
- epigenetics 727, 729
- erythorbate 25
- ethanol, fuel 50
- 'ethical blindness' 614–15, 678
- ethinyloestradiol (EE2) 280
  - early warnings and actions 298
  - metabolites 281
  - mode of action 281
  - predict no effect concentration (PNEC) 292
  - risk management 290–4
    - costs-benefits of 294–7
  - toxicity to wildlife 281–5
  - in UK rivers and streams 291
  - in wastewater 284–5
- Ethyl Corporation 50, 53, 57, 186, 188, 611
- Ethyl Gemeinschaft 57
- ethylenes, chlorinated 78–9, 86
- EUREAU (European Federation of National Associations of Water and Wastewater Services) 293
- European Centre for Ecotoxicology and Toxicology of Chemicals (ECETOC) 85
- European Chemical Agency 538
- European Commission
  - communication on precautionary principle 295n, 297, 649, 655
  - Innovation Union campaign 461
  - Regulation 178/2002 establishing Food Safety Authority 648
  - Standing Committee on Agricultural Research (SCAR) 475, 646
  - Thematic Strategy for Air Pollution 572–3
- European Court of Justice 649
- European Environment Agency (EEA) 584
  - definition of precautionary principle 649
  - Late lessons from early warnings* Vol. 1 542, 565, 608
  - risks of mobile phone use 513, 515, 515n
- European Food Safety Authority (EFSA)
  - BPA risk assessment 220, 223, 225
  - insecticidal seed-dressings 388, 390
  - nanotechnology 539, 548
- European Medicines Agency 284
- European and Mediterranean Plant Protection Organization (EPPO) 492
- European Nuclear Safety Regulators Group (ENSREG) 444
- European Policy Centre 165
- European Risk Forum 165
- European Union (EU)
  - antifouling agents 271, 272
  - asbestos 706, 724
  - biocides regulations 271, 275, 547
  - BPA risk assessment 222
  - Cosmetic Regulation 539, 540, 547
  - cost-benefit analyses 574, 576
  - Directive 2001/18 on release of GMOs 648
  - drinking water directive 566, 570
  - Emissions Trading Scheme 324
  - endocrine disruption strategy 288, 289
  - fisheries 421–2
  - flood protection 355, 356, 363–4
  - Floods Directive 350, 355, 361
  - greenhouse gas emissions 320, 327, 340
  - growth-promoting hormones 715, 736–7
  - Habitats Directive 492, 501
  - Horizon 2020 programme 624
  - imidacloprid assessment 388
  - invasive species management 489–90, 492, 495, 501
  - leaded petrol policymaking 63–4
  - Marine Strategy Framework Directive 422
  - nanomaterials regulation 536, 538–40, 547–8, 548
  - Nitrate Directive 570
  - Novel Foods Regulation 539, 540
  - nuclear policies 443–5, 444, 449
  - plant protection regulations 648
  - REACH regulation 226, 229, 536, 538–40, 596, 601, 648
  - Scientific Steering Committee 710
  - Treaty on Functioning of EU 648
  - Urban Waste Water Directive 570
  - Water Framework Directive 282, 291, 292, 293–4, 350
- Everglades, Florida 418, 420, 423
- evidence, strength of 111–12, 566, 625, 655–8, 675, 675–6
- expert committees 632
- experts, independence 390, 393
- exposure, timing 674
- externalities, internalisation 611–12
- extinctions 487
- Exxon 168, 610
- Fact Finding Commission, University of Geneva 158
- Factories Act (1833) 48, 193n
- Fairchild v. Glenhaven Funeral Services Ltd 591, 592
- Fallopia japonica* 496
- false alarms 18–19, 673
- false positives, regulatory 17–18
  - case studies 35–6
  - categories 20
  - costs 32
  - definition 18–19
  - identification 19
  - identified 25–6
  - lessons learned 34–5
  - mistaken 19–25
  - scarcity of 33–4
  - science and technology innovation 32–3

- Faraday, Michael 78  
 farmer field schools 472–3  
 Faroe Islands 122  
 FDA, *see* US Food and Drug Administration  
 Federation of Finnish Technology Industries (FFTI) 521  
 Fernández-Galiano, Eladio 689  
 Feychting, Maria 513, 518  
 fiberglass manufacture 614–15  
 field ecologists 408  
 financial interests, personal 169  
 'finite-pool-of-worries' 614  
 Finland 443, 444, 445  
 Finnish Radiation and Nuclear Safety Authority (STUK) 521  
 fipronil 371, 392  
 fish  
   consumption advice 127, 250  
   DDT 249–50  
   endocrine disruption 282–4, 288–90  
     extent in English rivers **293**  
     management options 290–4  
   methylmercury contamination 121, 125  
   nutritional value 718  
   POPs 718  
 fish stocks  
   assessments 414  
   collapse 411–15, 702, 703  
 Fisher, Ronald 632–3  
 fisheries 411–15, 612, 702  
   emerging challenges 718  
   European Union 421–2  
   Minamata disease 96–7, 98–103, 113, 114–15  
   northern cod collapse 411–15, 702, 703  
   sardine 703  
   stock assessment methods 414  
 'flood alert' 348  
 Flood Defence Act (1996) 356  
 flood protection design codes 355  
 floodplains  
   ecosystem management 349–50  
   human settlement 348, 351, 359  
   threats to 349–50  
 floods 347  
   100 year 354–5, 356  
   benefits 352  
   categories and causes 348  
   causes of increased 351  
   coastal 363–4  
   damage potential 348, 351  
   definitions 348  
   early warnings and actions 365  
   forecasts 348, 352  
   lessons 359–62  
   Odra (1997) 360  
   preparedness 362, 364  
   protection measures 356, 359  
   uncertainty in predictions 357–8  
   warnings 348, 352–5  
   errors 354  
   long-term 354–5  
 Floods Directive (EU) 350, 355, 361  
 FLOODsite project 355  
 Florida everglades 418, 420, 423  
 folpet 272  
 Food and Agriculture Organization, UN (FAO) 472, 501n  
 food chains, mercury 121  
 food irradiation 25, 29–31, 32  
 food production 459  
   antimicrobial growth promoters 710, 731–3  
   local needs 459, 460  
   preservatives 24–5  
 Food Safety Authority, European 220, 223, 225, 390, 539, 548  
 food security 460, 463, 476–7  
   and sustainable agriculture 474  
 Food Standards Agency (UK) 127  
 food-borne diseases 25, 31, 32  
 foods, meat preservatives 24–5  
 Fooks, Gary 689  
 Ford, President G. 26–9  
 Ford Motor Company 145–6  
 Foresight Global Food and Farming Futures Project 355, 474  
 forests, acid precipitation 20  
 formaldehyde 735  
 'foreseeability' 590, 591, 592  
 fossil fuels 309, 310–12, 330  
 France  
   asbestos 706  
   Causse Méjan 418  
   flood protection 363  
   imidacloprid seed-dressings 371, 372, 386–7  
   nuclear power 434, 443, 444  
   State Council 379–80  
 France Miel 383  
 Franklin, Benjamin 48, 49  
 free radicals 29  
 Freedom of Information Act (FOIA) 163  
 freedom of speech 208  
 French Agency for Food, Environmental and Occupational Health and Safety (ANSES) 221, 223  
 Frontier Carbon Corp 534  
 Frostell, Patrick 521  
 fruit crops, DBCP spraying 204, 207–9  
 Fucic, Aleksandra 689  
 Fukushima nuclear accident 437–45, 613  
   aftermath 441–2  
   costs of 445–6  
   impact on nuclear policy 442–5  
   impact on nuclear risk assessment 447  
   independent investigation commission 443  
   lessons from 448–9  
   radiation releases 439–41  
 fullerenes 544  
 funding bias 677  
 fungicides, methylmercury 121  
 Funtowicz, Silvio 689  
 fuzzy set theory 357–8

- GAC, *see* granular activated carbon  
 gamma irradiation 29  
 gasoline, *see* petrol  
 Gaucho ® seed-dressing, *see* imidacloprid seed-dressings  
 Gee, David 520n, 689  
 General Association of Maize Producers 385  
 General Electric v. Jointer (1997) 588  
 General Motors (GM) 50, 60, 611  
 genes, patents 467  
 Genesis 348  
 genetic mutations, radiation exposure 438  
 genetically modified (GM) crops 458  
   adoption 464–5  
   global exposure 463–4, **464**, 468  
   herbicide tolerant 461, 462–3  
   and human health 674  
   IP rights 646  
   land area under production **465**  
   precautionary principle 470, 644  
   risk assessment 468–70  
   'technology traits' 460n  
   'yield gap' 472  
 genomic instability, radiation exposure 437  
 Genovesi, Piero 689–90  
 German Advisory Council on the Environment 447, 550  
 German Association of the Cigarette Industry 157  
 German Federal Environment Agency (UBA) 223  
 Germany  
   BPA 224  
   cancer incidence near nuclear plants 434  
   energy policies 433n, 445  
   floodplain management 350  
   insecticidal seed treatments 393  
   Institut für Industrielle und Biologische Forschung GmbH (INBIFO) 158, 161  
   leaded fuels 57, 64–6  
   nuclear policy 444, 613  
   tobacco industry 157, 161  
   Whistleblower Award 585  
 Gertten, Fredrik 208  
 Giannasi, Fernanda 726  
 Gies, Andreas 690  
 Giger, Walter 288  
 Gilmore, Anna 690  
 glacial cycles 314  
 'Glaciergate' 330  
 glioma, and mobile phone use 22, 513, 514, 516, 517, 523  
 global circulation models 312–13  
 'global dimming' 313  
 Global Environment Facility 323  
 Global Invasive Species Information Network (GISIN) 490, 502  
 Global Invasive Species Programme (GISP) 489, 502  
 Global System for Mobile Communication (GSM) 510, 520  
 global warming 310–11, 319–20  
   *see also* climate change; greenhouse gases  
 glyphosate tolerant crops 461, 462–3  
 gold mining 127  
 Goldberg, L. 81  
 Goldsmith, John 204  
 Good Epidemiological Practice 162, 164, 632  
 Good Laboratory Practice (GLP) 220, 391  
 Good Science 220  
 B.F. Goodrich 182–4, 186  
 Gore, A; 327  
 Gorongosa National Park, Mozambique 418  
 Goshonoura 104, 108  
 Goulburn-Broken Catchment, Australia 418, 420  
 Graham and Graham v. ReChem 591  
 grain, methylmercury treated 121  
 Grandjean, Philippe 121, 690  
 granular activated carbon (GAC) 292–3  
 Grassl, Hartmut 690  
 Great Lakes, contamination 288, 612, 702, 713  
 'green agriculture' 471  
 'green medicines' 647  
 Green Revolution 460, 466  
 greenhouse effect  
   'enhanced effect' 310  
   first described 310  
   global circulation models 312–13  
   IPCC definition 310  
 'greenhouse gang' 314, 316  
 greenhouse gases 310  
   emission reductions 319–20  
     2020 targets 328  
     EU two-degree target 327  
     global motivation/incentives 337–8  
   in ice cores 314, 318, 337, 339  
   long-term history 314, 339  
   long-term measurements 312, 339  
   projected 21st century emission pathways 328, **329**  
 Greenland  
   ice sheets 314, 327, 417  
   mercury 569  
 groundwater, MTBE contamination 712  
 growth promoters  
   antimicrobials 702, 710, 731–3  
   hormones 702, 715, 736–7  
 Guidotti, Tee L. 690–1  
 Guillain-Barré syndrome (GBS) 28  
 Gulf Oil Co. 67  
 Habitats Directive (EU) 492, 501  
 Haigh, Nigel 691  
 hair samples, mercury 104  
 Hale, Lady Justice 593  
 halocarbons 575, 576, 702, 708  
 Hamburg 363–4  
 Hamilton, Dr Alice 53, 80  
 Hancock v. JW Roberts Ltd 593  
 Hansen, Steffen Foss 691  
 Harada, Masazumi 94, 94n, 683, 691  
 harassment, early warning scientists 58, 70–1, 584–5, 637, 676

- Hardell group studies 510–13  
 pooled analysis 513  
 reviews and discussions 518–20  
 Swedish responses 513
- Hardell, Lennart 691
- Hardy, Dr Harriet 133–4
- harm, foreseeability of 590, 591
- 'harm expansion' 672
- Harremoës, Poul 684
- Harris, Leslie 413–14
- Hashimoto, Hikoshichi 94
- Hasselmann, Klaus 318
- Hatoyama, Yukio 441–2
- Hayhurst, Dr Emery 51–3
- Hazards Bulletin* 190
- Health Canada 222
- Health Effects Institute (HEI) 148
- Heinemann, Jack A. 691
- Heinonen, O. 448
- Henderson, Dr Yandell 47, 51, 52, 56, 70
- herbicide tolerant crops 461, 462–3
- herbicides, booster biocides 269–70, 273–4, 275
- Hewlett Packard 647
- hexachlorobenzene (HCB) 246
- hexachloroethane 78
- Heywood, Vernon H. 691–2
- Hill & Knowlton 136
- Hine, Charles 204–5
- Hirayama, Takeshi 158
- Hiroshima 436
- Holling, C.S. 417
- honeybees  
 as bioindicators 393  
 effects of imidacloprid 372–8, 387, 609, 610  
 exposure to imidacloprid 373–5, 387  
 field/semi-field studies 373, 378  
 foraging behaviour changes 372, 373  
 life cycle 371  
 losses 386, 387, 391–2  
 pollinating role 370  
 types of pesticide effects 375, 389–90, 392
- hookworm, PCE treatment of 79–80
- Horizon* 288
- Horizon 2020 programme 624
- hormones, growth promoters 702, 715, 736–7
- horticultural trade 498
- Hosokawa, Hajime 48n, 98, 100, 101, 111
- House of Lords 591–3
- Howard, Frank 53
- Hudig, Dirk 165
- Huff, James 692
- Hunter–Russell syndrome 100, 111
- Hunton and Williams 60
- hurricane Mitch 471
- 'hydro-illogical cycle' 360–1, 680
- hydrochlorofluorocarbons (HCFCs) 708, 728
- hydrofluorocarbons (HFCs) 326, 676
- hydrological studies, uncertainty 357–8
- hypospadias 287
- IARC, *see* International Agency for Research on Cancer
- Ibsen, Henrik 48n, 94n, 585
- ice cores 314, 318, 337, 339
- ice sheets 327, 417
- ICI, *see* Imperial Chemical Industries Ltd
- I.G. Farben 57
- imidacloprid  
 metabolites 375, 387  
 toxicity studies 387  
 uses of in France 372
- imidacloprid seed-dressings Gaucho® 370–1, 380, 382  
 and aphids 401  
 assessment at European level 388  
 Bayer CropScience/author comments and responses 401–6  
 detection in pollen and nectar 373–4  
 early warnings and actions 394  
 French ban 371, 386–7  
 impacts on honeybees 372–3, 387, 609, 610  
 lessons from 388–94  
 maize 371, 372, 380, 382  
 persistence in soil/untreated crops 376, 387, 392  
 public research 372–8, 387, 390  
 risk assessment 378–80, 391–2  
 societal debate 381–8  
 sugar beet 372, 394  
 sunflower 371, 372, 380
- immune function, and DDT 247–8
- immunological disorders, following radiation exposure 436
- Imperial Chemical Industries Ltd (ICI) 180, 187, 190
- imposex 266, 267, 268
- in utero* toxicity, PCBs 707
- in vitro* fertilisation 226
- India  
 DDT use 243–4  
 GM crops 464
- indigenous knowledge 416
- indoor air, standards 162, 167
- indoor residual spraying (IRS) 248, 249, 252
- industrial chemicals  
 endocrine disruption 288–90  
 research and publications 625–9
- infertility, *see* male fertility/reproductive health
- influenza epidemics, swine flu 26–9, 31
- infrared radiation 310
- innovation, *see* agricultural innovation; technological innovation
- insect-borne disease, control 241, 250–2
- insecticides  
 DDT 241–4, 245  
 neonicotinoids 370  
 pyrethroids 244, 250  
 resistance to 241, 243, 251  
*see also* imidacloprid seed-dressings
- institutional fit 419–20, 423, 424
- insurance  
 floods 356, 359  
 future costs of environmental damage 586



- integrated assessment modelling (IAM) 328, **329**, 573
- integrated vector management 250–2
- integrative weed management (IWM) 462
- integro-differential equation 311
- intellectual property (IP) 467, 472–3, 646
- intensive care units 216, 224, 226
- Inter-Academy Council (IAC) 334
- interactions, toxic agents 250
- interdisciplinary barriers 113–14
- interest groups 152–3, 169
- Intergovernmental Panel on Climate Change (IPCC) 316, 351
  - assessment reports (1990–2007) 313, 314, 318–19, 327, 340
  - authority of 317
  - climate models **315**
  - definition of greenhouse effect 310
  - establishment 317–18, 340
  - Nobel Peace Prize 327
  - Response Strategies Working Group 318
  - special report on renewable energy and mitigation 320
    - state of knowledge assessment scale 18
    - 'uncertainty' assessment 331–5
- Intergovernmental Platform on Biodiversity and Ecosystem Services (IPBES) 416
- International Agency for Research on Cancer (IARC) 18, 85, 245
  - classification of carcinogens 522
  - DBCP 207
  - environmental tobacco smoke 153
  - mobile phone risks 21–2, 510, 520–1
  - vinyl chloride 191
- International Association of Horticulture Producers 498
- International Atomic Energy Authority (IAEA) 434
- International Commission for Electromagnetic Safety (ICEMS) 524
- International Commission on Plant-Bee Relations (ICPBR) 389–90
- International Convention on the Control of Harmful Anti-fouling systems 714
- International Geophysical Year 312
- International Geosphere Biosphere Programme (IGBP) 316
- International Journal of Occupation and Environmental Health* 169
- International Labour Organization (ILO) 724
- International Maritime Organization (IMO) 266
- International Organization for Standardization (ISO) 162
- International Plant Protection Convention (IPPC) 491, 498
- International Risk Governance Council (IRCG) 550
- International Union for the Conservation of Nature (IUCN)
  - Invasive Species Specialist Group 488, 493, 494, 502
  - knowledge-to-ignorance ratio 655
- internet 671
- Interphone study 21, 511n, 517–18
- intersex
  - fish 282–5, 289–90, 295
    - chemicals causing 288–9
    - extent in English rivers **293**
    - risk management options 290–4
  - in wider wildlife 285
- invasive alien species
  - costs of 494
  - definition 486, 487–8
  - early warnings and actions 502
  - ecological impacts 487
  - European approaches 492
  - history 488–90
  - information/databases 488, 490, 500
  - lessons 499–502
  - limits of governance 496–7
  - management 487
    - biological control 496
  - montane regions 501
  - obstacles to common agreement 493–4
  - pathways of introduction 490–1, 498–9
  - phase transition models 490
  - precautionary principle 497–8
  - public understanding 499–500
  - worldwide initiatives 491–3
- investment, agriculture 466–7, 474
- iodine-131/132 439–41
- IPCC, *see* Intergovernmental Panel on Climate Change
- IQ
  - and lead exposure 60–1, 567–8
  - and mercury exposure 569
- Iraq, methylmercury poisoning 121
- IRCG, *see* International Risk Governance Council
- Irgarol 1051 267, 269–70, 272, 273
  - monitoring of use 274
  - restrictions of use 272
- irreversibility 673
- Irukayama, Prof. K. 104
- Italian Supreme Court 509, 524–5
- Italy, vinyl chloride research 182–4
- Ito, Hasuo 97
- IUCN, *see* International Union for the Conservation of Nature
- Jacob and Medinger 155
- James I, King 171
- Jamgard, Margarete 208
- Japan
  - air pollution control 573
  - earthquakes and tsunamis 438
  - endocrine disruptors 289
  - Food and Sanitation Act 99, 100, 114
  - Fukushima nuclear accident 437–45
  - Nuclear and Industrial Safety Agency (NISA) 440
  - PCB toxicity 707
- Japanese Central Council 113
- Japanese Great Easter Earthquake 437
- Japanese knotweed 496



- Japanese Spousal Smoking Study 158  
 Japanese Supreme Court 110, 111  
 Jeffrey Mine, Quebec 726  
 Jobling, Susan 288, 692  
 Johns-Manville Corporation 77, 83–4, 86  
 Johnson & Johnson 647  
 joint and several liability 588  
*Journal of Industrial Hygiene* 51  
 Joy, Bill 611
- Keats Report 703  
 Keeling, Charles 408, 409, 410  
 Keeling, David 312, 339  
 Kehoe, Robert 52, 56–7, 58, 59, 183  
 Kennedy, John F. 241  
 Kettering, Charles 54, 56  
 Kitamura, Professor 98  
 Kiyoura, Raisaku 102, 103  
 knowledge  
   IPCC assessment scale 18  
   lay and local 8, 11, 100, 111, 113, 211, 388, 416  
   pedigree 415  
   procedural quality 372  
   social quality 372, 391  
   substantive quality 371  
 'knowledge society' 392  
 knowledge-to-ignorance ratio 654–5  
 Kovarik, Bill 692  
 Kueffer, Christoph 692–3  
 Kumamoto Prefecture 97, 98, 99, 100, 108, 109  
 Kumamoto University School of Medicine 101, 103, 104, 109, 114  
 Kumho Tire v. Carmichael (1999) 588  
 Kunderzewicz, Zbigniew W. 693  
 Kutsuna, Masachika 104  
 Kylin, Henrik 693  
 Kyoto Protocol 323–4, 340  
   Clean Development Mechanism 325–6  
   implementation 324–6  
   key elements 325
- lactation  
   and DDT 247  
   and radiation exposure 436
- Lake Michigan 713  
 Lake Ontario 713  
 Lamming Committee 715  
*The Lancet* 22, 100  
 land use, and flooding 351, 354  
 landfills, vinyl chloride 181  
 language, use in debates about hazards 646  
 Lawther report 63, 67, 68  
 lawyers, involvement in tobacco research 155–6  
 Le Menestrel, Marc 694  
 lead  
   blood levels 47, 61, 62, 65–6, 68, 566, 567  
   current EU emissions 568  
   global dispersion 57, 568  
   'normal'/safe levels of exposure 56–8, 62, 631  
   research publications 627  
   sources of exposure 47  
 lead poisoning 47–9  
   acute 47  
   children 47, 49, 60–1, 62, 567–9  
   costs of inaction 565–6, 567–9  
   early warnings 48–9, 567  
   ongoing and emerging threats 49, 69  
   TEL workers 51  
   'useful truths' 49  
 leaded petrol 46, 565–6, 567, 611, 613  
   alcohol alternative 54–6  
   and catalytic converters 60, 68  
   early warnings/actions 71  
   economics 61  
   Europe 69, 71  
     Germany 57, 64–6  
     policymaking 63–4  
     UK 64, 67–8  
   industry research 50–3, 646  
   lead released from 46  
   legacy 49, 69  
   lessons from 69–71  
   'one day trial' 46, 52–3, 56  
   origins 50  
   phase-out 61, 62  
   pros and cons 62, 69  
   US Congress hearing 58–60
- Lederberg, Joshua 477  
 leishmaniasis 244  
 Leszczynski, Dariuz 521  
 leukaemias  
   and benzene 705, 720  
   childhood 23, 434, 436  
   and MTBE 735  
   and radiation 23, 704
- levees 364  
 liability, joint and several 588  
 Liggett & Myers 149  
*Limnoria* spp. 266  
 literature, environmental 625–7  
 liver angiosarcoma 185, 186–8, 192, 193  
 liver disease  
   PCBs 707  
   PCE exposure 81–2
- Liverpool University 283  
 local and lay knowledge 8, 11, 100, 111, 113, 211, 388, 416  
   French beekeepers 372–3, 380, 386, 387
- London buses, alcohol fuel trial 56  
 London International Maritime Organisation 648  
 Lorillard 155  
 Louisiana commercial fishery 602  
 Love Canal 713  
*Ludwigia grandiflora* 495  
 lung cancer  
   and asbestos 706  
   and tobacco smoke 153, 158, 171
- lung disease, nanomaterials 534–6  
 Lux Research 533  
 lymphomas 85, 735

- McAlpine, Douglas 100  
 McCormick, W.E. 182–3  
 MacGarvin, Malcolm 693  
 McGhee v. National Coal Board 592  
 McGlade, Jacqueline 693–4  
 McIntyre, Owen 694  
 McLachlan, John 288  
 MacLeod, John 286  
 'mad-cow disease' (BSE) 545, 612, 649, 702, 716  
 Madagascar, dry spiny forests 418  
 MAFF, *see* Ministry of Agriculture, Fisheries and Food  
 Maguire, Andrew 28  
 maize  
     insecticidal seed-dressings 371, 372, 380, 382  
     trends in yields 385  
 malaria control 243–4, 248, 250–2  
     integrated vector management 250–2  
 male fertility/reproductive health  
     BPA exposure 219  
     DBCP exposure 204, 206–7, 209–10, 211  
     DDT 246  
     endocrine disruptors 285–7  
 Maltoni, Prof. Cesare 180, 184–6, 193, 193  
 Manhattan Project 132  
 Mankala Principle 445  
 Mansfield Clark, W 50  
 Manville Corporation 612, 614–15  
 Margereson v. JW Roberts Ltd 593  
 marker-assisted selection 474–5, 475n  
 market failures 679–80  
 Martland, Harrison 704  
 Master Settlement Agreement (1998) 154, 155, 157  
 Materion 133  
 'Matthew' effect 629  
 Mauna Loa station, Hawaii 312, 339  
 Max Planck Institute for Meteorology 318  
 Maxim, Laura 693  
 Maynard, Andrew 693  
 Mazzocchi, Tony 204  
 measles–mumps–rubella (MMR) vaccine 22  
 meat preservatives, nitrites 24–5  
 meat production, growth hormones 715, 736–7  
 media 28, 166, 330, 635  
 medical devices, BPA in 216  
 Medical Research Council (MRC) 67–8, 171  
*Medical World News* 28  
 melanoma 575  
 Mellon, Andrew 67  
 meningioma 513, 516, 517  
 menstrual cycle abnormalities 246  
 mental retardation, Minamata disease 105–6  
 mercury 569  
     coal burning 125  
     extraction from soils 586  
     global spread 125, 126–7  
     harmful effects 569  
     research publications 627  
     *see also* methylmercury; Minamata disease  
 Merewether Report 706  
 Merkel, Chancellor Angela 445, 447  
 Merrell Dow Pharmaceuticals 588  
 Merton, Robert K. 629, 636–8  
 mesothelioma 706, 725  
     compensation 590, 591  
     latency period 592  
 meta-analysis 633  
 metals  
     recycling 139, 140  
     use as antifoulants 272  
     *see also* named metals  
 methane (CH<sub>4</sub>) 314  
 methicillin-resistant *Staphylococcus aureus* (MRSA) 731  
 methyl-tert-butyl ether (MTBE) 626, 702, 712, 735  
 methylmercury 92, 98–103, 569  
     acetaldehyde production 99–103  
     costs of inaction 569  
     early warnings of toxicity 123  
     fish/shellfish contamination 96–7  
     formation 99–103, 122, 569  
     fungicides 121  
     prenatal toxicity 105–7, 112, 121–2  
     umbilical cords 96, 106  
 Metz, Bert 694  
 Mexico, GM crop production 464  
 Michaels, David 694–5  
 Michigan Supreme Court 145–6  
 micronucleus assay 21  
*Microwave News* 518, 521  
 Midgely, Thomas 50, 54  
 Millennium Development Goals 310, 461, 475  
 Milligan, Michael 520  
 Millstone, Erik 695  
 Milward v. Acuity Specialty Products (2007) 588  
 Minamata, geographical location 94, 95  
 'Minamata Convention' 93  
 Minamata disease 683  
     accreditation system implementation 107–11  
     cause 98–103  
     congenital 105–7, 112, 121–2  
     costs of inaction 569  
     criminal charges 110–11  
     diagnostic criteria 94  
     early warnings and signs 94–8, 123  
     General Investigation Committee 103  
     lessons from 111–14, 114–15  
     Niigata 104–5  
     science and policy making 125–8  
     social recognition 103–4  
     symptoms 123  
 Ministry of Agriculture, Fisheries and Food (MAFF)  
 30, 284, 612  
 Ministry of Health and Welfare of Japan (MHWJ) 98  
 Ministry of International Trade and Industry of Japan  
 (MITIJ) 99  
 Mississippi floods (1993) 357, 361  
 Mississippi River Delta 602  
 mixed oxide (MOX) 438n  
 MMR, *see* measles–mumps–rubella (MMR) vaccine  
 Mobile Manufacturers Forum (MMF) 520

- mobile phones  
 EEA early warnings 515  
 Hardell group studies 510–13, 518–20  
 health risks 21–2, 510–13  
   in children 50n, 514, 516  
 IARC EMF studies 21–2, 510, 520–1  
 Interphone study 511n, 517–19  
 post IARC decision studies 521–3  
 RF wavelengths used 510
- models  
 atmospheric general circulation (AGCMs)  
 312–13  
 climate change 314, 315
- Monforton, Celeste 695
- monopolies 673
- Monsanto 183, 610
- montane regions, invasive species 501
- Montreal Protocol 321, 575, 708, 728
- Morris, Jim 188
- Morse, K.M. 81
- mosquitoes, control 243, 248, 250–2
- mothers  
 benzene toxicity 720–1  
 exposure to BPA 226  
 PCB exposure 707, 727
- 'Moyainaoshi' 114
- MRSA, *see* methicillin-resistant *Staphylococcus aureus*
- MTBE, *see* methyl-tert-butyl ether
- Müller, Franz 171
- Müller, Paul 241
- multicausality 391–2, 650–5, 674
- multiple effects 673–5
- Muskie, Senator Edward 58–60
- Myanmar, GM crop production 464
- Myhr, Anne I. 695
- n-3 polyunsaturated fatty acids (n-3 PUFAs) 127
- Nader, Ralph 28
- Nagasaki 436
- Nale, Thomas 182
- nanomaterials 531  
 categories 531–3  
 current production and applications 533–4  
 health and environmental risks 533, 534–6, 541  
 potential unique properties 541  
 risk assessments 541–2
- nanosilver 535–6
- nanotechnology 530  
 codes of conduct 647  
 definition 531  
 development 530, 533  
 early warnings and actions 551  
 EU members science reports 547, 548  
 global investment 533  
 precautionary strategies 549–51  
 prospective research strategies 542–3  
 regulation 537–42, 546–7
- National Acid Precipitation Assessment Program (NAPAP) 20
- National Cancer Institute, US 207, 729
- National Center for Apicultural Development (CNDA) 386
- 'National Demonstration Programme' 291–2
- National Health and Nutrition Examination Survey (NHANES) 224
- National Health Service (NHS) 281, 598
- National Institute for Occupational Health and Safety (US) (NIOSH) 137, 138, 186–8, 206  
 Pliofilm study 721
- National Nanotechnology Initiative (NNI) 531, 533, 542
- National Radiation Protection Board (NRPB) 704
- National Research Council 122
- National Toxicology Program (NTP), USA 222
- natural capital assets 602
- Naturalis Historia* 488
- Nature* 393, 440, 441, 466
- Nature Biotechnology* 467, 470
- nectar 371  
 imidacloprid in 373
- Needleman, Herbert 60–1, 70–1, 566, 637, 695
- neonatal intensive care units 224
- neonicotinoids 370  
*see also* imidacloprid seed-dressings
- Netherlands  
 antifouling agents 271, 272  
 asbestos 725  
 flood protection 355, 356, 363–4  
 type 2 diabetes 727
- neurinoma, mobile phone use 524–5
- neurodevelopment, and DDT 247
- The New England Journal of Medicine* 80
- The New York Times* 51, 187
- New Zealand  
 invasive species 497–8  
 mercury 121  
 no-fault compensation law 599–600  
 vessel antifoulants 267, 268
- Newfoundland, fisheries management 411, 419
- Newton, Sir Isaac 655
- NGK 134
- NGOs, *see* non-governmental organisations
- NHANES, *see* National Health and Nutrition Examination Survey
- Niigata Minamata disease 104–5
- NIOSH, *see* National Institute for Occupational Health and Safety
- nitrate, in drinking water 566, 570–1, 577
- nitrite preservatives 24–5
- nitrosamines 25
- nitrous oxide (N<sub>2</sub>O) 20, 314, 326
- 'no evidence of harm' 50, 70, 139–40, 468, 674–5
- NOAA 310
- Nobel Peace Prize 327
- Noda, Yoshihiko 442
- non-governmental organisations (NGOs)  
 climate change 316, 320  
 imidacloprid seed treatments 388  
 invasive species 493
- non-Hodgkin's lymphoma (NHL) 85

- non-native species, *see* alien species; invasive alien species
- nonylphenols 288, 289
- Noordwijk conference 321
- Nordic Mobile Telephone System (NMT) 510, 511
- Northern Cod Review Panel 413
- Northern cod stocks 411–15, 702, 703
- Northern Highland Lakes District, Wisconsin 418
- Norway, cod stocks 411, 414
- Nosema 387
- NOTE 437
- NTP, *see* National Toxicology Program, USA
- nuclear accidents 24
  - Chernobyl 24, 433–7
  - Fukushima Dai-ichi 437–45
- nuclear power
  - global use 433
  - health risks 23–4
  - high burn-up fuel 446
  - liability 445–6
  - policies
    - impact of Fukushima accident 442–5
    - public involvement 449
  - probabilistic risk assessment (PRA) 447–8
- nuclear power plants
  - coastal 448
  - costs of 443
- nuclear weapons industry 132–3, 146–7
- null hypothesis 633
- Nunavut Inuit 419
- obesity 226, 727
- O'Brien, Thomas 731
- OCAW, *see* Oil, Chemical and Atomic Workers International Union
- Occidental Chemical Company 204
- Ochsner, Alton 171
- octylphenol 289
- odds ratio 512
- Odra floods (1997) 360
- ODS, *see* ozone depleting substances
- OECD, *see* Organisation for Economic Co-operation and Development
- OEHHA, *see* Office of Environmental Health Hazard Assessment
- Oelgert, Ernest 51
- oestrogen receptor antagonists 219
- oestrogens, synthetic 280–2, 288–9
  - mode of action 281
  - sources 280–2
  - in UK rivers and streams 291
  - in wastewater 284–5, 289
    - risk management/removal 290–4
- Office of Environmental Health Hazard Assessment (OEHHA) 153
- Office of Management and Budget (OMB) 163
- Ofwat 291
- Ohshima, Takeki 102, 103
- Oil, Chemical and Atomic Workers International Union (OCAW) 204, 206
- oil spills, *Deepwater Horizon* 602–3
- omega-3 fatty acids 718
- Onasch, Joy 695–6
- oocyte quality, and BPA exposure 226
- Opuntia* species 496
- organic agriculture 474
- Organisation for Economic Co-operation and Development (OECD) 464, 541, 565, 571
- organochlorine pesticides 713, 718
  - see also* dichlorodiphenyltrichloroethane (DDT)
- organophosphates 243
- OSHA, *see* US Occupational Safety and Health Administration
- OSPAR (Convention for the Protection of the Marine Environment of the Northeast Atlantic) 714
- otters, endocrine disruption 285
- 'over-regulation' 19
- Owen, Richard 696
- Oxyura jamaicensis* 495
- ozone depleting substances (ODS) 314, 316, 575–6, 702, 728
- ozone layer depletion 571, 574, 575, 702, 728
  - and climate change 576, 728
  - early warnings and actions 708
  - recovery 728
- Ozonoff, David 696
- Pacifastacus leniusculus* 497
- paints, lead-based 49, 67
- Pakistan, GM crop production 464
- panarchy 419, 425
- Paracelsus 217, 541
- Paraguay, GM crop production 464
- paraquat 586
- PARCOM Recommendations 714
- Paris Convention on Nuclear Third Party Liability 445n, 446
- Parkinson's disease 586
- parotid gland tumours 518
- patent-like plant variety protection (PVP) 467, 472
- PATIO acronym 637–8
- Patterson, Clair 57–8, 59, 70, 646
- PCBs, *see* polychlorinated biphenyls
- PCE, *see* perchlorethylene (PCE/perc/tetrachloroethylene)
- Pdx1 transcription factor 727
- Pearl, Raymond 171
- peer review 160, 169, 220, 629
- 'pensioners' party fallacy' 613
- Pepples, Ernest 156
- perchlorethylene (PCE/perc/tetrachloroethylene) 76
  - carcinogenicity risk assessments 84–5
  - early evidence of toxicity 80–2
  - history and chemistry 78
  - industrial uses 80
  - maximum level in water 83
  - number of environmental science publications 627
  - use as hookworm treatment 79–80

- use in water supply pipes 77, 82–6  
 Perdue Company 732–3  
 perfluorinated compounds 628, 636, 718  
 persistent organic pollutants (POPs) 243, 713  
   in fish 718  
   Stockholm Convention 243, 244, 250, 251, 649  
 personal injury law 587–90  
 pet industry 499  
 Peto, Professor R. 724–5  
 petrol  
   benzene 720–1  
   MTBE 702, 712, 735  
   *see also* leaded petrol  
 Pettersen, Oddrum 411  
 pharmaceuticals and personal care products (PPCPs) 250  
 Philip Morris 154, 155, 157, 162, 521n  
   European research programme 157–8  
   shaping of risk assessment 164–5  
 Philippines, GM crop production **464**  
 Phillips Inquiry 716  
 photosynthesis, and booster biocides 273–4, 275  
 phytoplankton, and booster biocides 269–70  
 Pick-Sloan Flood Control Act 365  
*Pilgrim at Tinker Creek* (Dillard) 407, 408  
 Pimenta Report 715  
 Pine River, Michigan USA 249  
 pineapples, DBCP use 207  
 Pitt Report 357  
 PLACE acronym 637, 638  
 planetary boundaries 416–17  
 plant breeding  
   drought tolerance 474–5  
   participatory 472  
 plant health 498–9  
 Pliny the Elder 488, 502  
 Pliofilm study (NIOSH) 721  
 pneumoconiosis, compensation 594  
 Poland 360, 443  
 polar bears 285  
 polar stratospheric clouds (PSCs) 728  
 pollen 371  
   imidacloprid in 373, 374, 380  
 pollinators 370  
   decline in 370  
   *see also* honeybees  
 pollock 412  
 'polluter pays' principle 611–12, 679–80  
 polycarbonate plastics, leaching of BPA 216, 217, 220  
 polychlorinated biphenyls (PCBs) 127, 242, 246, 610, 672  
   and chronic disease 727  
   early warnings and actions 707  
   number of publications 1899–2009 626  
 polymer design 274–5  
 polythetic scheme 409, 425  
 polyvinyl chloride (PVC)  
   growth in industrial output 180–2  
   vinyl chloride toxicity 182–6  
 Poncho ® 387  
 Potteries Regulations (1867) 48  
 poultry production, antibiotic growth promoters 732–3  
 Powell, Enoch 281  
 Powers, Martin B. 135–6  
 PRATIQUE project 500–1  
 precautionary principle 582, 611  
   barriers to wider use 645  
   climate change 336–8  
   debates 18  
   EC Communication 295n, 297, 649, 655  
   EEA working definition 296n, 649  
   GM crops 470  
   international treaties and instruments 648–9  
   invasive species 497–8  
   low-level water pollutants 295–6  
   pros and cons of use 672–3  
   roles of 644–5  
   and science 624–5, 638–40  
   strength of evidence 655–8, 675, 675–6  
   and technological innovation 32–3  
 precipitation, and flooding 351–2, 354, 358  
 pregnancy  
   benzene exposure 720–1  
   DDT exposure 246–7  
   DES exposure 709, 729  
   lead exposure 567  
   mercury exposure 105–7, 121–2, 127, 569  
   PCB exposure 707, 727  
   X-rays 704  
 preservatives, meats 24–5  
 Preuss, Otto P. 135–6  
 'prevention' 656  
 Price, Andrew R.G. 696  
 primrose, water 495  
 private-public partnerships, agricultural R&D 467  
 probabilistic risk assessment (PRA) 447–8  
 probability values 632–5  
 product life cycles 139, 140  
 profit maximising 608–9  
 progestogens 281, 290  
 Project for Emerging Nanotechnologies (PEN) 533  
 proof, *see* evidence  
 prostate cancer 287  
 Providence (Rhode Island) Water Supply Board 77  
 PSC, *see* polar stratospheric clouds  
 psychological disorders, following radiation exposure 437  
 psychological factors, neglect of early warnings 615–16  
 Public Interest Disclosure Act (UK) 583  
 public involvement 678–9  
   invasive species management 499–500  
   nuclear policy 449  
   *see also* stakeholder involvement  
 public opinion  
   business influence 609, 615  
   climate change 330, 336, 338  
 public relations (PR) efforts 135–6, 610  
 publication bias 635–6  
 publications  
   access to 639



- current environmental science 625–7  
 databases 625  
 peer review 160, 169, 220  
 tobacco industry 159–61  
 trade magazines 637  
 publicly-funded research 372–8, 390, 624, 646  
 PubMed 625  
 pulmonary granulomas 535  
 Puma 647  
 pyrethroids 244, 250  
  
 Quakers 193n  
 Quist, David A. 696  
  
 rabbits 488  
 radiation (ionizing)  
   cancer risks 23–4, 433–6, 434n  
   child/infant susceptibility 438  
   early warnings and actions 704  
   genomic instability and bystander effects 437  
   non-cancer disease risks 436–7  
   risks from nuclear power 23–4  
   UK compensation scheme 598–9  
 radiation sickness 435  
 radiative forcing 313n, 576  
 radiolytic products 29  
 radioxenon 439  
 ragweed 496–7  
 rainfall, and floods 351–2, 354, 358  
 Ramazzini Institute 524  
 Ramussen report 24  
 rare events, perception of 613  
 Rasmussen report 24  
 REACH legislation 226, 229, 536, 538–40, 596, 601, 648  
 Readman, James W. 696–7  
 Reagan, President Ronald 135  
 'recurring nightmares' 407, 415  
 recycled metals 139, 140  
 recycled paper 216  
 Reed, Thomas 55  
 Régent TS® 371, 374, 383, 385  
 regime shift 417, 423, 425  
 Regina Elena National Cancer Institute, Rome 184–6  
 regulatory frameworks, gaps and loopholes 611–13  
 Reker, Johnny 697  
 renewable energy 324, 326, 328, 338  
   Germany 445  
 rent seeking 419  
 reparations 586  
 reproductive harm 650  
 reproductive tract  
   abnormalities 729–30  
   cancers 709, 729  
 reptiles, endocrine disruption 285  
 research  
   bias 332, 625–6, 678  
   conflicts of interest 390–1, 636  
   contract 636  
   focus on known hazards 625–9  
   methodologies and assumptions 629–31, 675–6  
   vulnerability to criticism 631–2  
 research funding 624, 636–8  
   insecticide seed treatments 390–1  
   private 225–6, 228, 390, 636–8  
     leaded petrol 50–3, 646  
     tobacco industry 154–7, 169–70  
   public 390, 624, 639, 646  
 resilience, ecological 417, 425  
 Reunion Island, invasive species 496  
 review articles  
   Cochrane Collaboration 161  
   tobacco industry sponsored 160–1  
 Rhine floodplain 350  
 rice oil, PCB-contamination 707  
 Richardson, Bill 132  
 Richardson, David M. 697  
 Rio de Janeiro, Earth Summit (1992) 310  
 Rio Declaration 648  
 RISC-RAD 437  
 risk assessments 676–8  
   BPA 221–3  
   divergence of same/similar data 84–5  
   environmental tobacco smoke 153, 164–5, 166  
   GM crops 468–70  
   nanomaterials 541–2  
   stakeholder involvement 677  
   width of 677  
 risk perception 338, 585–6, 613–14  
 risk-risk trade-offs 24–5  
 River Basin Management Plans 293–4  
 River Lea, Lower 282, 283  
 rivers  
   endocrine disrupting pollutants 282–5, **291**,  
   **293**  
   *see also* floods (river)  
 RJ Reynolds 155  
 roach, intersex 282–5  
 Rock, Dr John 281  
 Rockefeller Foundation 79  
 Rodale Institute 474  
 Rode, Julian 697  
 Roffio, Angel 171  
 Rollins, William 704  
 Romania 443  
 Roper Organization for the Tobacco Institute 154  
 Rostand, Jean 242  
 Rotterdam 364  
 Rotterdam Convention 725–6  
 Rowe, V.K. 182  
 Rowley, Jack 520–1  
 Royal Academy of Engineering (RAE) 542, 550  
 Royal Commission on Environmental Pollution (RCEP) 63, 67, 297, 298, 544, 550  
 Royal Society 542, 550  
 RSPB 495  
*Rubus alceifolius* 496  
 Rudén, Christina 697  
 Russian Early Warming and Emergency Response system (REWERS) 440  
 Russian Federation 324



- Rutilus rutilus* 282–5  
 Rye Meads sewage works 284  
 Rylander, Ragnar 158
- saccharin 25, 31–2  
 Sadetzki, Siegal 518, 519–20  
 SAE, *see* Society of Automotive Engineers  
 St George, A.V. 80  
 salmon, farmed 718  
 sample size 634–5  
 sardine fisheries, California 703  
 Sass, Jennifer Beth 697–8  
 SCENIHR, *see* Scientific Committee on Emerging and Newly Identified Health Risks  
 Schering AG 280, 290  
 Schuck, Peter 599  
 science  
   corporate influence 610–11  
   emerging disciplines 676  
   'Good Science' 220  
   independence of 226, 229, 390, 393, 636–7  
   influence of society 70–1  
   methodologies 629–31, 675–6  
   peer review processes 160, 169, 220  
   policy-relevant 645  
   and precautionary principle 624–5  
   quality standards 220, 391  
     manipulation 162–3  
   'sound science' 162–3, 632  
   suppression of 113  
   traditional paradigm 628–9  
   *see also* publications; research  
 Scientific Committee on Emerging and Newly Identified Health Risks (SCENIHR) 21–2, 538, 541, 542  
 Scientific Committee on Food (SCF) 30  
 scientific journals 625–9, 635–6  
 scientific testimony, admissibility 588  
 scientists, early warning 48, 57–8, 70–1, 392, 582–5, 637, 676  
 SciFinder 625, 626  
*Sciurus carolinensis* 492, 495  
 SCOPE Programmes 316, 340, 489, 502  
 sea birds, methylmercury poisoning 97  
 sea level rises 363  
 sea lions 285  
 Sea-Nine 211 269, 270, 272, 273  
 seals 285  
 secondary benefits and costs 672–3  
 secrecy agreements, vinyl chloride 180, 183–4  
 securities law 583  
 seed-dressing insecticides, *see* imidacloprid seed-dressings  
 SEER registries 523  
 selective oestrogen response modifiers (SERMs) 215, 229  
 self-deception, corporate decisions 614  
 'self-serving bias' 678  
 Selikoff, Dr 186  
 Selin, Noelle E. 698  
 sentinel wildlife 111, 285–6  
 September 11 Victim Compensation Fund 597–8  
 Sera, Kansuke 103  
 sewage treatment effluent  
   oestrogenic compounds 284–5, 289  
   treatment 290–4  
 Seychelles 122  
 shampoos, anti-dandruff 268  
 shareholders, influence 149–50  
 Shell Chemical Company 204, 205  
 shellfish  
   methylmercury contamination 96–7  
   TBT toxicity 266  
 Shizuoka Prefecture 99  
 'shooting the messenger' 48n, 58, 113  
 short-term interests 407, 415  
 significant new use rule (SNUR) 537  
*Silent Spring* (Carson) 240, 241, 244–5, 408, 713  
   legacy 252–3  
 silver, nanoparticles 535–6  
 skin cancers 571, 574, 575, 576  
 Slovakia, PCB intoxication 727  
 Slovenia, seed treatments 393  
 'smart investment' 624  
 Smith, Katherine 698  
 smoking  
   workplace restriction 167  
   *see also* tobacco; tobacco smoke  
 Smyth, Henry 182  
 snowmelt 354  
 social cost benefit analysis (SCBA) 574, 577  
 social media 671  
 Societies of Epidemiology, Joint Policy Committee (JPC-SE) 726  
 Society of Automotive Engineers (SAE) 54  
 socio-ecological systems 417–19  
   case studies 418  
   definitions 424  
   early warnings and outcomes/responses 423  
   institutional fit and governance 419–20, 423, 424  
   resilience 417, 425  
 sodium ascorbate 25  
 Soffritti, Morando 698  
 soils  
   conservation 475  
   DBCP 210  
   imidacloprid persistence 376, 387, 392  
   mercury contamination 586  
 Solvay Chemical Company 183, 184  
 Soto, Dr Ana 288, 698–9  
 'sound science' 162–3, 632  
 South Africa  
   DDT use 244, 249  
   GM crops 464  
   Protected Disclosures Act 583  
 Southern corn leaf blight 25, 32  
 Soviet Union, former countries 324  
 soybean 463  
 Spain, GM crops 464  
 'Special Master' 597

- sperm, quantity/quality  
 and BPA 219  
 and DBCP 204, 206–7, 209–10  
 and DDT 246  
 endocrine disruptors 285, 286–7
- squirrel, grey 492, 495
- stakeholder involvement 670, 678–9  
 agricultural innovation 472–4  
 flood protection 358, 362, 364  
 invasive species management 498–500  
 nuclear policy 449  
 risk assessments 677  
 risk-based decisions 297
- Stamm, Hermann 540
- Standard Fruit Company (Dole) 207–9
- Standard Oil 50, 51, 57
- standardized incidence ratio (SIR) 512
- statistics 512, 632–5  
 'frequentist' tradition 633–5  
 probability values 632–5  
 sample size 634–5
- Stern review 319, 340, 565, 571, 574, 647
- Stewart, Alice 704
- Stockholm Convention on POPs 243, 244, 250, 251, 649
- Stokinger Dr 134
- Storch, Hans von 699
- subsidies, agriculture 464–5, 476
- substitutes, hazards of 676
- sugar beet  
 genetically modified 463n  
 insecticidal seed-dressing 372, 394
- sulphur dioxide (SO<sub>2</sub>) 20, 702, 711  
 early warnings and actions 711  
 economic impacts 572–3  
 emissions by sector 1850–2005 573  
 health impacts 572  
 number of publications 1899–2009 626
- Sumpter, Dr John 284
- Sun Microsystems 611
- sunflower  
 crop yield trends **385**  
 honey yield decline 372–3, 383, **384**  
 insecticidal seed-dressings 371, 372–3, 380
- 'super-catchments' 350
- 'superlevees' 364
- 'superorganisms' 375, 375n
- sustainable agriculture 471–4
- Swann Committee 710
- Sweden  
 antifouling agents 271, 272  
 antimicrobial growth promoters 710  
 DDT 242  
 dietary advice for fish consumers 127  
 mobile phone use and studies 510–13  
 nuclear power 443–4
- Swedish Cancer Registry 523
- Sweeting, Roger 282
- Swetonic, Matthew 136
- swine 'flu 25, 26–9, 31, 33
- swine production, antibiotic growth promoters 732–3
- Switzerland, floodplain management 349, 350
- swordfish 125
- Synechococcus* sp. 270
- Taira, Tomoyuki 441–2
- Taiwan, PCBs 707
- Takeuchi, Tadao 100
- 'Tamiya Committee' 103
- Taniguchi, N. 531
- tar chemicals 626–7
- target theory 437
- taxes, polluter 679
- TCMS pyridine 270, 272
- TCMTB (antifoulant) 269, 270, 272
- Technical Center for Oilseed Crops (CETIOM) 373, 383–4
- technological innovation 670–1, 672  
 and precautionary principle 32–3
- technological monopolies 673
- technology transfer  
 bottom-up 458, 461, 462, 471–4, 476–8  
 top-down 458, 461, 462, 463–71, 476, 477
- TEL, *see* tetraethyl lead
- telephones  
 cordless 510, 511, 516, 519  
*see also* mobile phones
- temperatures (mean global) 318  
 and CO<sub>2</sub> levels 310–11, 319–20  
 EU two-degree decision 327
- Teollisuuden Voima (TVO) 443, 444
- terbufos 385
- Teredo* worm 266
- testicular cancers 246, 287, 735
- testicular dysgenesis syndrome 286
- tetrachloroethylene, *see* perchlorethylene (PCE/'perc')
- tetraethyl lead (TEL) 50–2  
 alcohol alternative 54–6  
 industrial deaths 51–2  
 one day trial 52–3, 56
- Thailand, asbestos ban 724
- Thames Water 282–4
- thiametoxam 387, 392–3
- thiamine 30
- thimerosal 22
- Thomas, Stephen 699
- Thompson, Dr 53
- Three Mile Island 23, 24
- threshold limit values (TLV), vinyl chloride 182–3
- thyroid cancer 434n, 435–6
- Tickner, Joel A. 699
- tidal storm barriers 363
- Time Magazine 281
- Tinsley, Derek 283
- tipping elements 417, 425
- tipping points 417, 425
- TIRC, *see* Tobacco Industry Research Committee
- titanium dioxide, ultrafine 534
- toad, cane 496
- tobacco, chemical additives 161
- tobacco industry 149

- internal documents 158, 168–9
  - public relations efforts 136
  - publications 159–61, 611
  - research 154–7, 169–70
  - subversion of science 153–68, 521n, 610, 612–13, 645
- Tobacco Industry Research Committee (TIRC) 156
- Tobacco Institute 155
- tobacco smoke, environmental
  - knowledge of harm 153, 158, 171
  - research 154–7, 169–70
  - risk assessments 153, 164–5, 166
  - 'sidestream smoke' 158
- tobacco use
  - WHO control programme 168, 612–13
  - workplace restrictions 167
- Tockner, Klement 699
- Tokita, Kikuji 103
- Tokyo Electric Power Company (TEPCO) 438n, 439, 441, 442, 446
- Toronto Declaration 321
- tort law 586, 587–90
  - asbestos-related illness 591–3
- Total Homestead Environment (THE) 249
- Touart, Dr 52
- ToxCast 220
- trade associations, tobacco industry 155
- trade magazines 637
- trade restrictions, meat 715
- trade unions, UK 189–90
- tragedy of the commons 419
- transgenic protein 'surrogate' 469
- translocation of species 495
- transparency 113, 677–8
- Treaty on the Functioning of the European Union (TFEU) 566
- trespass, compensation 589
- tributyl tin (TBT) 265, 280, 609
  - antifoulant 266, 714
  - early warnings and actions 714
  - New Zealand 267, 268
  - number of publications 1899–2009 626
  - restriction/ban of use 266–7, 272, 276
  - toxic effects 266, 274
- trichloroethylene (TCE) 78, 586
  - risk assessments 84–5
- triclosan 628
- Truman, Harry 57
- Trunked Radio Communication (TETRA) 510
- TSGA 14 gene 727
- Tsuda, Toshihide 699
- tsunamis 438
- turbot 419
- Twomey effect 313
- Tyndall, John 310
- Typhoon monitoring system 440
  
- Uchida, Makio 103
- Ui, Professor Jun 101, 123
- UK Chemicals Stakeholder forum 289
- UK Committee on Medical Aspects of Radiation in the Environment (COMARE) 23, 434
- ultrafine particles 534, 545
- ultraviolet (UV) radiation
  - health effects 571, 574, 575, 576
  - 'world avoided' index 575, 576
- umbilical cords, methylmercury concentrations 96, 106
- uncertainty 609–10
  - climate change 328–36, 340
  - floods 357–8
  - IPCC typology 333
  - manufactured 140, 610, 646
    - beryllium and disease 136–8
    - tobacco industry 153–68, 521n, 612–13, 645
- Union Carbide 182, 186, 193
- Union of Concerned Scientists 168
- United Heckathorn Co. 249–50
- United Kingdom (UK)
  - antifouling agents 271, 272, 273
  - asbestos regulations 706
  - Compensation Scheme for Radiation-linked Diseases 598–9
  - cost benefit analysis 577
  - fisheries 703
  - floods/flood protection 356, 357
  - Food Standards Agency 127
  - Foresight project 355, 474
  - House of Lords 591–3
  - leaded petrol 64, 67–8
  - nanomaterials regulation 537
  - National Policy Statement on Energy 433n
  - nuclear power policy 443, 444
  - Public Interest Disclosure Act 583
  - tort law 590
  - vinyl chloride 189–90
- United Nations Conference on Environment and Development 93, 310
- United Nations Environment Programme (UNEP) 93, 126, 316, 317
- United Nations Framework Convention on Climate Change (UNFCCC) 320, 321–4, 338, 340
  - central goal 322
  - clauses 322
  - Conference of the Parties 323
    - COP1 (1995) 323–4
    - COP11 327
    - COP13 (Bali) 327
    - COP15 (Copenhagen) 309, 327–8
    - COP16 (Cancun) 328
    - COP17 (Durban) 328
  - institutions 323
  - key elements 323
  - post-Kyoto process 327
  - precautionary principle 648
- United States (US)
  - acid rain 20
  - climate change policies 326
  - First Circuit Court of Appeals 588
  - floods 357, 361

- GM crop production **464**  
 growth-promoting hormones dispute 736–7  
 mercury contaminated fish 121  
 mobile phone studies 523  
 nanomaterials regulation 537  
 National Nanotechnology Initiative (NNI) 531, 533, 542  
 nuclear power 23, 24  
 Office of Special Counsel 583  
 Public Health Service Drinking Water Standards 82  
 September 11 Compensation Fund 597–8  
 Supreme Court 588  
 Union of Concerned Scientists 582n  
 Vaccine Injury Compensation system 596–7, 603  
 Whistleblower Protection Act 582–3  
 workers' compensation 594
- United States (US) Congress 20, 163, 597  
 Subcommittee on Health and Environment 157
- Universal Mobile Telecommunication System (UMTS) 510
- University of East Anglia (UEA) 330
- UNSCEAR 435
- Upper Rhine valley 350
- urogenital birth defects (UGBD) 246
- Uruguay, GM crop production **464**
- US Department of Agriculture (USDA) 25, 31, 205, 612, 733
- US Department of Energy (DOE) 132, 145, 612
- US Department of Fisheries and Oceans (DFO) 612
- US Department of Health, Education and Welfare 28–9
- US Environmental Protection Agency (EPA)  
 BPA 220  
 DBCP 207  
 environmental tobacco smoke 153, 164–5, 166  
 lead in petrol 60, 61  
 methylmercury 121–2  
 nanomaterials 537  
 Science Advisory Board 571  
 vinyl chloride 191–2
- US Food and Drug Administration (FDA) 25  
 antimicrobial growth promoters 732  
 BPA risk assessment 222–3  
 DBCP 205  
 food irradiation 29, 30–1  
 health risks of cell phones 21  
 polyvinyl chloride 181
- US Geological Survey (USGS) 54
- US Interagency Floodplain Management Review Committee 357
- US Manufacturing Chemists Association (MCA) 180, 182–4
- US National Academy of Sciences 297
- US National Peach Council 206
- US National Research Council 139, 627
- US Occupational Safety and Health Administration (OSHA)  
 beryllium 136–9  
 tobacco smoke 157, 167  
 vinyl chloride 182, 186–7
- US Supreme Court 705
- US Surgeon General 171
- Vaccine Injury Compensation System (VICP) 596–7, 603
- vaccines  
 MMR 22–3  
 swine 'flu 26–9, 31
- vaginal cancer 709, 729
- value of a life-year (VOLY) 571
- value of a statistical life (VSL) 571
- values, conflict of business and society 615–17
- van den Berg, Henk 686
- van den Hove, Sybille 692
- van der Sluijs, Jeroen 698
- variable-oriented approach 409, 411, 415, 425
- Vellinga, Pier 700
- ventilation standards 162
- Versicherungsforen Leipzig GmbH 446
- Vienna Convention 708
- Villach Conferences 316
- Vinatex 190
- vinyl chloride 78, 86  
 animal testing 182, 184–7  
 carcinogenicity 184–6, 188, 191  
 environmental science publications 627  
 exposure levels 181, 182–3  
 reduction 192  
 growth in output 180–2  
 human toxicity 182, 183–4, 193  
 IARC monograph 191  
 industry secrecy 180, 183–4, 187  
 responses to toxicity data 182–3  
 sources 181–2  
 United Kingdom 189–90
- vinyl chloride monomer (VCM) 183
- Viola, Prof. 184–6
- viruses, influenza 26–9
- vitamin C 25
- vitellogenin (VTG) 284–5
- VOLY (value of a life-year) 571
- wage-risk analysis 571
- Washington Post* 544
- wastewater  
 nanoparticles 536  
 oestrogenic compounds 284–5  
 risk management 290–4
- Water Framework Directive (EU) 282, 291, 293–4, 350
- water hyacinth 492, 496, 497
- water mains, use of PCE 77, 82–6
- water pollution  
 DBCP 210  
 DDT 249–50  
 endocrine disruptors 282–5, 290–4  
 nanomaterials 536
- water stress, agriculture 474–5
- Waxman, Henry 28

- weather forecasting 312–13  
Web of Science 625, 626  
Wedgewood, Josiah 48, 193n  
weed management 462–3  
    herbicide-tolerant crops 461, 462–3  
    integrative 462  
WEINBERG GROUP 225  
Weiss, Rick 544  
Wellcome Trust 639  
Wells, J.K. 156  
Western European Nuclear Regulators Association (WENRA) 444  
wet cleaning technology 87  
whistleblowers 48, 57–8, 70–1, 637, 676  
    legal protection 582–5  
Wild, Christopher 517  
wildlife, sentinel 111, 285–8  
Wilhite, Donald 360  
willingness-to-pay 566, 574  
wine-making, lead poisoning 48  
Woodrow Wilson International Center for Scholars 533–4  
workers' compensation 590, 594  
    analogues to 594–6  
World Bank 570  
    Global Environment Facility 323  
World Bank Group 725  
World Business Council for Sustainable Development (WBCSD) 320, 647  
World Climate Conference  
    first (1979) 316  
    second (1990) 321  
World Climate Research Programme (WCRP) 316, 339  
World Conservation Union, *see* International Union for the Conservation of Nature (IUCN)  
World Health Organization (WHO) 125  
    asbestos 724  
    drinking water guidelines 210  
    endocrine disrupting agents 287  
    food irradiation 29–30, 32  
    IARC mobile phone radiation decision 510  
    malaria control 243, 251, 252  
    nitrates in drinking water 570  
    tobacco control 168, 612–13  
World Meteorological Organization (WMO) 314, 316, 317  
World Ocean Circulation Experiment 316  
World Trade Organization (WTO) 585, 649, 706, 736–7  
World War II 57  
  
Yamaguchi, Masayoshi 98–9  
Yano, Dr E. 158  
'yield gap' 472  
Yorifuji, Takashi 700  
  
Ziman, John 636, 637–8  
zinc pyrethione 267, 268, 269, 270, 271, 272  
zineb 269  
ziram 272  
'zones of incomprehension' (Bellow) 59  
zooanthellae 270

European Environment Agency

**Late lessons from early warnings: science, precaution, innovation**

2013 — 760 pp. — 21 x 29.7 cm

ISBN 978-92-9213-356-6

doi:10.2800/73322

**How to obtain EU publications**

**Publications for sale:**

- via EU Bookshop (<http://bookshop.europa.eu>);
- from your bookseller by quoting the title, the publisher and/or ISBN number;
- by contacting one of our sales agents directly. You can obtain their contact details on the Internet (<http://bookshop.europa.eu>) or by sending a fax to +352 2929-42758.

**Free publications:**

- via EU Bookshop (<http://bookshop.europa.eu>);
- at the European Commission's representations or delegations. You can obtain their contact details on the Internet (<http://ec.europa.eu>) or by sending a fax to +352 2929-42758.





European Environment Agency  
Kongens Nytorv 6  
1050 Copenhagen K  
Denmark

Tel.: +45 33 36 71 00  
Fax: +45 33 36 71 99

Web: [eea.europa.eu](http://eea.europa.eu)  
Enquiries: [eea.europa.eu/enquiries](http://eea.europa.eu/enquiries)



Publications Office

