

Bathing waters of Switzerland in 2013

167

167

780

78 %

2009

115 days

22 May to 30 Sep

Total reported

Season period

Samples taken

water quality

Share of bathing waters

New BWD implemented in

with good or excellent

Coastal

Inland

Coastal

Inland

Bathing Water Directive report 2013 Switzerland

The report gives a general overview of information acquired from the reported data, based on provisions of the Bathing Water Directive¹. The reporting process is described below, as well as state and trends of bathing water quality in Switzerland.

1. BWD reporting in 2013 season

In 2013 bathing season, 167 bathing waters have been reported in Switzerland. For each bathing water, five groups of parameters have been delivered:

- basic identification data including name, location, geographic type of bathing water and availability to bathers;
- seasonal data including season start and end, national quality classification in present season, potential management measures and changes in quality;
- monitoring results disaggregated numerical values of two microbiological parameters intestinal enterococci and Escherichia coli (also known as E. coli), recorded at each water sample taken;
- abnormal situation periods periods unexpected situations that have, or reasonably be expected to have, an adverse impact on bathing water quality and on bathers' health; reporting is optional;

•	short-term pollution periods – identifiable events that adversely affect water quality by faecal
	contamination; reporting is optional;

The authorities of Switzerland initiated new BWD (2006/7/EC) reporting in 2009 season. The 2013 season data were delivered to the European Commission by 18 December 2013.

Altogether, **167 bathing waters** have been reported – 0.8% of all bathing waters in Europe. Out of all bathing waters in Switzerland, one (0.6%) has been newly identified in 2013 season. 172 waters have been delisted². All bathing waters in Switzerland are inland. **780 samples** were taken at bathing waters throughout the season – five per bathing water on average.

¹ Available at http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=0J:L:2006:064:0037:0051:EN:PDF

² Bathing waters which were identified in 2012 season, but not in 2013 season

Inland bathing season period was from 22 May to 30 September, i.e. 115 days. Season duration varies between bathing waters.

Abnormal situation due to water quality affected by prolonged period of cold and rainfall has been reported at two bathing waters. Additionally, short-term pollution events due to heavy rainfall and malfunctioning sewage treatment plant have been reported at four bathing waters.

40 bathing waters (24 % of total bathing waters) of Switzerland have been reported in a total of 14 groups. They are located on the beaches of major lakes - Lake Geneva, Lake Neuchatel, Lake de Joux and Lake Aegeri.

Even though Switzerland is not a member of EU, its monitoring programme complies with the BWD provisions.

2. Assessment methodology

During the bathing season, water samples are taken and analysed for two bacteria, *Escherichia coli* and intestinal enterococci which may indicate the presence of pollution, usually originating in sewage or livestock waste. The results of the analysis are used to assess the quality of the bathing waters concerned and to provide information to the public on the quality of the water in the bathing sites concerned.

In 2013, bathing waters of Switzerland have been assessed according to rules of the BWD for the first time.

According to the BWD, the bathing water sample dataset should satisfy the following conditions:

- a minimum of one sample per month³
- a minimum of four samples per season⁴
- a minimum of 16 samples in total⁵
- four consecutive seasons⁶
- a pre-season sample⁷

The monitoring took place at all identified bathing waters, while 81% of bathing waters satisfied the described sampling frequency rules set by the Directive. Table 1 shows the share of bathing waters that did not satisfy monitoring frequency, as well as corresponding reasons.

³ The interval between two samples should not exceed 31 + 4 days, provided that the next sampling is done according to the monitoring calendar; exception applies for temporarily closed bathing waters

⁴ Three samples if the season does not exceed eight weeks or the region is subject to special geographical constraints

⁵ 12 samples if the season does not exceed eight weeks or the region is subject to special geographical constraints

⁶ The condition does not apply if the bathing water is newly identified or any changes have occurred that are likely to affect the classification

⁷ A pre-season sample is taken into account at total number of samples per season

Table 1: Number of assessed bathing waters in 2013

Total number	Bathing waters	Bathing waters with sampling frequency not satisfied					
of bathing waters in 2013	with sampling frequency satisfied	Insufficiently sampled	Closed	Not sampled	Total		
167	135	32	0	0	32		

However, in pursue of maximum possible count of bathing waters to be taken into account for statistical purposes, limited number of other bathing waters have been assessed as well. This includes all bathing waters that have set of samples for a competent quality classification, but lack pre-season sample or frequency between sample dates is larger than defined in the directive. However, samples have to be equally distributed throughout the season.

Bathing waters are accordingly classified to one of the BWD quality classes:

- excellent
- good
- sufficient
- poor

The classification is based on pre-defined percentile values for microbiological enumerations, falling in the certain class given in Annex I of the Directive. This defines different limit values for coastal and inland waters.

3. Bathing water quality

The results of the bathing water quality in Switzerland for the period of 2010–2013 as reported in the past reporting years and for the bathing season of 2013 are presented in Figure 1 (for coastal bathing waters) and Figure 2 (for inland bathing waters). The previous reports are available on the European Commission's bathing water quality website⁸ and the European Environment Agency's bathing water website⁹.

3.1 Coastal bathing waters

There are no coastal bathing waters in Switzerland.

3.2 Inland bathing waters

77.8% of the inland bathing waters met the mandatory water quality in 2013. No bathing waters had to be closed during the bathing season. See Appendix 1 for numeric data.

⁸ http://ec.europa.eu/environment/water/water-bathing/index_en.html

⁹ http://www.eea.europa.eu/themes/water/status-and-monitoring/state-of-bathing-water




Figure 1: Bathing water quality trend in Switzerland. Note: the "At least sufficient" class also includes bathing waters of "Excellent" quality class, the sum of shares is therefore not 100%.

4. Information regarding management and other issues

No specific management measures have been described by national authorities.

5. Interactive information on bathing water quality in Europe

The bathing water section of the Water Information System for Europe (WISE), which is accessible at the EEA bathing water website (http://www.eea.europa.eu/themes/water/interactive/bathing/state-of-bathing-waters), allows users to view the bathing water quality at more than 22 000 coastal beaches and inland sites across Europe. Data is aggregated and visualized on national and station level. Detailed information regarding specific bathing site are given in pop-up windows (can be activated with a click on a selected bathing location) and bathing water profiles which can be opened through hyperlinks in pop-up windows.

The data on bathing water quality in 2013 and previous years can also be viewed in WISE bathing water data viewer, an application prepared by TC Vode (http://bwd.eea.europa.eu/). The WISE bathing water quality data viewer combines text and graphical visualisation, providing a quick overview of the locations of coastal and inland bathing waters, as well as statistics on their quality. Specific bathing water locations can be observed on Google Earth, Google maps or Bing maps.


Appendix 1: Results of bathing water quality in Switzerland $\,$ from 2010 to 2013

		Total	Excellent (compliant with guide values)		At least sufficient (compliant with mandatory values)		Poor (not compliant)		Closed (banned)		Quality classification not possible*	
			No	%	No	%	No	%	No	%	No	%
	2010	384	252	65.6	364	94.8	15	3.9	0	0.0	5	1.3
la l	2011	352	131	37.2	142	40.3	2	0.6	0	0.0	208	59.1
Total	2012	335	34	10.1	46	13.7	0	0.0	0	0.0	289	86.3
	2013	167	122	73.1	130	77.8	0	0.0	0	0.0	37	22.2

Note: the "At least sufficient" class also includes bathing waters which are of excellent quality, the sum of shares is therefore not 100%. * This includes new bathing waters, bathing waters with changes that affect or could have affected bathing water quality, and bathing waters that do not have enough samples.

Appendix 2: Bathing water quality map

Map 1: Bathing waters reported during the 2013 bathing season in Switzerland



Source: National boundaries: EEA; Large rivers and lakes: EEA, WFD Article 3; Lakes, bathing waters data and coordinates: Swiss authorities