

Delivery Report Hungary

EEA-FTSP-Sealing_CountryDeliveryReport-HU

Issue 1.0
Date Issued: 11.07.2008

European Environment Agency



Service Contract No. 3601/B2007.EEA.52942

Prepared by:

Miroslav Kopecky, GISAT s.r.o.

Dr. Hanjo Kahabka, Infoterra GmbH



Document Release Sheet

Author:	Miroslav Kopecky, GISAT s.r.o.	Sign  Date: 04.07.2008
Production Manager:	Hanjo Kahabka, Infoterra GmbH	Sign  Date: 11.07.2008
Project Manager:	Marek Tinz, Infoterra GmbH	Sign  Date: 11.07.2008
Approval:	Ana Sousa, EEA	Sign _____ Date _____
Distribution:	European Environment Agency	

Change Record

Issue/Rev	Date	Page(s)	Description of Change	Release
-	11.07.08	23	Release of issue 1	F1v0

Printed on XEROX® Business paper produced using processes conforming to ISO 14001 or EMAS Environmental Management Systems –
Elemental 100% chlorine free bleached

CONTENT

1	INTRODUCTION.....	5
1.1	Purpose and Scope	5
1.2	Applicable Documents	5
1.3	Reference Documents	5
2	DATA SPECIFICATIONS.....	6
2.1	Technical Product Specification.....	6
2.2	Algorithms used	8
2.3	Format description	9
2.4	Metadata	10
3	SUMMARY OF PRODUCTION	11
3.1	Timetable, production milestones	11
3.2	Technical problems encountered, mitigation measures	11
4	ACCURACY ASSESSMENT REPORT	12
4.1	Description of approach.....	12
4.2	Sample placement (stratification, number & locations of sample sites)	13
4.3	Final result	14
5	DETAILED LIST OF PROVIDED DATA.....	15
	ANNEX 1: INTERPRETATION GUIDELINE FOR VISUAL CORRECTION	16
	ANNEX 2: LIST OF WORKING UNITS AND EO DATA USED.....	18
	ANNEX 3: SAMPLE PLOT VALIDATION SHEET	20

1 INTRODUCTION

1.1 PURPOSE AND SCOPE

This document presents the country delivery report of EEA's Fast Track Service Precursor Sealing Product of Hungary.

According to the Tender Specifications, this report corresponds to deliverable 5 (38 Country delivery reports).

1.2 APPLICABLE DOCUMENTS

ITD-0490-PRO-0006	Proposal responding to EEA's Invitation for Tender, Technical Offer including Management Part –Issue 1

1.3 REFERENCE DOCUMENTS

EEA/IDS/07/001	Tender Specifications "GMES Fast Track Service on Land Monitoring", EEA, 2006
ISO9001	ISO 9001: 2000 Standard
ITD-QMS-POL-0001_Infoterra_Quality_Policy	Quality Policy Statement
QMS-ITD-MA-0011_QMSManual_I3.1	Quality Management System (QMS) Manual
ITD-UMS-POL-0001_Infoterra_Environmental_Policy	Declaration of Enterprise Environmental Policy
ITD-QMS-STD-0001-ControlOfDocumentation	Control of Documentation and Data
QMS-ITD-ST-0001_CSM	Customer Satisfaction Measurement
QMS-ITD-PR-0003_PM_ProductDevelopment_I4	Project Management, Product (Prototype) Development and Production

2 DATA SPECIFICATIONS

2.1 TECHNICAL PRODUCT SPECIFICATION

Content
<i>Raster dataset of built-up and non built-up areas including continuous degree of soil sealing ranging from 0 - 100% in full spatial resolution (20 x 20 m) with the associated metadata.</i>
Geographic coverage
<i>Hungary (HU)</i>
<i>Coverage [km²]: 93.030 (plus additional buffer of 200 meters outside of country border)</i>
Input data sources
<p><u>Input data provided by ESA:</u></p> <ul style="list-style-type: none"> ▪ <i>Orthorectified satellite data coverage for Europe (Image2006), acquired primarily in the reference year 2006 (+/- 1 year), covering two dates, used sensors SPOT 4 and 5 (HRVIR) and IRS-P6 LISS-III:</i> <ul style="list-style-type: none"> • <i>20 m resampled (with cubic convolution interpolation)</i> • <i>4 spectral bands</i> • <i>Max. 5% cloud coverage</i> • <i>Covering 2 dates, at least 6 weeks apart from the respect. scene selected for the first coverage</i> • <i>Orthorectified towards national projection systems (used DTM unknown)</i> • <i>Delivery on a country by country basis foreseen</i> • <i>Metadata to each scene</i> <p><u>Input data provided by EEA</u></p> <ul style="list-style-type: none"> ▪ <i>Dataset with national country borders (to be used for clipping the data at a national level) as defined and provided by the EEA</i> <p><u>Ancillary input data</u></p> <ul style="list-style-type: none"> ▪ <i>National Corine Land Cover 2000 data in vector format to be used for the stratification of the QA sample plots</i>
Methodology
<i>Supervised classification of built-up areas with following visual improvement of classification result and derivation of degree of soil sealing based on calibrated NDVI</i>
Geometric resolution
<i>Pixel resolution 20 x 20 m</i>

Coordinate Reference System
<i>Projection: Hotine Oblique Mercator – Azimut Centre projection</i> <i>False Easting: 650000,00</i> <i>False Northing: 200000,00</i> <i>Scale Factor: 0,99993</i> <i>Longitude of Origin: 19°02'54,858408"</i> <i>Latitude of Origin: 47°08'39,817392"</i> <i>Datum: International 1967</i>
Geometric accuracy (positioning scale)
<i>According to orthorectified satellite image base delivered by ESA</i>
Thematic accuracy (in %)
<i>Classification accuracy per hectare (based on 100 x 100 m grid) of built-up non built-up areas is > 85% (assessed according approach as described in chapter 4.1)</i>
Accuracy assessment approach
<i>Accuracy assessment based on random sample plots</i>
Delivery format
<i>IMAGINE Image (IMG)</i>
Data type
<i>Raster</i>
Raster coding
<i>Thematic pixel values</i> <i>0 – Non-built up areas, water bodies inland</i> <i>1-100 - sealing values for built-up areas</i> <i>254 – Unclassifiable areas (clouds, shadows, etc.)</i> <i>255 – No Data (No thematic information)</i>
Metadata
<i>According to EEA metadata standards (EEA MSGI specification)</i>
Ancillary Data – Mitigation shape file
<i>Metadata set per delivered country in vector format defining all areas which deviate from the ITT's EO data specifications (i.e. clouds, acquisition date). The vector layer is derived from image footprints and cloud cover information of Image2006 within the country border.</i> <i>The attribute table contains information about WU identification and possible deviations from the standard specifications of Image2006:</i> <ul style="list-style-type: none"> <i>[Cntr] Country Code;</i>

- *[SCU] Number of Sub-Country unit containing the Working Unit;*
- *[WU_ID] Full name of the Working Unit;*
- *[No_acqu] Number of acquisitions within the WU; 0 = gap / no image available;*
- *[Out_Veg] No of acquisition dates outside of country-specific vegetation period;*
- *[Below_6w] Acquisition dates less than 6 weeks apart;*
- *[Cloud_cov] Thematic value indicating the cloud coverage: No clouds = 1; Clouds present in coverage 1 = 2; Clouds present in Coverage 2 = 3; Clouds present in both coverages = 4*

2.2 ALGORITHMS USED

The aim of the image processing is to derive in a robust, reliable and reproducible way based on satellite images (Spot 4/5, IRS LISS) a raster dataset of built-up and non built-up areas including continuous degree of soil sealing ranging from 0 - 100% in full spatial resolution (20 x 20 m).

As the main challenge, the derivation of a continuous degree of soil sealing has to be solved. The proposed image processing approach is based on the fact that a reliable derivation of soil sealing degrees is not possible directly from the vegetation index. Low vegetation index values, which are characteristic for densely built-up areas are e.g. also found in bare soil areas of agricultural fields. Even when using multi-temporal satellite images with different acquisition dates in combination with bi-temporal, multi-spectral classification techniques the result may be improved, but the vegetation indices of two acquisitions are still too ambiguous.

Therefore, the proposed image processing approach will start with deriving a binary map of built-up areas and then further subdivide this area into 100 degrees of soil sealing, ranging from totally sealed surfaces (100% degree of soil sealing) up to built-up areas with extensive vegetation cover (1% degree of soil sealing). This allows the final user to aggregate the continuous values as required.

To be viable for this objective the classification methodology has to fulfil the following general criteria:

- Allow for local calibration of parameters used per working sub-area (as defined by satellite images) to overcome diversity of different regions in Europe and image immanent characteristics (such compensating for different settlement structures, ecozones, phonological and weather conditions).
- Deliver the required accuracy
- Maximise consistency and objectivity of the results all over Europe
- Maximise cost-efficiency under given constraints
- Maximise standardisation of production and working motivation of the analysts
- Secure realisation in due time.

Based on these criteria, the proposed methodological approach consists of the following main steps:

- a) Data preparation & management: Provision of spatial database of bi-temporal satellite images and derived working sub-areas ("Working Units" = WU) to be processed in the following steps
- b) Core processing, containing the 3 main processing steps:
 - (1) Hybrid automated classification with supervised and unsupervised elements, leading to binary maps of built-up area
 - (2) Manual correction of the binary built-up map to obtain the required quantitative thematic accuracy (85%) as well as good qualitative results
 - (3) Derivation of degree of soil sealing based on the NDVI (Normalised Difference Vegetation Index)
- c) Generation of sub-country / country data sets
- d) Accuracy assessment
- e) Re-projection & mosaicing, generation of seamless European dataset.

2.3 FORMAT DESCRIPTION

Delivery format
<i>ERDAS IMAGINE Image (IMG)</i>
<i>Data Type: unsigned 8-bit</i>
<i>Compression: Run-length encoding (ESRI)</i>
<i>Number of bands: 1</i>
<i>Pixel size: 20 m</i>
Data type
<i>Thematic Raster</i>
Metadata
<i>According to EEA metadata standards (EEA MSGI specification)</i>

2.4 METADATA

See European Environment Agency – Metadata Standard for Geographic Information (EEA-MSGI), Version 1.1a (18 August 2004).

The metadata is provided as XML-file and as PDF-document according to EEA Metadata Standard for Geographic Information (EEA-MSGI).

3 SUMMARY OF PRODUCTION

3.1 TIMETABLE, PRODUCTION MILESTONES

Delivery by ESA	Data Reception	Data Preparation		Received by SP	Production	
		Start	End		Start	End
06.11.2007	08.11.2007	03.12.2007	31.01.2008	07.01.2008	1.04.2008	4.07.2008

3.2 TECHNICAL PROBLEMS ENCOUNTERED, MITIGATION MEASURES

No specific technical problems have been encountered during the production phase. Any deviations of EO data specification (e.g. cloud coverage) have been handled according to the agreed mitigation process.

4 ACCURACY ASSESSMENT REPORT

4.1 DESCRIPTION OF APPROACH

The derivation of accuracy measures as agreed with EEA includes the following steps:

1. Definition of 100 x 100 m reference grid in national projection of the respective country as-
sessed
2. Stratification of the area based on Corine Land Cover level I. To emphasize the accuracy as-
sessment in the urban areas, 50 % of the sample plots are placed within CLC class Artificial
Surfaces, the other 50 % are placed in the remaining classes.
3. Cluster based random sampling based on 100 x 100 m reference grid, defined per single na-
tion, number of samples adapted to nation size in km²
4. Re-projection of reference samples to allow overlay with Google Earth
5. Estimation , if reference cell will be labelled as “built-up” according to EEA definition or not
(80% threshold degree of soil sealing) taking into account the visibility of objects in the satel-
lite images used for the production of the raster product (technically possible also when using
Google Earth¹)
6. Estimation of overall accuracy to generate accuracy measure (overall accuracy, user accu-
racy, (commission error), producer accuracy (omission error), per single nation (for internal
use & validation only) and for European dataset for publication by EEA.
7. Adaptation of statistics with regard to the mitigation shape file. All sample plots falling within
areas of the raster product, where the underlying IMAGE2006 data has been identified to fail
the ITT’s specifications, are not included in the final statistics. This includes areas where
 - Less than two coverages of EO data are available
 - One or more acquisition dates are outside the defined acquisition window
 - The acquisition dates of the two coverages used are less than six weeks apart
 - Cloud cover is present in one or more coverage


The built-up raster product which is subject to the accuracy assessment is accepted as according to the specifications if the final statistics indicate an overall accuracy of more than 85 %.

Accuracy assessment is performed per country product for internal quality control. For final accep-
tance by EEA, the overall accuracy of the European product is arbitratative.

¹ using web-based information input to a local server

4.2 SAMPLE PLACEMENT (STRATIFICATION, NUMBER & LOCATIONS OF SAMPLE SITES)

Overall number of sample plots: 132 (66 within CLC2000 Artificial Surfaces). The figure below shows the placement of sample plots (black dots) within CLC urban areas (red areas) and outside.



4.3 FINAL RESULT

The final accuracy assessment for the country product surpassed the threshold of an overall accuracy of 85 %.

Classification				Producer's Accuracy	Omission Error
Validation		>80%	<80%	Σ	
	>80%	4	0	4	100,0%
	<80%	5	45	50	90,0%
	Σ	9	45	54	10,0%
	User's Accuracy	44,4%	100,0%		
	Commission Error	55,6%	0,0%		
Overall Accuracy		90,7%			

5 DETAILED LIST OF PROVIDED DATA

- Raster dataset of built-up and non built-up areas including degree of soil sealing, 2006, in full spatial resolution (20 m x 20 m).
- ArcMap Legend File for raster data set for plotting a degree of soil sealing, aggregated to thematic classes
- ArcMap Legend File for raster data set for plotting a degree of soil sealing in a range from 1-100 %
- Mitigation shape file; metadata set per delivered country defining all areas which deviate from the ITT's EO data specifications.
- XML-Metadata of raster and vector data after EEA specifications
- EEA Metadata Stylesheet
- Report per Country with description of raster and vector data, country specific production & mitigation issues (the document at hand)
- Product inspection sheet for outgoing deliveries, ensuring product conformity of raster dataset
- National country borders in national projection

ANNEX 1: INTERPRETATION GUIDELINE FOR VISUAL CORRECTION

Objective

To produce a pixel-based high-resolution layer of built-up areas including degree of soil sealing for the EEA member states of homogeneous look & feel with an overall thematic accuracy of 85%.

Definition of Built-up Areas

Built-up areas according to the consortium definition are represented by a degree of soil sealing between 1 and 100%.

Built-up area therefore comprises pixels that are fully or partly covered by houses, roads, mines and quarries and any other facilities, including their auxiliary spaces, deliberately installed for the pursuit of human activities. Built-up area does not include any fully vegetated pixels, even if they are closely related to these activities (such as city parks and gardens), or any other unvegetated non-built-up open spaces covered with bare soil, sand, glacier, bare rocks or water.


(modified according to http://glossary.eea.europa.eu/EEAGlossary/B/built_up_land)

The FTSP in Relation to Corine Land Cover

The FTSP high resolution core land cover data is a complementary element of the GMES Fast Track Services. The data set will be a land cover product, reflecting actual ground cover on a pixel by pixel level rather than functional properties.

CLC level 1 class 'artificial surfaces' contains artificial surfaces and functionally related vegetated areas, reflecting the land use aspect. Therefore a significant part of this CLC level 1 class contains vegetated areas composed of fully vegetated pixels. However, in the FTSP product only pixels that contain some built-up/sealed area will be included.

In addition, built-up pixels within all other CLC level 1 classes (which are not mapped in CLC according to the 25ha MMU) will be included according to the above definition. Fully vegetated or unvegetated non-built-up pixels will be excluded.



Special Considerations

- The same definition of built-up areas shall apply for production and quality control.
- To ensure homogeneity across the whole of Europe, partially captured linear features outside of urban agglomerations (e.g. fragments of roads or railway lines) will not be completed by the manual post editing.
- Mines and quarries will be considered built-up areas according to the above definition.
- It is proposed to include a no-data class for unclassifiable areas (e.g., clouds) which is to be marked and identified during the process of manual interpretation.

ANNEX 2: LIST OF WORKING UNITS AND EO DATA USED

The following list provides information about the two coverages of EO data which were used to create the working units. The file name is identical to the WU identification within the mitigation shapefile's attribute table and contains the specifications of sensors, paths/rows and capture dates.

The full file name is explained in the following:

[Sensor Coverage 1]_[TrackFrame Coverage 1]_[Capture Date YY/MM/DD Coverage 1]_[Instrument Coverage 1]_ [Sensor Coverage 2]_[TrackFrame Coverage 2]_[Capture Date YY/MM/DD Coverage 2]_[Instrument Coverage 2]

Table 1: List of Working Units used for the production of Hungary

SCU	Working Unit
1	lrs6_033035_050403_l30_lrs6_034035_050526_l30
1	lrs6_033035_050403_l30_spot4_069255_060818_2i0
1	lrs6_033035_050403_l30_spot4_070253_061009_1i2
1	lrs6_033035_050403_l30_spot4_070254_061009_1i2
1	lrs6_033035_050403_l30_spot5_071255_060816_2j0
1	lrs6_033035_050403_l30_spot5_072255_060706_2j7
1	lrs6_033036_050403_l30_spot4_069255_060818_2i0
1	lrs6_033036_050403_l30_spot4_069256_060818_2i0
1	lrs6_033036_050403_l30_spot5_071255_060816_2j0
1	lrs6_033036_050403_l30_spot5_071256_060911_2j0
1	lrs6_033036_050403_l30_spot5_072255_060706_2j7
1	lrs6_033036_050403_l30_spot5_072256_060706_2j7
1	lrs6_034035_050526_l30_lrs6_034035_060708_l30
1	lrs6_034035_050526_l30_spot4_073255_051010_2i0
1	lrs6_034035_060708_l30_lrs6_035035_060408_l30
1	lrs6_035035_060408_l30_spot4_076255_061015_1i0
1	lrs6_035035_060408_l30_spot5_075253_060928_2j2
1	lrs6_035035_060408_l30_spot5_075254_060928_2j2
1	lrs6_035036_060619_l30_lrs6_035036_061017_l30
1	lrs6_035036_060619_l30_spot4_073256_060321_2i4
1	lrs6_035036_060619_l30_spot4_073257_051010_2i1
1	lrs6_035036_061017_l30_lrs6_036036_060320_l30
1	Spot4_073255_060320_1i8_spot4_073256_051010_2i0
1	Spot4_073255_060320_1i8_spot5_072255_060706_2j7
1	Spot4_073256_051010_2i0_spot4_073256_060321_2i4
1	Spot4_073256_060321_2i4_spot5_072256_060706_2j7
1	Spot4_073257_051010_2i1_spot5_072256_060706_2j7
1	Spot4_073257_051010_2i1_spot5_074257_060717_1j6
2	lrs6_035035_060408_l30_lrs6_036035_060718_l30
2	lrs6_035035_060408_l30_spot5_077255_060707_2j0

SCU	Working Unit
2	lrs6 036034 060718 l30 spot4 076253 060928 1i0
2	lrs6 036034 060718 l30 spot4 077252 061010 2i0
2	lrs6 036034 060718 l30 spot4 077253 061010 2i0
2	lrs6 036034 060718 l30 spot4 078252 051211 1i1
2	lrs6 036034 060718 l30 spot4 079253 061030 1i0
2	lrs6 036035 060320 l30 irs6 036035 060718 l30
2	lrs6 036035 060320 l30 irs6 037035 060816 l30
2	lrs6 036035 060320 l30 spot4 076253 060928 1i0
2	lrs6 036035 060320 l30 spot4 077253 061010 2i0
2	lrs6 036035 060718 l30 irs6 037036 060325 l30
2	lrs6 036035 060718 l30 spot4 076253 060928 1i0
2	lrs6 036036 060320 l30 spot5 077255 060707 2j0
2	lrs6 036036 060320 l30 spot5 077256 060707 2j0
2	lrs6 036036 060320 l30 spot5 077257 060707 2j0
2	lrs6 037035 060325 l30 irs6 037035 060816 l30
2	lrs6 037035 060325 l30 irs6 038034 050404 l30
2	lrs6 037035 060325 l30 spot4 079253 061030 1i0
2	lrs6 037035 060816 l30 spot4 077253 061010 2i0
2	lrs6 037036 060325 l30 spot4 079255 060627 2i8
2	lrs6 037036 060325 l30 spot4 079256 060627 2i8
2	lrs6 038034 050404 l30 spot4 080252 061014 2i0
2	lrs6 038034 050404 l30 spot4 080253 061014 2i0
2	lrs6 038034 050404 l30 spot4 082253 060719 1i0
2	lrs6 038034 050404 l30 spot4 082254 060719 1i0
2	Spot4 079252 051105 1i0 spot4 080252 061014 2i0
2	Spot4 079252 051105 1i0 spot4 080253 061014 2i0
2	Spot4 79253 061030 1i0
2	Spot5 079252 051210 1j0 irs6 036034 060718 l30
2	Spot5 079252 051210 1j0 spot4 079253 061030 1i0
2	Spot5 080255 060817 1j7 irs6 037036 060325 l30
2	Spot5 080255 070717 2j2 irs6 037036 060325 l30
2	Spot5 080256 060817 1j7 irs6 037036 060325 l30

ANNEX 3: SAMPLE PLOT VALIDATION SHEET

Sample Plot 100 x100 m [ID]	FTSP Degrees of Soil Sealing [Mean Value]	FTSP Built up [TRUE / FALSE]	Reference Built up [TRUE / FALSE]	Compliance	Excluded by Mitigation Shape [TRUE / FALSE]
0	0,0	FALSE	FALSE	TRUE	TRUE
1	0,0	FALSE	FALSE	TRUE	TRUE
2	0,0	FALSE	FALSE	TRUE	TRUE
3	0,0	FALSE	FALSE	TRUE	FALSE
4	0,0	FALSE	FALSE	TRUE	FALSE
5	0,0	FALSE	FALSE	TRUE	TRUE
6	0,0	FALSE	FALSE	TRUE	TRUE
7	0,0	FALSE	FALSE	TRUE	FALSE
8	0,0	FALSE	FALSE	TRUE	TRUE
9	0,0	FALSE	FALSE	TRUE	FALSE
10	0,0	FALSE	FALSE	TRUE	TRUE
11	0,0	FALSE	FALSE	TRUE	TRUE
12	0,0	FALSE	FALSE	TRUE	TRUE
13	0,0	FALSE	FALSE	TRUE	TRUE
14	0,0	FALSE	FALSE	TRUE	TRUE
15	0,0	FALSE	FALSE	TRUE	FALSE
16	0,0	FALSE	FALSE	TRUE	TRUE
17	0,0	FALSE	FALSE	TRUE	FALSE
18	0,0	FALSE	FALSE	TRUE	TRUE
19	0,0	FALSE	FALSE	TRUE	TRUE
20	0,0	FALSE	FALSE	TRUE	FALSE
21	0,0	FALSE	FALSE	TRUE	TRUE
22	0,0	FALSE	FALSE	TRUE	TRUE
23	0,0	FALSE	FALSE	TRUE	FALSE
24	0,0	FALSE	FALSE	TRUE	FALSE
25	0,0	FALSE	FALSE	TRUE	TRUE
26	0,0	FALSE	FALSE	TRUE	TRUE
27	0,0	FALSE	FALSE	TRUE	TRUE
28	0,0	FALSE	FALSE	TRUE	TRUE
29	0,0	FALSE	FALSE	TRUE	TRUE
30	0,0	FALSE	FALSE	TRUE	FALSE
31	0,0	FALSE	FALSE	TRUE	FALSE
32	40,4	FALSE	FALSE	TRUE	TRUE
33	0,0	FALSE	FALSE	TRUE	TRUE
34	0,0	FALSE	FALSE	TRUE	FALSE
35	0,0	FALSE	FALSE	TRUE	FALSE
36	0,0	FALSE	FALSE	TRUE	FALSE

Sample Plot 100 x100 m [ID]	FTSP Degrees of Soil Sealing [Mean Value]	FTSP Built up [TRUE / FALSE]	Reference Built up [TRUE / FALSE]	Compliance	Excluded by Mitigation Shape [TRUE / FALSE]
37	0,0	FALSE	FALSE	TRUE	TRUE
38	0,0	FALSE	FALSE	TRUE	FALSE
39	0,0	FALSE	FALSE	TRUE	FALSE
40	0,0	FALSE	FALSE	TRUE	TRUE
41	0,0	FALSE	FALSE	TRUE	FALSE
42	0,0	FALSE	FALSE	TRUE	FALSE
43	0,0	FALSE	FALSE	TRUE	FALSE
44	0,0	FALSE	FALSE	TRUE	FALSE
45	0,0	FALSE	FALSE	TRUE	FALSE
46	0,0	FALSE	FALSE	TRUE	TRUE
47	0,0	FALSE	FALSE	TRUE	TRUE
48	0,0	FALSE	FALSE	TRUE	FALSE
49	0,0	FALSE	FALSE	TRUE	FALSE
50	0,0	FALSE	FALSE	TRUE	FALSE
51	0,0	FALSE	FALSE	TRUE	TRUE
52	0,0	FALSE	FALSE	TRUE	FALSE
53	0,0	FALSE	FALSE	TRUE	TRUE
54	0,0	FALSE	FALSE	TRUE	TRUE
55	0,0	FALSE	FALSE	TRUE	TRUE
56	0,0	FALSE	FALSE	FALSE	TRUE
57	0,0	FALSE	FALSE	TRUE	TRUE
58	0,0	FALSE	FALSE	TRUE	TRUE
59	0,0	FALSE	FALSE	TRUE	TRUE
60	0,0	FALSE	FALSE	TRUE	TRUE
61	0,0	FALSE	FALSE	TRUE	TRUE
62	0,0	FALSE	FALSE	TRUE	TRUE
63	0,0	FALSE	FALSE	TRUE	TRUE
64	0,0	FALSE	FALSE	TRUE	FALSE
65	0,0	FALSE	FALSE	TRUE	TRUE
66	91,9	TRUE	TRUE	TRUE	FALSE
67	2,2	FALSE	FALSE	TRUE	TRUE
68	0,0	FALSE	FALSE	TRUE	FALSE
69	56,9	FALSE	FALSE	TRUE	TRUE
70	2,9	FALSE	FALSE	TRUE	TRUE
71	30,2	FALSE	FALSE	TRUE	FALSE
72	39,6	FALSE	FALSE	TRUE	TRUE
73	42,7	FALSE	FALSE	TRUE	FALSE
74	17,4	FALSE	FALSE	TRUE	FALSE
75	90,5	TRUE	TRUE	TRUE	FALSE

Sample Plot 100 x100 m [ID]	FTSP Degrees of Soil Sealing [Mean Value]	FTSP Built up [TRUE / FALSE]	Reference Built up [TRUE / FALSE]	Compliance	Excluded by Mitigation Shape [TRUE / FALSE]
76	2,1	FALSE	FALSE	TRUE	TRUE
77	95,3	TRUE	TRUE	TRUE	FALSE
78	48,3	FALSE	FALSE	TRUE	FALSE
79	39,2	FALSE	FALSE	TRUE	TRUE
80	64,2	FALSE	FALSE	TRUE	TRUE
81	89,0	TRUE	FALSE	FALSE	TRUE
82	99,8	TRUE	FALSE	FALSE	TRUE
83	85,8	TRUE	FALSE	FALSE	FALSE
84	66,3	FALSE	FALSE	TRUE	TRUE
85	68,6	FALSE	FALSE	TRUE	TRUE
86	39,1	FALSE	FALSE	TRUE	TRUE
87	57,6	FALSE	FALSE	TRUE	TRUE
88	85,7	TRUE	FALSE	FALSE	TRUE
89	46,2	FALSE	FALSE	TRUE	FALSE
90	49,3	FALSE	FALSE	TRUE	FALSE
91	12,5	FALSE	FALSE	TRUE	TRUE
92	59,9	FALSE	FALSE	TRUE	TRUE
93	0,0	FALSE	FALSE	TRUE	TRUE
94	46,7	FALSE	FALSE	TRUE	FALSE
95	0,0	FALSE	FALSE	TRUE	FALSE
96	84,1	TRUE	FALSE	FALSE	FALSE
97	87,5	TRUE	FALSE	FALSE	TRUE
98	49,0	FALSE	FALSE	TRUE	TRUE
99	65,6	FALSE	FALSE	TRUE	TRUE
100	67,6	FALSE	FALSE	TRUE	FALSE
101	45,4	FALSE	FALSE	TRUE	TRUE
102	84,1	TRUE	FALSE	FALSE	TRUE
103	11,1	FALSE	FALSE	TRUE	TRUE
104	89,9	TRUE	TRUE	TRUE	FALSE
105	49,1	FALSE	FALSE	TRUE	FALSE
106	40,3	FALSE	FALSE	TRUE	TRUE
107	58,0	FALSE	FALSE	TRUE	TRUE
108	78,4	FALSE	FALSE	TRUE	TRUE
109	70,4	FALSE	FALSE	TRUE	FALSE
110	40,4	FALSE	FALSE	TRUE	FALSE
111	83,7	TRUE	FALSE	FALSE	FALSE
112	44,6	FALSE	FALSE	TRUE	TRUE
113	8,7	FALSE	FALSE	TRUE	TRUE
114	43,3	FALSE	FALSE	TRUE	TRUE

Sample Plot 100 x100 m [ID]	FTSP Degrees of Soil Sealing [Mean Value]	FTSP Built up [TRUE / FALSE]	Reference Built up [TRUE / FALSE]	Compliance	Excluded by Mitigation Shape [TRUE / FALSE]
115	51,4	FALSE	FALSE	TRUE	FALSE
116	67,1	FALSE	FALSE	TRUE	FALSE
117	63,8	FALSE	FALSE	TRUE	FALSE
118	100,0	TRUE	TRUE	TRUE	TRUE
119	36,8	FALSE	FALSE	TRUE	TRUE
120	53,2	FALSE	FALSE	TRUE	TRUE
121	86,0	TRUE	TRUE	TRUE	TRUE
122	31,6	FALSE	FALSE	TRUE	TRUE
123	88,4	TRUE	FALSE	FALSE	TRUE
124	82,1	TRUE	FALSE	FALSE	FALSE
125	92,0	TRUE	FALSE	FALSE	TRUE
126	29,3	FALSE	FALSE	TRUE	FALSE
127	4,9	FALSE	FALSE	TRUE	FALSE
128	96,3	TRUE	FALSE	FALSE	FALSE
129	19,8	FALSE	FALSE	TRUE	TRUE
130	69,7	FALSE	FALSE	TRUE	TRUE
131	60,4	FALSE	FALSE	TRUE	FALSE