Estonia

Contents

1. SUMMARY	1
2. GHG PROJECTIONS AND PROGRESS TO KYOTO TARGETS	3
 SUMMARY GHG PROJECTIONS AND PROGRESS TO KYOTO TARGETS CLIMATE CHANGE MITIGATION POLICIES AND MEASURES 	3
<u>4. METADATA</u>	3
Tables	
Table 1. Summary of reported projections by sector and by gas in 2010	_
(Mt CO ₂ -eq.)	5
Table 2. Summary of projections by sector and by gas in 2010 compared	
to 1990 emissions (MtCO ₂ -eq.)	6
Table 3. Summary of projections by sector and by gas in 2010 compare	
to 1990 emissions (index 100 = 1990)	7
Table 4. Summary of projections in 2010 compared to base year emission	
under the Kyoto Protocol	8
Table 5. Summary of the effect of policies and measures included in the	
2010 projections (Mt CO ₂ -eq.)	11
Table 6. Detailed information on Existing Policies and measures	12
Table 7. Detailed information on Planned Policies and measures	14
Table 8. Status of national policies and measures (PAM) in relation to	
European common and coordinated policies and measures (CCPM)	16
Table 9. Information provided on policies and Kyoto flexible mechanisms	
Table 10. Information provided on projections	20
Table 11. Parameters for Projections	21
<u>Figures</u>	
Figure 1. Greenhouse gas projections under WAM in 2010, 2015 and	1.0
2020 (Mt CO2-eq.)	10
Figure 2. Comparison of 2010 projections reported in 2006, 2007 and	1.0
<u>2008</u>	10

1. SUMMARY

Estonia has ratified the Kyoto Protocol on 14 October 2002 with the commitment to reduce its GHG emissions by 8% as compared to the base year emission level. As its base year Estonia has chosen the year 1990 for CO₂, CH₄, and N₂0, and the year 1995 for the F-gases.

The level of the Estonian's base year emissions is provided in the Estonian's Initial Report, checked and accepted by the Compliance Committee, and equals 42.622 Mt CO₂ eq. This means that the Assigned Amount for Estonia for the first commitment period equals 196.065 Mt CO₂ eq. altogether, or 39.213 Mt CO₂ eq. on average annually.

Estonia became a member state of the European Union on 1 May 2004. Pursuant to the Article 3(2) of the European Parliament and Council Decision No 280/2004/EC concerning a mechanism for monitoring Community GHG emissions and for implementing the Kyoto Protocol, Estonia has submitted its projections of GHG emissions by sources and withdrawals by sinks in March 2007. This allowed drawing preliminary conclusions whether Estonia will be in compliance with its Kyoto target.

Estonia has prepared the projections for three sectors (energy, forestry and agriculture), and for three gases (CO_2 , CH_4 , and N_20). They are prepared for WOM, WEM, and WAM scenarios. For the energy sector there are two WAM scenarios based on underlying energy consumption. In the other sectors (agriculture and forestry) the underlying assumptions are presented with fewer details also for three scenarios.

Several sectors and gases are left out from the projections; therefore, it is possible to make conclusions about the country's compliance only judging by the indirect figures. The emissions from three considered sectors constitute more than 70% of all emissions in the country since 1990 according to the latest Inventory submission. In 2010 the emissions from these sectors are estimated to constitute 37.2% as compared to the base-year under WEM scenario, and 34.3% under WAM scenario. It is clear, that under any scenario the Estonian GHG emissions will not surpass the Assigned Amount both due to the de-coupling of the GDP growth from the GHG emission growth and significant GDP decline in the beginning of transition period. Currently Estonia is preparing the updated projections where all the sectors and all the gases will be taken into consideration.

Policies and measures significantly contribute towards the de-coupling of the GDP growth from the GHG emissions growth. The main driving factors for GHG reduction are the improvement of conversion efficiency of fossil technologies, increase in the share of CHP and renewables, reduction of grid losses of heat and electricity, energy conservation and energy efficiency measures, expansion of the forest area.

Estonia participates already in Joint Implementation mechanism as a host party. The country has acquired full eligibility to participate in the flexible mechanisms, established the framework for the procedure of the national approval, and made a JI reserve in the Second NAP. The country does not plan to use the flexible mechanisms under the Kyoto Protocol for compliance purposes.

2. GHG PROJECTIONS AND PROGRESS TO KYOTO TARGETS

Estonia has prepared the GHG projections for three sectors (energy, forestry and agriculture), and three gases (CO₂, CH₄, and N₂0).

The projections in the energy sector are the most detailed ones. They are prepared for WOM, WEM, and WAM scenarios under different energy consumption assumptions. The underline assumptions of the projections of energy consumption and production are fully presented in details in the MMS. Sensitivity analysis has been done for energy sector development regarding the fluctuations of the international coal and gas prices.

In the other sectors (agriculture and forestry) the underlying assumptions are presented in fewer details for WEM and WAM scenarios. Other sectors are not presented in the projections. The projections of the F-gases have not been prepared.

Despite the missing sectors and gases, it is clear that Estonia will easily comply with its Kyoto target (39.213 Mt CO₂ eq. per year on average). The projected emissions excluding LULUCF are estimated to constitute 37.2 % as compared to the base year in 2010 under WEM scenario. Taking into account the expected GHG withdrawals by sinks, namely 7.7 Mt CO₂ eq. in the year 2010 under the WEM scenario, achieving the compliance of the country with the Kyoto target is even easier.

The main difference between the WOM, WEM and WAM scenarios lays in the assumptions for the development of the energy sector. The scenarios differ by the extent of the use of co-generation, renewables, and natural gas instead of other fossil fuels in the energy production sector and extent of implementation of the energy efficiency measures in the energy consumption sector. In the forestry sector the enhancement of sinks due to the expanded forest area under WEM scenario is complemented by the implementation of the sustainable forest management principles under WAM scenario. In the agricultural sectors the difference between WEM and WAM projections are based on the different numbers of animals and different use of fertilisers.

Though Estonia participates in a number of JI projects as a host party, the country does not intend to use the flexible mechanisms under the Kyoto Protocol for compliance purposes.

The following Table 1 shows, for all gases and main sectors:

• GHG emission projections for the two scenarios "with existing measures" (WEM) and "with additional measures" (WAM), as reported by Estonia;

• Historic emissions (in the "reference year") as reported together with projections. For Estonia, the reference year is the year 2000.

Table 1. Summary of reported projections by sector and by gas in 2010 (Mt CO2-eq.)

	Carb	on dioxid	е		Methane		Nit	trous oxide	e	F-gases (SI	-6, HFCs a	nd PFCs)		Total	
	Reference year	2010 WEM	2010 WAM												
Energy															
(imcl. transport)	17.5	NE	NE	NE	16.2	15.4									
Energy excl. transport)	NE	NE	NE												
Energy supply	NE	NE	NE												
Energy – industry, construction	NE	NE	NE												
Energy – other (commercial, residential, agriculture)	NE	NE	NE												
Transport (energy)	NE	NE	NE												
Industrial processes	NE	NE	NE	NE	0.3	0.3									
Waste	NE	NE	NE	NE	1	0.7									
Agriculture	NE	NE	NE	NE	1.4	1									
Other	NE	NE	NE												
Total (excl. LULUCF)	17.5	15.8	15.2	NE	2.5	1.8	NE	0.5	0.4	NE	NE	NE	NE	18.9	17.4

Key:

Reference year: 2000

WEM: 'with existing measures' projection WAM: 'with additional measures' projection

Source: Estonia's MM submission, March 2007

The following Table 2 shows, for all gases and main sectors:

- 1990 GHG emissions as reported in the latest (2008) GHG emissions inventory (1990-2006);
- Adjusted GHG emission projections for the WEM and WAM scenarios. This adjustment of the projections reported in Table 1 is carried out to allow consistency and comparability between projections and the latest (2008) GHG inventory data¹.

The adjustments are calculated according to the following formula: Projections in this table should be calculated as follows = Table 1 projections * Correction Factor. Correction Factor = latest inventory emissions for the same reference year / Table 1 reported reference year emissions.

While searching for comparable data to calculate the correction factor, only one set of data has been found. These are the CO2 emissions from the energy sector. For the projections consistent reference year this indicator is provided in the MMS 2007 submission constituting around 17.5 Mt CO2. It is not clear whether it includes or excludes transport. However, since the projections are estimated based on the projected total fuel consumption within the country, the assumption is that transport is included. The latest inventories of the same year (2000) estimate total CO2 emission in the energy sector including .transport as 14.697 Mt CO2, thus the correction factor is 0.84.

Table 2. Summary of projections by sector and by gas in 2010 compared to 1990 emissions (MtCO2eq)

	Ca	rbon dioxio	de	Methane		N	itrous oxide)	F-gases (S	F6, HFCs a	nd PFCs)	Total			
	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM
Energy(incl. transport)	35.4	NE	NE	1.3	NE	NE	0.05	NE	NE	NE	NE	NE	36.7	13.6	12.9
Energy (excl. transport)	32.1	NE	NE	1.3	NE	NE	0.1	NE	NE	NE	NE	NE	33.4	NE	NE
Energy supply	28.8	NE	NE	1.2	NE	NE	0.0	NE	NE	NE	NE	NE	30.0	NE	NE
Energy – industry, construction	1.7	NE	NE	0.0	NE	NE	0.0	NE	NE	NE	NE	NE	1.8	NE	NE
Energy – other (commercial, residential, agriculture)	1.5	NE	NE	0.1	NE	NE	0.0	NE	NE	NE	NE	NE	1.6	NE	NE
Transport (energy)	3.4	NE	NE	0.0	NE	NE	0.0	NE	NE	NE	NE	NE	3.4	NE	NE

¹ The adjustment consists in applying an adjustment factor to projections from Table 1. This factor is the ratio between total emissions in the reference year as reported in the 2008 GHG inventory report (or, if the reference year is the base-year under the Kyoto Protocol, in the report of the review of the initial report under the Kyoto Protocol) and total emissions in the reference year as reported by the country with projections (Table 1).

Industrial processes	0.9	NE	NE		NE	NE		NE	NE	NE	NE	NE	0.9	0.3	0.3
Waste	NE	NE	NE	0.6	NE	NE	0.1	NE	NE	NE	NE	NE	0.7	8.0	0.6
Agriculture	NE	NE	NE	1.3	NE	NE	1.9	NE	NE	NE	NE	NE	3.2	1.2	8.0
Other	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
Total (excl. LULUCF)	36.4	13.3	12.8	3.6	2.1	1.5	2.1	0.4	0.3	NE	NE	NE	41.6	15.9	14.6

Key:

WEM: 'with existing measures' projection WAM: 'with additional measures' projection

Source: Estonia's MM submission, March 2007 and Annual greenhouse gas inventory 1990 – 2006, April 2008.

Table 3: Summary of projections by sector and by gas in 2010 compared to 1990 emissions (index 100 = 1990)

•	C	Carbon dioxi	de		Methane		N	litrous oxid	e	F-gases (S	F6, HFCs a	nd PFCs)		Total	
	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM	1990	2010 WEM	2010 WAM
Energy	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	37.0	35.1
Energy (excl. transport)	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE
Energy supply	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE
Energy – industry, construction	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE
Energy – other (commercial,	100.0	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE
residential, agriculture)															
Transport (energy)	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE
Industrial processes	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	26.6	26.6
Waste	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	123.7	86.6
Agriculture	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	36.5	26.0
Other	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE	100	NE	NE
Total (excl. LULUCF)	100	36.5	35.1	100	65.9	47.4	100	20.5	16.4	100	NE	NE	100	38.1	35.1

Key:

WEM: 'with existing measures' projection

WAM: 'with additional measures' projection

Source: Estonia's MM submission, March 2007 and Annual greenhouse gas inventory 1990 - 2006, April 2008.


Table 4: Summary of projections in 2010 compared to base year emissions under the Kyoto Protocol

	Unit	Base-year emissions under the Kyoto Protocol	2010 projections 'with existing measures'	2010 projections 'with additional measures'
Total GHG emissions	Mt CO ₂ -eq.	42.6	15.9	14.6
(excluding LULUCF)	Index (base-year emissions = 100)	100	37.2	34.3

Source: Estonia's MM submission, March 2007 and Annual greenhouse gas inventory 1990 – 2006, April 2008.


Figure 1. Greenhouse gas projections in 2010, 2015 and 2020 (Mt CO2-eq.)

In Figure 1, the same correction factor (0.84) used in Table 2 has been applied to the projections for 2010 data..



Source: Estonia's MM submission, March 2007.

Figure 2 Comparison of 2010 projections reported in 2006, 2007 and 2008



Source: Estonia's MM submission, March 2007.

3. CLIMATE CHANGE MITIGATION POLICIES AND MEASURES

Despite the fact that Estonia will comply with its Kyoto target, the country implements the policies and measures leading towards the reductions of GHG emissions and enhancement of CO2 withdrawals.

In the below Table 5, the data are provided on the effect of PaMs on the GHG emissions. In the columns related to the bottom-up approach this effect is calculated on the national scale. For estimating the effects of the existing measures the projected GHG in 2010 under WEM scenario are deducted from the projected GHG emission level under WOM scenario. For estimating the effect of the planned measures on the national level the projected emissions under WAM scenario are subtracted from the level of projected emissions under WEM scenario.

For bottom up calculation the effect of the individual measures (if any estimation has been done at all) for existing and planned PaMs are summed up.

From the below Table 5, Table 6 and Table 7 it becomes clear that the majority of the individual PaMs are either undertaken or planned in the energy supply and energy consumption sectors. These PaMs are a part of the implementation of CCPMs.

Table 5. Summary of the effect of policies and measures included in the 2010 projections (Mt CO2-eq.)

	Top down	calculation	Bottom Up	calculation	
	Existing Measures	Planned Measures	Existing Measures	Planned Measures	
Energy (total, excluding transport)	0.0	8.0	0.09	0.1	
Energy supply Energy – industry, construction	NE NE	NE NE	0.06 NE	0.099 NE	
Energy – other (commercial, residential, agriculture)	NE	NE	0.03	NE	
Transport (energy)	NE	NE	0.12	0.119	
Industrial processes	NE	NE	0.012	0.013	
Waste	NE	0.3	NE	0.004	
Agriculture	NE	0.4	NE	NE	
Cross-sectoral	NE	NE	NE	NE	
Total (excluding LULUCF)	NE	1.5	0.222	0.235	

Note: The effects of measures detailed above are calculated firstly by determining the difference between total projections in each scenario ('top down calculation') and secondly by summing the reported effect of individual measures ('bottom up calculation'). A top down calculation of existing measures was not possible as required data were not provided in Estonia's MM submission.

Source: Estonia's MM submission, March 2007, for the top down calculation; ECCP Policies and Measures database, June 2008, for the bottom up calculation.

Table 6. Detailed information on Existing Policies and measures

				-	Abso	lute Reduc	tion	Costs
Sector	Name	Type	GHG	Status	[kt	CO ₂ eq. p.a	a.]	[EUR/t]
			_		2005	2010	2020	
Cross-cutting	Estonian National Environmental Strategy	Planning	CO2					
Cross-cutting	Pollution Charge Act	Economic	CH ₄ , CO ₂ ,HFC, N2O, PFC, SF ₆	Implemented				
Cross-cutting	Activities Implemented Jointly	Voluntary/negotiat ed agreement	CO2	Expired				
Cross-cutting	Joint Implementation	Voluntary/negotiat ed agreement	CO2	Implemented				
Cross-cutting	Agreement on a Testing Ground for Application of the Kyoto Mechanisms on Energy Projects in the Baltic Sea Region (RT II 2004, 22, 92)	Regulatory	CO2					
Cross-cutting	National Allocation Plan for GHG emissions Allowances	Economic	CO2					
Cross-cutting	Value Added Tax Act (RT I 2001, 64, 368)	Economic	CO2					
Energy Supply	Long-Term National Development Plan for the Fuel and Energy Sector	Regulation	CO2					
Energy Supply	Fuel Switch	Voluntary/negotiat ed agreement	CO2	Implemented	2	2		
Energy Supply	Renovation of District Heating Systems	Voluntary/negotiat ed agreement	CO2	Implemented	5	5		
Energy Supply	Renovation of Oil Shale Power Plants - Narva Plants	Regulatory	CO2	Implemented	53	53		
Energy Supply	Green Energy Project	Information	CO2	Implemented				
Energy Consumption	Renovation of DH Boilers and Boiler Plants	Voluntary/negotiat ed agreement	CO2	Implemented	10			

Energy Consumption Energy	Renovation of Residential Buildings Energy Efficiency of Equipment	Voluntary/negotiat ed agreement	CO2	Implemented	10	10	
Consumption	Act	Regulatory	CO2	Implemented	10		
Energy Consumption	District Heating Act	Regulatory	CO2	Implemented			
Energy Consumption	Replacement of Electric Appliances in Households	Voluntary/negotiat ed agreement	CO2	Implemented			
Transport	Quality Requirements for Liquid Fuels	Regulatory	CO2	Implemented	20		
Transport	Development Plan of the Transport Sector for 1999-2006	Regulatory	CO2	Implemented	100		
Industrial Processes	Estonian National Environment Strategy (Industry)	Regulatory	CO2	Implemented	12		
Industrial Processes	Integrated Pollution Prevention and Control Act	Regulatory	CH ₄ , CO ₂ ,HFC, N2O, PFC, SF ₆	Implemented			
Industrial Processes	Environmental Management Systems	Voluntary/negotiat ed agreement	CH ₄ , CO ₂ ,HFC, N2O, PFC, SF ₆	Implemented			
Industrial Processes	Eco-labeling	Voluntary/negotiat ed agreement	CH ₄ , CO ₂ ,HFC, N2O, PFC, SF ₆	Implemented			
Industrial Processes	Voluntary Agreements	Voluntary/negotiat ed agreement	CH ₄ , CO ₂ ,HFC, N2O, PFC, SF ₈	Implemented			
Industrial Processes	Voluntary Environmental Reporting	Information	CH ₄ , CO ₂ ,HFC, N2O, PFC, SF ₉	Implemented			
Agriculture	Rural Development Plan	Planning	CH4 CO2 N2O	Implemented			

Agriculture Forestry	Organic Farming Act Forest Act	Regulatory Regulatory	N2O CO2	Implemented Implemented	1739		
Forestry	Restoration of Mining Areas	Regulatory	CO2	Implemented	15		
Forestry	Re-forestation of out-of-use agricultural land (approximately 100 thou ha)	Regulatory	CO2	Implemented	330	330	
Waste	New Requirements for Landfills	Regulatory	CH4	Other	3	3	

Source: Öko Institut, (accessed 18 June 2008), ECCP Policies and Measures database, http://www.oeko.de/service/pam/index.php

Table 7. Detailed information on Planned Policies and measures

					Absolu	te Reductio	on	Costs
	Name	Туре	GHG	Status	[kt C	O ₂ eq. p.a.]		[EUR/t]
Sector					2005	2010	2020	
Cross-cutting	Estonian National Environmental Strategy	Planning	CO2					
Cross-cutting	Agreement on a Testing Ground for Application of the Kyoto Mechanisms on Energy Projects in the Baltic Sea Region (RT II 2004, 22, 92)	Regulatory	CO2					
Cross-cutting	National Allocation Plan for GHG emissions Allowances	Economic	CO2					
Cross-cutting	Value Added Tax Act (RT I 2001, 64, 368)	Economic	CO2					
Energy Supply	Long-Term National Development Plan for the Fuel and Energy Sector	Regulation	CO2					

Source: Öko Institut, (accessed 18 June 2008), ECCP Policies and Measures database, http://www.oeko.de/service/pam/index.php

Table 8. Status of national policies and measures (PAM) in relation to European common and coordinated policies and measures (CCPM)

Status	CCPM	Sector
National policies and		
measures already in force before CCPM was adopted	Kyoto Protocol project mechanisms 2004/101/EC	Cross-cutting
Existing national policies	Taxation of energy products 2003/96/EC	
and measures reinforced	Energy performance of buildings 2002/91/EC	
by CCPM	Directive on waste 2006/12/EC	
New national policies and measures implemented	Emissions trading 2003/87/EC	Cross-cutting
after CCPM was adopted	Integrated pollution prevention and control 96/61/EC	Cross cutting
	Promotion of cogeneration 2004/8/EC	Energy supply
	Promotion of electricity from RE sources 2001/77/EC	Energy supply
	Directives on energy labeling of appliances	Energy consumption
	Energy labeling for office equipment 2422/2001	Energy consumption
	Efficiency fluorescent lighting 2000/55/EC	Energy consumption
	Efficiency of hot water boilers 92/42/EEC	Energy consumption
	Packaging and packaging waste (94/62/EC, 2004/12/EC, 2005/20/EC)	Waste
	Landfill directive 1999/31/EC	Waste
	Promotion of biofuels for transport 2003/30/EC	Transport
Status of national policy	Internal electricity market 2003/54/EC	Energy supply
or measure not reported	Internal market in natural gas 98/30/EC	Energy supply
	Ecodesign requirements for energy-using products 2005/32/EC	Energy consumption
	End-use efficiency and energy services 2006/32/EC	Energy consumption
	Eco-management & audit scheme (EMAS) EC 761/2001	Energy consumption
	Motor challenge, voluntary EC programme	Energy Consumption
	Transport modal shift to rail 2001/12/EC.	Transport
	Consumer information on cars 1999/94/EC	Transport
	Agreement with car manufacturers ACEA	Transport
	Marco Polo programme on freight transport	Transport
	Integrated European railway area (COM(2002)18 final)	Transport
	HFCs in mobile air conditioning 2006/40/EC	Transport
	F-gas regulation (842/2006)	Industrial Processes
	Support under CAP (1782/2003)	Agriculture
	Support under CAP - amendment (1783/2003)	Agriculture
	Rural development support and CAP(2603/1999, 1698/2005 and 1290/2005)	Agriculture
	Support scheme for energy crops under CAP (795/2004)	Agriculture

Support for rural development from EAGGF (1257/1999)	Agriculture
Pre-accession measures for agriculture and rural development (1268/1999)	
Nitrates directive 91/676/EEC	

Source: MS responses to the CCPMs questionnaire, 2005. Personal communications.

4. METADATA

Sources of information

Estonia's national report submitted to the European Commission under Article 3(2) of the Monitoring Mechanism, Decision 280/2004/EC. Report submitted 2 June 2008.

Estonia's Annual greenhouse gas inventory 1990 - 2006 and inventory report, 7 April 2008.

Base-year emissions from the UNFCCC website, http://unfccc.int/ghg_data/kp_data_unfccc/base_year_data/items/4354.php

Öko Institut, (accessed 24/06/2008), ECCP Policies and Measures database, http://www.oeko.de/service/pam/index.php

Estonia's Fourth National Communication under the United Nations Framework Convention on Climate Change, Ministry of Environment of Estonia, 2005 (hereinafter 4th NC)

Kyoto base-year emissions

Kyoto base-year emissions are presented throughout, except Table 1 which presents projections reference year emissions (see below). Kyoto base year emissions of greenhouse gases (42.62 Mt CO₂ eq.) were calculated using 1990 emissions for carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), and 1995 emission calculations for F-gases.

Kyoto base-year emissions have now been reviewed and set for all EEA countries, including Estonia.

Projections reference year emissions

Projections reference year emissions are presented in Table 1.

Projections reference year emissions are defined as projections-consistent emissions data for a given historic year, as chosen by the Member State. For Estonia it is the year 2000. Inventory recalculations from year to year may mean that latest inventory data cannot be compared with projections based on older inventory data. Where such an inconsistency has arisen, MS projections have been corrected by applying the following formula:

Corrected projection = projections reported by MS * reference year emissions reported by MS alongside projections / latest inventory emissions for the same reference year. In Estonian case while searching for comparable data to calculate the correction factor, only one set of data has been found. These are the CO₂ emissions from the energy sector. For the projections consistent reference year this indicator is provided in the MMS 2007 submission constituting around 17.5 Mt CO₂ (see Figure 2.3.1. in the MMS 2007 submission, page 16). This is not clear whether it includes or excludes transport. However, since the projections are estimated based on the projected total fuel consumption within the country, the assumption is that transport is included. The latest inventories of the same year (2000) estimate total CO₂ emission in the energy sector including transport as 14.697 Mt CO₂, thus the correction factor is 0.84.

Quality of Reporting

Member State reporting in the sources detailed above was assessed semi-qualitatively. Scoring was attributed according to the level of detail and clarity: from o (representing no reported) to +++ (representing very detailed and/or clear reporting). Guidance used for this assessment included the reporting requirements laid down in:

- EU legislation: Monitoring Mechanism (280/2004/EC) and Implementing Provisions (2005/166/EC)
- UNFCCC reporting guidelines for national communications available in English, French, Spanish ("Guidelines for the preparation of national communications by Parties included in Annex I to the Convention, Part II: UNFCCC reporting guidelines on national communications - FCCC/CP/1999/7")

The following tables detail reporting considered to be best practice for the purposes of this assessment.

	Example of good practice
Information provided	
Policy names	Clear names and description provided with unique identifier.
Objectives of policies	Good description of objectives
Types of policies	Type of policy instrument specified e.g. regulatory, fiscal
Which greenhouse gases?	Specifies which gases each PAM affects
Status of Implementation	Clear for each PAM: planned, adopted, implemented, expired
Implementation body	Clear which authorities are responsible for implementation
Quantitative assessment of	Almost all PAMs are actually quantified. Total effect of all PAMs
emission reduction effect and	specified. WOM projection provided.
cost of policies	Data lla didica consissa and an abasic of malling interesting
Interaction with other national and EU level policies	Detailed discussion and analysis of policy interactions.
Measures implementing	Report details which national policies are implementing individual
community legislation	pieces of EU legislation.
Arrangements for flexible	Details arrangements for use of flexible mechanisms.
mechanisms	
Balance between domestic	Regarding reductions required to meet Kyoto target, details
action and flexible mechanisms	proportion to result from domestic action and flexible mechanisms.

	Example of good practice
Category of Information	
WEM and WAM projections	"with measures" and "with additional measures" projections required. "without measures projection" optional.
Policies included in each projection	Clear presentation of the policies included in each projections scenario.
Expressed relative to historic reference year data	Projections are presented alongside consistent historic emissions.
Starting year	Starting year and emissions used as basis for projections is detailed.
Split of projections	Projection split by all 6 gases (or F-gases together), all sectors and years
Presentation of results	Clear, both tables and graphs provided and/or used excel reporting template.
Description of methodologies	Description of approach, model and assumptions
Sensitivity analysis	Was an analysis carried out to determine the sensitivity of projections to variance in the input parameters? Are high medium and low scenarios presented?
Discussion of uncertainty	Is an uncertainty range for the projections provided?
Details of parameters and assumptions	Are parameters as required under Monitoring Mechanism 280/2004/EC reported?
Indicators for projections	Are indicators for projections as required under Monitoring Mechanism 280/2004/EC reported?

Table 9. Information provided on policies and Kyoto flexible mechanisms

Information provided	Level of information provided	Comments
Policy names	+++	Policy names are provided.
Objectives of policies	+++	Objectives of almost every policy or measure are specified in the text.
Types of policies	+++	Indicated
Which greenhouse gases?	++	CO2, CH4, N2O. No information on the fluorinated gases.
Status of Implementation	++	It is indicated whether a policy is planned, implemented or expired. No information on which scenario WEM or WAD the policy belongs to.
Implementation body	+	Implementation bodies are specified in a general way. For instance, "national government". No information which body of the national government is responsible for the implementation.
Quantitative assessment of emission reduction effect and cost of policies	++	Quantitative assessment is provided. No information on the methodology of calculations.
Interaction with other national and EU level policies	+++	Detailed discussion and analysis of policy interactions.
Measures implementing community legislation	++	Community CCPM has been gradually transposed in the Estonian legislation, and is now under implementation.

Arrangements for flexible mechanisms	+++	Estonia has acquired full eligibility, established a DNA, and approved national approval procedure.
		Estonia will not be an Investor into Flexible Mechanism for the first commitment period. It will
Balance between domestic		host JI projects for the sake of implementation of
action and flexible mechanisms	+++	national priorities.

Source: Estonia's MM submission, March 2007

Table 10. Information provided on projections

	Level of information	
Category of Information	provided	Comments
WEM and WAM projections	+	WEM and WAM scenarios are provided for the forestry and agricultural sector. WEM and two level WAM scenarios are provided for the energy sector.
Policies included in each projection	++	Full description of scenarios under WOM, WEM, and WAM for Energy Sector. Scenarios under WEM and WAM are briefly described for Agriculture and Forestry
Expressed relative to historic reference year data	0	NO
Starting year	+++	1990/2000
Split of projections	+	Three sectors, WEM and WAM scenarios
Presentation of results	+	Mainly graphs are provided; sometimes there are figures for the sectors considered.
Description of methodologies	++	The description of the MARKAL model for the projections in the energy sector as well as the main indicators which are the inputs is extensive.
Sensitivity analysis	0	Sensitivity analysis has not been done for the projections. However, it has been done for projected energy production and consumption regarding fuel prices on the international markets.
Discussion of uncertainty	0	NO
Details of parameters and assumptions	++	Extensive for the energy sector. Provided for agriculture and forestry.
Indicators for projections	+	Limited number

Source: Estonia's MM submission, March 2007 and 4th NC

Table 11. Parameters for Projections

1. Mandatory parameters on projections	2005	2010	2015	2020	Units
Assumptions for general economic parameters					
GDP (value at given years or annual growth rate and base year)	7.469	9.892	12.39	14.88	Billion EUR 2000
Population (value at given years or annual growth rate and base year)	1.35	1.35	1.4	1.4	million
International coal prices at given years	1.6	1.6	1.6	1.6	EUR/GJ
International oil prices at given years	4.5	5.8	7.1	8.4	EUR/GJ
International gas prices at given years	3.2	4.16	0.12	6.08	EUR/GJ
Assumptions for the energy sector					

Total gross inland consumption (split by oil, gas, coal, renewables, nuclear, other)				
	11			
oil shale	 13			Mt
Total electricity production by fuel type (oil, gas, coal, renewables, nuclear, other)				
renewable sources (in electricity generation)	5.1			%
	6.5 -			T14.0
electricity consumption	8			TWh
heat	9	9	9	TWh
Energy demand by sector split by fuel (delivered)				
Assumptions on weather parameters, especially heating or cooling degree days				
Assumptions for the industry sector				
For Member States using macroeconomic models:				
The share of the industrial sector in GDP and growth rate				
For Member States using other models:				
The production index for industrial sector				
Assumptions for the transport sector				
For Member States using macroeconomic models:				
The growth of transport relative to GDP				
For Member States using other models:				
The growth of passenger person kilometers				
The growth of freight tonne kilometers				
Assumptions for buildings (in residential and commercial or tertiary sector)				
For Member States using macroeconomic models:				
The level of private consumption (excluding private transport)				
The share of the tertiary sector in GDP and the growth rate				
For Member States using other models:				
The rate of change of floor space for tertiary buildings and dwellings				
The number of dwellings and number of employees in the tertiary sector				
Assumptions in the agriculture sector				
For Member States using macroeconomic models:				
The share of the agriculture sector in GDP and relative growth				
For Member States using other models:				
Livestock numbers by animal type (for enteric fermentation beef, cows, sheep, for manure management pigs and poultry)				
Cows				
Sheep				
Pigs				
Poultry				
The area of crops by crop type				
Emissions factors by type of livestock for enteric fermentation and manure management (t)				
Assumptions in the waste sector				
Waste generation per head of population or tonnes of municipal solid waste				
The organic fractions of municipal solid waste				
Municipal solid waste disposed to landfills, incinerated or composted				
(in tonnes or %)				

Forest definitions					
Minimum Tree Crown Cover	30%	30%	30%	30%	percent
	0070	0070	0070	70,0	регести
Minimum Height	1.3	1.3	1.3	1.3	meter
minimum area	0.5	0.5	0.5	0.5	ha
minimum width (linear formations)	20	20	20	20	meter
Areas of:					
managed forests	2288	2325	2363	2400	th. ha
unmanaged forests					

2. Recommended parameters on projections	2005	2010	2015	2020	Units
Assumptions for general economic parameters					
GDP growth rates split by industrial sectors in relation to					
2000					
Comparison projected data with official forecasts					
Assumptions for the energy sector					
National coal, oil and gas energy prices per sector (including taxes)					
National electricity prices per sector as above (may be model output)					
Total production of district heating by fuel type					
Assumptions for the industry sector					
Assumptions fluorinated gases:					
Aluminum production and emissions factors					
Magnesium production and emissions factors					
Foam production and emissions factors					
Stock of refrigerant and leakage rates					
For Member States using macroeconomic models:					
Share of GDP for different sectors and growth rates					
Rate of improvement of energy intensity (1990 = 100)					
For Member States using other models:					
Index of production for different sectors					
Rate of improvement or index of energy efficiency					
Assumptions for buildings (in residential and commercial / tertiary sector)					
For Member States using macroeconomic models:					
Share of tertiary and household sectors in GDP					
Rate of improvement of energy intensity					
For Member States using other models:					
Number of households					

Number of new buildings			
Rate of improvement of energy efficiency (1990 = 100)			
Assumptions for the transport sector			
For Member States using econometric models:			
Growth of transport relative to GDP split by passenger and			
freight			
Improvements in energy efficiency split by vehicle type			
Improvements in energy efficiency split by vehicle type, whole fleet/new cars			
Rate of change of modal split (passenger and freight)			
Growth of passenger road kilometers			
Growth of passenger rail kilometers			
Growth of passenger aviation kilometers			
Growth of freight tonne kilometers on road			
Growth of freight tonne kilometers by rail			
Growth of freight tonne kilometers by navigation			
Assumptions for the agriculture sector			
For Member States using econometric models:			
Agricultural trade (import/export)			
Domestic consumption (e.g. milk/beef consumption)			
For Member States using other models:			
Development of area of crops, grassland, arable, set-aside, conversion to forests etc			
Macroeconomic assumptions behind projections of agricultural activity			
Description of livestock (e.g. by nutrient balance, output/animal production, milk production)			
Development of farming types (e.g. intensive conventional, organic farming)			
Distribution of housing/grazing systems and housing/grazing period			
Parameters of fertilizer regime:			
Details of fertilizer use (type of fertilizer, timing of application, inorganic/organic ratio)			
Volatilization rate of ammonia, following spreading of manure on the soil			
Efficiency of manure use			
Parameters of manure management system:			
Distribution of storage facilities (e.g. with or without			
cover):			
Nitrogen excretion rate of manures			
Methods of application of manure			
Extent of introduction of control measures (storage			
systems, manure application), use of best available techniques			
Parameters related to nitrous oxide emissions from agricultural soils			
Amount of manure treatment			

Source: Estonia's MM submission, March 2007 and 4th NC