# **BWD Report For the Bathing Season 2014** Estonia

The report gives a general overview of information acquired from the reported data, based on provisions of the Bathing Water Directive<sup>1</sup>. The reporting process is described below, as well as state and trends of bathing water quality in Estonia.

#### 1. BWD reporting in the season 2014

In 2014 bathing season, 54 bathing waters have been reported in Estonia. For each bathing water, five groups of parameters have been delivered<sup>2</sup>:

- *identification data* including name, location, geographic type of bathing water and availability to bathers:
- seasonal data including season start and end, national quality classification in present season, potential management measures and changes in quality;
- *monitoring results* disaggregated numerical values of two microbiological parameters - intestinal enterococci and Escherichia coli (also known as E. coli), recorded at each water sample taken;
- *abnormal situation periods* periods of unexpected situations that have, or could reasonably be expected to have, an adverse impact on bathing water quality and on bathers' health; reporting is optional;
- short-term pollution periods identifiable events that adversely affect water quality by faecal contamination; reporting is optional.

The authorities of Estonia report data according to the new BWD (2006/7/EC) since the season 2008. The data for the season 2014 were delivered to the European Commission by **30 December 2014**.

Altogether, **54 bathing waters** have been reported – 0.3% of all bathing waters in Europe. Out of all bathing waters in Estonia, 1.85% have been newly identified in 2014 season. 50% of bathing waters in Estonia are of coastal type; the other 50% are inland. 268 samples were taken at bathing waters throughout the season – 5 per bathing water on average.

Bathing waters of Estonia in 2014						
Total reported	54					
Coastal	27					
Inland	27					
Max season period	92 / 131 days					
Coastal	23 May to 30 Sep					
Inland	1 Jun to 31 Aug					
Samples taken	268					
Share of bathing waters	81%					
with good or excellent	01/0					
water quality						
New BWD implemented	in 2008					

<sup>&</sup>lt;sup>1</sup> Directive BWD 2006/7/EC, available at <u>http://eur-</u>

lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2006:064:0037:0051:EN:PDF

<sup>&</sup>lt;sup>2</sup> See the BWD Data Dictionary for detailed explanations: <u>http://dd.eionet.europa.eu/datasets/3151#tables</u>

The maximum bathing season period was from 23 May to 30 September for coastal bathing waters, i.e. 131 days altogether. Season duration varies for coastal bathing waters. Inland bathing season period was from 1 June to 31 August, i.e. 92 days.

Detailed information on bathing waters is available from national portal at <u>http://vtiav.sm.ee/index.php/?active tab\_id=SV</u>.

# 2. Assessment methodology<sup>3</sup>

During the bathing season, water samples are taken and analysed for two bacteria, *Escherichia coli* and intestinal enterococci which may indicate the presence of pollution, usually originating in sewage or livestock waste. The results of the analysis are used to assess the quality of the bathing waters concerned and to provide information to the public on the quality of the water in the bathing sites concerned.

The monitoring requirements under the New Bathing Water Directive are:

- taking of a pre-season sample (taken shortly before the start of the bathing season)<sup>4</sup>;
- a minimum of four samples per season<sup>5</sup>;
- a minimum of one sample per month<sup>6</sup>.

The conditions described above must be met for all bathing waters. If these rules are satisfied, the bathing water is categorised as 'sampling frequency satisfied'. If not all monitoring requirements are fulfilled the bathing water is categorised as 'sampling frequency not satisfied'. 88.9% of bathing waters met the described monitoring requirements set by the Directive, while the rest did not satisfy monitoring requirements or was either new, changed or closed. Table 1 shows the statistics of bathing waters according to satisfied BWD monitoring requirements.

<sup>&</sup>lt;sup>3</sup> The methodology used by the EC and the EEA is described here, while results of assessment by national authorities may somewhat differ. However, the provisions of the Directive should be followed in any case.

<sup>&</sup>lt;sup>4</sup> A pre-season sample is taken into account at total number of samples per season.

<sup>&</sup>lt;sup>5</sup> Three samples are sufficient if the season does not exceed eight weeks or the region is subject to special geographical constraints.

<sup>&</sup>lt;sup>6</sup> If, for any reason, it is not possible to take the sample at the scheduled date, a delay of four extra days is allowed. Thus, the interval between two samples should not exceed 31 + 4 days.

#### Table 1: Bathing waters in 2014 according to compliance with BWD monitoring provisions

	Count	Share of total [%]
BWs with sampling frequency satisfied and are not new, have no changes		
or were not closed in 2014		
These bathing waters have been monitored according to BWD provisions	48	88.9%
(monitoring frequency satisfied and have pre-season sample. They have		
been quality-classified (excellent, good, sufficient, poor).		
BWs with sampling frequency not satisfied and that are not new, have no		
changes or were not closed in 2014.		
These bathing waters have not been monitored according to BWD	3	5.6%
provisions (monitoring frequency not satisfied). They may be quality-		
classified if there is a reasonable volume of samples available.		
BWs that are new, changed or closed in 2014		
These bathing waters are new or have been subject to changes that could	3	5.6%
affect bathing water quality.		
Total number of bathing waters in 2014	54	100%

Bathing waters where sampling frequency was not satisfied can still be quality assessed if at least four samples per season (three samples if the season does not exceed eight weeks or the region is subject to special geographical constraints) are available and are more or less equally distributed throughout the season. Assessment of bathing water quality is possible when the bathing water sample dataset is available for four consecutive seasons. Bathing waters are accordingly classified to one of the bathing water quality classes (excellent, good, sufficient, or poor).

The classification is based on pre-defined percentile values for microbiological enumerations, falling in the certain class given in Annex I of the Directive. This defines different limit values for coastal and inland waters.

Quality assessment is not possible for all bathing waters. In these cases, they are instead classified as either:

- not enough samples<sup>7</sup>;
- new<sup>8</sup>;
- changes9;
- closed<sup>10</sup>.

<sup>&</sup>lt;sup>7</sup> Not enough samples have been provided for the 2014 season or throughout the whole assessment period.

<sup>&</sup>lt;sup>8</sup> Classification not yet possible because bathing water is newly identified and a complete set of samples is not yet available.

<sup>&</sup>lt;sup>9</sup> Classification is not yet possible after changes affecting bathing water quality have been implemented.


<sup>&</sup>lt;sup>10</sup> Bathing water is closed temporarily or throughout the bathing season.

# 3. Bathing water quality

The results of the bathing water quality in Estonia for the period of 2011–2014 as reported in the past reporting years and for the bathing season of 2014 are presented in Figure 1 (for coastal bathing waters) and Figure 2 (for inland bathing waters). The previous reports are available on the European Commission's bathing water quality website<sup>11</sup> and the European Environment Agency's bathing water website<sup>12</sup>.

### 3.1 Coastal bathing waters

In Estonia, 81.5% of all existing coastal bathing waters met at least sufficient water quality standards in 2014. See Appendix 1 for numeric data.




**Figure 1: Coastal bathing water quality trend in Estonia.** Note: the "At least sufficient" class also includes bathing waters of "Excellent" quality class, the sum of shares is therefore not 100%.

<sup>&</sup>lt;sup>11</sup> http://ec.europa.eu/environment/water/water-bathing/index\_en.html

<sup>&</sup>lt;sup>12</sup> http://www.eea.europa.eu/themes/water/status-and-monitoring/state-of-bathing-water

### 3.2 Inland bathing waters



92.6% of all existing inland bathing waters met at least sufficient water quality in 2014. See Appendix 1 for numeric data.

Figure 2: Inland bathing water quality trend in Estonia. Note: the "At least sufficient" class also includes bathing waters of "Excellent" quality class, the sum of shares is therefore not 100%.

# 4. Information regarding management and other issues

The requirements of Directive 2006/7/EC are promulgated in Estonian law in the Public Health Act, the Water Act, and regulation implementing them. Bathing waters have been under surveillance of the Health Board of Estonia.

Quality and control requirements for bathing water are laid down in the Decree of the Government No. 74 from 3rd April 2008 "Requirements to bathing waters and bathing sites". The regulation establishes requirements for bathing places, bathing water quality, monitoring, classification, quality management and reference methods, also establishes the provision of information to the public. Private or public bodies owning the bathing place are the subject of the regulation.

In accordance to legislation, the Health Board is responsible for arranging bathing water monitoring and doing state supervision, collecting and processing the data on the bathing water quality, advising bathing place owners, informing public and establishing bathing water profiles.

In 2014, two seaside bathing places and one inland bathing place were classified as "poor" – Vana-Pärnu, Kunda and Anne kanal. Vana-Pärnu and Anne kanal bathing places were classified as "poor" also for the 2013 season. Main problem is that the analyses results fluctuate for quite a wide range (for Anne kanal from 1 to 3400 cfu/100 ml, for others from 1 to 480 100 cfu/100 ml. In Anne kanal bathing place in year 2012 occurred pollution incident and that still influence the classification. Bathing water

profiles are established for all three bathing places. The main water quality management measures are part of River Basin Management Plans and local development plans.

# 5. Bathing water quality assessment presentation in online viewers

The new legislation requires more effective monitoring and management of bathing waters, greater public participation and improved information dissemination. More on the bathing and other water legislation can be found on the European Commission's website: <a href="http://ec.europa.eu/environment/water/index en.htm">http://ec.europa.eu/environment/water/index en.htm</a>.

The bathing water section of the Water Information System for Europe (WISE), which is accessible at the EEA bathing water website (<u>http://www.eea.europa.eu/themes/water/interactive/bathing/state-of-bathing-waters</u>), allows users to view the bathing water quality at more than 21 000 coastal beaches and inland sites across Europe. The data on bathing water quality in 2014 and previous years can also be viewed in WISE bathing water data viewer, an application prepared by TC Vode (<u>http://bwd.eea.europa.eu/</u>). The WISE bathing water quality data viewer combines text and graphical visualisation, providing a quick overview of the bathing water's locations and achieved quality.

Citizens have now access to more bathing water information than ever and are encouraged to make full use of disseminated information.


# Appendix 1: Results of bathing water quality in Estonia from 2011 to 2014

Table 2: Bathing waters in the season 2014 according to quality

		Total number of bathing waters	Excellent quality or compliant with guide values Excellent quality or compliant with guide values Excellent quality or compliant mandatory		cient Ility iant with	Poor quality or non-compliant		Quality classification not possible: not enough samples /new bathing waters/bathing waters with changes/closed		
			No	%	No	%	No	%	No	%
	2011	27	13	48.1	25	92.6	2	7.4	0	0.0
Coastal	2012	27	11	40.7	23	85.2	0	0.0	4	14.8
	2013	26	11	42.3	23	88.5	2	7.7	1	3.8
	2014	27	10	37.0	22	81.5	2	7.4	3	11.1
Inland	2011	28	26	92.9	28	100.0	0	0.0	0	0.0
	2012	27	24	88.9	27	100.0	0	0.0	0	0.0
	2013	27	23	85.2	25	92.6	1	3.7	1	3.7
	2014	27	23	85.2	25	92.6	1	3.7	1	3.7
Total	2011	55	39	70.9	53	96.4	2	3.6	0	0.0
	2012	54	35	64.8	50	92.6	0	0.0	4	7.4
	2013	53	34	64.2	48	90.6	3	5.7	2	3.8
	2014	54	33	61.1	47	87.0	3	5.6	4	7.4

Note: the class "At least sufficient" also includes bathing waters which are of excellent quality, the sum of shares is therefore not 100%.

# Appendix 2: Bathing water quality map





Source: National boundaries: EEA; Large rivers and lakes: EEA, WFD Article 3; Bathing waters data and coordinates: Estonian authorities