

Czech bathing water quality in 2015



Czech Republic



May 2016



BWD Report For the Bathing Season 2015

The Czech Republic

The report gives a general overview of information acquired from the reported data, based on provisions of the Bathing Water Directive¹. The reporting process is described below, as well as state and trends of bathing water quality in The Czech Republic.

1. BWD reporting in the season 2015

In 2015 bathing season, 153 bathing waters have been reported in The Czech Republic. For each bathing water, five groups of parameters have been delivered²:

- *identification data* – including name, location, geographic type of bathing water and availability to bathers;
- *seasonal data* – including season start and end, national quality classification in present season, potential management measures and changes in quality;
- *monitoring results* – disaggregated numerical values of two microbiological parameters – intestinal enterococci and Escherichia coli (also known as E. coli), recorded at each water sample taken;
- *abnormal situation periods* – periods of unexpected situations that have, or could reasonably be expected to have, an adverse impact on bathing water quality and on bathers' health; reporting is optional;
- *short-term pollution periods* – identifiable events that adversely affect water quality by faecal contamination; reporting is optional.

Bathing waters of the Czech Republic in 2015	
Total reported	153
Coastal	0
Inland	153
Max season period	108 days
	18 May to 14 Sep
Samples taken	827
Share of bathing waters with good or excellent water quality	92 %
Reporting under Directive 2006/7/EC since	2012

The authorities of The Czech Republic report data according to the new BWD (2006/7/EC) since the season 2012. The data for the season 2015 were delivered to the European Commission by **10 December 2016**, with additional deliveries on 22 January 2016.

Altogether, **153 bathing waters** have been reported – 0.7% of all bathing waters in Europe. Out of all bathing waters in The Czech Republic, 1.31% have been newly identified in 2015 season. All bathing

¹ Directive BWD 2006/7/EC, available at <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2006:064:0037:0051:EN:PDF>

² See the BWD Data Dictionary for detailed explanations: <http://dd.eionet.europa.eu/datasets/3294#tables>

waters in the Czech Republic are inland. **827 samples** were taken at bathing waters throughout the season – 5 per bathing water on average.

Maximum bathing season period was from 18 May to 14 September, i.e. 108 days. Season duration varies depending on bathing water.

Detailed information on bathing waters is available from national portal at <http://www.mzcr.cz/verejne/obsah/koupani-ve-volne-prirode-1071-5.html>.

2. Assessment methodology³

During the bathing season, water samples are taken and analysed for two bacteria, *Escherichia coli* and intestinal enterococci which may indicate the presence of pollution, usually originating in sewage, livestock waste, bird faeces etc. The results of the analysis are used to assess the quality of the bathing waters concerned and to provide information to the public on the quality of water in the bathing sites concerned.

The monitoring requirements under the Directive are:

- taking a pre-season sample (taken shortly before the start of the bathing season)⁴;
- a minimum of four samples per season⁵;
- a minimum of one sample per month⁶.

If these rules are satisfied, the bathing water is categorised as 'sampling frequency satisfied'. If not all monitoring requirements are fulfilled the bathing water is categorised as 'not enough samples'. 94.8% of bathing waters met the described monitoring requirements set by the Directive, while the rest did not satisfy monitoring requirements for different reasons: being new; having changed environmental conditions that might affect water quality classification; closed; not monitored due to legal issues, physical inaccessibility to the site etc. Table 1 shows the statistics of bathing waters according to monitoring requirements.

³ The methodology used by the EC and the EEA is described here, while results of assessment by national authorities may differ in individual cases.

⁴ A pre-season sample is taken into a sum of samples per season.

⁵ Three samples are sufficient if the season does not exceed eight weeks or the region is subject to special geographical constraints.

⁶ If, for any reason, it is not possible to take the sample at the scheduled date, a delay of four extra days is allowed. Thus, the interval between two samples should not exceed 31 + 4 days.

Table 1: Bathing waters in 2015 according to compliance with BWD monitoring provisions

	Count	Share of total [%]
<p>BWs with sampling frequency satisfied (and are not new, are not subject to changes or were not closed in 2015)</p> <p>These bathing waters have been monitored according to provisions and have complete dataset from the last assessment period. They have been quality-classified (excellent, good, sufficient, poor).</p>	145	94.8%
<p>BWs with sampling frequency not satisfied (and are not new, are not subject to changes or were not closed in 2015)</p> <p>These bathing waters exist throughout the last assessment period but have not been monitored throughout the period according to provisions for various individual reasons. They may be quality-classified if there is an adequate volume of samples available for credible classification.</p>	1	0.7%
<p>BWs that are new, subject to changes or closed in 2015</p> <p>These bathing waters do not have complete dataset for the last assessment period because they are new, have been subject to changes (that are likely to affect the classification of the bathing water) or have been closed. They cannot be quality-classified.</p>	7	4.6%
Total number of bathing waters in 2015	153	100%

Bathing waters where sampling frequency was not satisfied can still be quality assessed if at least four samples per season (three samples if the season does not exceed eight weeks or the region is subject to special geographical constraints) are available and equally distributed throughout the season. Assessment of bathing water quality is possible when the bathing water sample dataset is available for four consecutive seasons. Bathing waters are accordingly classified to one of the bathing water quality classes (excellent, good, sufficient, or poor).

The classification is based on pre-defined percentile values for microbiological enumerations, limiting the classes given in Annex I of the Directive. The Directive defines different limit values for coastal and inland waters.

Quality assessment is not possible for all bathing waters. In these cases, they are instead classified as either:

- not enough samples⁷;
- new⁸;
- changes⁹;
- closed¹⁰.

⁷ Not enough samples have been provided throughout the last assessment period (the last four bathing seasons or, when applicable, the period specified in Article 4.2 or 4.4).

⁸ Classification not yet possible because bathing water is newly identified and a complete set of samples is not yet available.

⁹ Classification is not yet possible after changes that are likely to affect the classification of the bathing water.

¹⁰ Bathing water is closed temporarily or throughout the bathing season.

3. Bathing water quality

The results of the bathing water quality in the Czech Republic throughout the past period are presented in Figure 2. The previous reports are available on the European Commission's bathing water quality website¹¹ and the European Environment Agency's bathing water website¹².

3.1 Coastal bathing waters

There are no coastal bathing waters in the Czech Republic.

3.2 Inland bathing waters

92.8% of all existing inland bathing waters were of at least sufficient water quality in 2015. See Appendix 1 for numeric data.




Figure 1: Inland bathing water quality trend in The Czech Republic. Note: the “At least sufficient” class also includes bathing waters of “Excellent” quality class, the sum of shares is therefore not 100%.

¹¹ http://ec.europa.eu/environment/water/water-bathing/index_en.html

¹² <http://www.eea.europa.eu/themes/water/status-and-monitoring/state-of-bathing-water>

4. Information regarding management and other issues

The Czech Republic held the process of transposition of Directive 2006/7/EC, at the end of the adoption of new national regulations for bathing water. The new regulations have brought many innovations for bathing waters and were first applied in 2012 bathing season.

Monitoring calendars for all bathing waters were prepared before the bathing season. Bathing water profiles were created in time and information boards were produced and placed in an easily accessible place in the near vicinity of each bathing water.

Sampling was carried out according to the bathing water monitoring calendar at least once per month. In some cases there was also an increase in the frequency of monitoring, where any exceeding of the national limit for parameters *Escherichia coli*, Intestinal enterococci or cyanobacteria occurred. Water quality problems are the most frequently related to mass proliferation of cyanobacteria due to the eutrophication of reservoirs and ponds. Measures to reduce eutrophication of waters in the Czech Republic, including bathing waters, are primarily adopted under the programmes implementing the Directive 91/271/EEC concerning urban waste-water treatment and the Directive 91/676/EEC concerning the protection of waters against pollution caused by nitrates from agricultural sources. Selected bathing sites, based on the unsatisfactory water quality results, have been included into the operational water monitoring program. Measures to improve of water quality will also be adopted in the frame of management plans of concerned river basins (Water Framework Directive 2000/60/EC).

A set of symbols were designed for simple and clear communication with the public. Information concerning water quality is also published in press (mostly regional) and occasionally in other media (radio and TV stations), and in the summer bathing season, were sent in regular week intervals by the Ministry of Health to the Czech Press Agency a summary of actual water quality report for every bathing water.

The most important implemented management measures are:

- Sediment removal.
- Intensification/reconstruction/construction of wastewater treatment plant and sewer construction in the immediate vicinity or in the basin of bathing waters clearly affecting the water quality.
- Preparation of the study concerning the assessment of current situation, identification of causes of pollution and proposal of measures.
- Additional programmes of monitoring.
- Action on reservoirs or ponds – aeration, manipulation with fish stock, coagulant dosage to the inflow into the reservoir .
- Reconstruction of the reservoir or pond – dam repair, bank alteration.
- Reduction of intensity of aquaculture production.
- Application of chemicals to reduce the nutrients needed for the development of cyanobacteria and undesirable aquatic flora.

Two outbreaks of cercarial dermatitis occurred in jezero Michal and Brušperk. Advices against bathing were applied and the information on cercarial dermatitis was placed near the beaches.

Water quality problems were most frequently related to mass proliferation of cyanobacteria. The WHO recommendation was adopted for the limit value of the “cyanobacteria” indicator, i.e. a three-level

water quality assessment with the ban imposed if a visual inspection reveals the presence of water bloom. In the 2015 bathing season were eight bathing prohibitions (all due to the presence of cyanobacteria).

5. Bathing water quality assessment presentation in online viewers

The European bathing water legislation focuses on sound management of bathing waters, greater public participation and improved information dissemination. More on the bathing and other water legislation can be found on the European Commission's website: http://ec.europa.eu/environment/water/index_en.htm.

The bathing water section of the Water Information System for Europe (WISE) which is accessible at the EEA bathing water website (<http://www.eea.europa.eu/themes/water/interactive/bathing/state-of-bathing-waters>) allows users to view the bathing water quality at more than 21 000 coastal beaches and inland sites across Europe. The WISE bathing water quality data viewer combines text and graphical visualisation, providing a quick overview of the bathing water's locations and achieved quality. Having access to bathing water information, citizens are encouraged to make full use of it and participate with their comments.

Appendix 1: Results of bathing water quality in the Czech Republic from 2012 to 2015


Table 2: Bathing waters in the season 2015 according to quality

		Total number of bathing waters	Excellent quality		At least sufficient quality		Poor quality		Quality classification not possible: not enough samples /new bathing waters/bathing waters subject to changes/closed	
			No	%	No	%	No	%	No	%
Total	2012	160	120	75.0	143	89.4	4	2.5	13	8.1
	2013	157	120	76.4	144	91.7	3	1.9	10	6.4
	2014	152	116	76.3	139	91.4	3	2.0	10	6.6
	2015	153	121	79.1	142	92.8	3	2.0	8	5.2

Note: the class "At least sufficient" also includes bathing waters which are of excellent quality, the sum of shares is therefore not 100%.

Appendix 2: Bathing water quality map

Map 1: Bathing waters reported during the 2015 bathing season in the Czech Republic



Bathing water quality

- Excellent water quality
- Good water quality
- Sufficient water quality
- Poor water quality
- Quality classification not possible: not enough samples / new bathing waters / bathing waters with changes / closed
- No data
- Outside data coverage (data available, not presented on the map)

Source: National boundaries: EEA; Large rivers and lakes: EEA, WFD Article 3; Bathing waters data and coordinates: Czech authorities; Digital Elevation Model over Europe (EU-DEM): EEA.