

Cypriot bathing water quality in 2017



Cyprus 

May 2018

Photo: © Peter Kristensen/EEA



BWD Report For the Bathing Season 2017

Cyprus

The report gives a general overview of information acquired from the reported data, based on provisions of the Bathing Water Directive¹. The reporting process is described below, as well as state and trends of bathing water quality in Cyprus.

1. BWD reporting in the season 2017

In the 2017 bathing season, 113 bathing waters have been reported in Cyprus. For each bathing water, five groups of parameters have been delivered²:

- *identification data* – including name, location, coastal, inland or transitional type of bathing water and availability to bathers;
- *seasonal data* – including season start and end, national quality classification in the recent season, potential management measures and changes that are likely to affect the classification of the bathing water;
- *monitoring results* – disaggregated numerical values of two microbiological parameters – intestinal enterococci and Escherichia coli (also known as E. coli), recorded at each water sample taken;
- *abnormal situation periods* – periods of an event or combination of events impacting on bathing water quality, during which monitoring calendar may be suspended; reporting is optional;
- *short-term pollution periods* – measurable events of microbiological contamination; reporting is optional.

Total reported	113
Coastal	113
Inland	0
Max season period	184 days
	1 May to 31 Oct
Samples taken	991
Share of bathing waters with good or excellent water quality	98 %
Reporting under Directive 2006/7/EC since	2008

The authorities of Cyprus report data according to the new BWD (2006/7/EC) since the season 2008.

Altogether, **113 bathing waters** have been reported – 0.5% of all bathing waters in Europe. No bathing waters have been newly reported in the recent season. All bathing waters in Cyprus are of coastal type. **991 samples** were taken at bathing waters throughout the season – 9 per bathing water on average.

The maximum bathing season period was from 1 May to 31 October, i.e. 184 days altogether.

¹ Directive BWD 2006/7/EC, available at <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2006:064:0037:0051:EN:PDF>

² See the BWD Data Dictionary for detailed explanations: <http://dd.eionet.europa.eu/datasets/3294#tables>

Detailed information on bathing waters is available from national portal at <http://www.moa.gov.cy/moa/environment/environmentnew.nsf/All/9E7057F0FB6B8067C2257F6200327E0D?OpenDocument>.

2. Assessment methodology³

During the bathing season, water samples are taken and analysed for two bacteria, *Escherichia coli* and intestinal enterococci which may indicate the presence of pollution, usually originating in sewage, livestock waste, bird faeces etc. The results of the analysis are used to assess the quality of the bathing waters concerned and to provide information to the public on the quality of water in the bathing sites concerned.

The monitoring requirements under the Directive are:

- taking a pre-season sample (taken shortly before the start of the bathing season) ⁴;
- a minimum of four samples per season⁵;
- a minimum of one sample per month⁶.

If these rules are satisfied, the bathing water is categorised as 'sampling frequency satisfied'. If not all monitoring requirements are fulfilled the bathing water is categorised as 'not enough samples'. 98.2% of bathing waters met the described monitoring requirements set by the Directive, while the rest did not satisfy monitoring requirements for different reasons: being new; having changed environmental conditions that might affect water quality classification; closed; not monitored due to legal issues, physical inaccessibility to the site etc. Table 1 shows the statistics of bathing waters according to monitoring requirements.

Table 1: Bathing waters in 2017 according to compliance with BWD monitoring provisions

	Count	Share of total [%]
BWs with sampling frequency satisfied (and are not new, are not subject to changes or were not closed in 2017) These bathing waters have been monitored according to provisions and have complete dataset from the last assessment period. They have been quality-classified (excellent, good, sufficient, poor).	111	98.2%
BWs with sampling frequency not satisfied (and are not new, are not subject to changes or were not closed in 2017) These bathing waters exist throughout the last assessment period but have not been monitored throughout the period according to provisions for various individual reasons. They may be quality-classified if there is an adequate volume of samples available for credible classification.	1	0.9%
BWs that are new, subject to changes or closed in 2017 These bathing waters do not have complete dataset for the last assessment	1	0.9%

³ The methodology used by the EC and the EEA is described here, while results of assessment by national authorities may differ in individual cases.

⁴ A pre-season sample is taken into a sum of samples per season.

⁵ Three samples are sufficient if the season does not exceed eight weeks or the region is subject to special geographical constraints.

⁶ If, for any reason, it is not possible to take the sample at the scheduled date, a delay of four extra days is allowed. Thus, the interval between two samples should not exceed 31 + 4 days.

period because they are new, have been subject to changes (that are likely to affect the classification of the bathing water) or have been closed. They cannot be quality-classified.		
Total number of bathing waters in 2017	113	100%

Bathing waters where sampling frequency was not satisfied can still be quality assessed if at least four samples per season (three samples if the season does not exceed eight weeks or the region is subject to special geographical constraints) are available and equally distributed throughout the season. Assessment of bathing water quality is possible when the bathing water sample dataset is available for four consecutive seasons. Bathing waters are accordingly classified to one of the bathing water quality classes (excellent, good, sufficient, or poor).

The classification is based on pre-defined percentile values for microbiological enumerations, limiting the classes given in Annex I of the Directive. The Directive defines different limit values for coastal and inland waters.

Quality assessment is not possible for all bathing waters. In these cases, they are instead classified as either:

- not enough samples⁷;
- new⁸;
- changes⁹;
- closed¹⁰.

3. Bathing water quality

The results of the bathing water quality in Cyprus throughout the past period are presented in Figure 1. The previous reports are available on the European Commission's bathing water quality website¹¹ and the European Environment Agency's bathing water website¹².

3.1 Coastal bathing waters

In Cyprus, 98.2% of all existing bathing waters met at least sufficient water quality standards in 2017. See Appendix 1 for numeric data.

⁷ Not enough samples have been provided throughout the last assessment period (the last four bathing seasons or, when applicable, the period specified in Article 4.2 or 4.4).

⁸ Classification not yet possible because bathing water is newly identified and a complete set of samples is not yet available.

⁹ Classification is not yet possible after changes that are likely to affect the classification of the bathing water.

¹⁰ Bathing water is closed temporarily or throughout the bathing season.

¹¹ http://ec.europa.eu/environment/water/water-bathing/index_en.html

¹² <http://www.eea.europa.eu/themes/water/status-and-monitoring/state-of-bathing-water>




Figure 1: Coastal bathing water quality trend in Cyprus. Note: the “At least sufficient” class also includes bathing waters of “Excellent” quality class, the sum of shares is therefore not 100%.

3.2 Inland bathing waters

There are no reported inland bathing waters in Cyprus.

4. Information regarding management and other issues

For the 2017 bathing season, Cyprus monitored and reported under the Bathing Water Directive 2006/7/EC. The two parameters, “intestinal enterococci” and “Escherichia coli”, were analysed at least monthly and once before the start of the bathing season according to Article 3. The coastal areas monitored cover all the coastal area of the Republic of Cyprus in which the Government of Cyprus exercises effective control and are used for bathing. No freshwaters are used for bathing purposes in Cyprus.

All monitoring results and other related information are available to the public on registers held by the Department of Medical and Public Health Services and the Department of Environment or through the website of the Department of Environment (<http://www.moa.gov.cy/environment>). The profiles of all 113 bathing water can be observed through the website of the department of Environment (<http://www.moa.gov.cy/moa/environment/environmentnew.nsf/All/9E7057F0FB6B8067C2257F6200327E0D?OpenDocument>).

In the 2017 bathing season, nine short-term pollution incidents were reported.

Wastewater treatment plants are in operation for five large agglomerations on the coast of Cyprus. Wastewater effluent is almost entirely reused for irrigation. There is no disposal of untreated wastewater (municipal or industrial) to the sea.

As regards the bathing water areas for which the results have exceeded the levels defined in the Directive, management measures were taken by inspectors from various departments and all the relevant provisions of the Environmental Laws have been applied.

It is worth mentioning that the Cyprus climatic conditions (increased sunlight and high temperature) and the salinity of the coastal waters in the Eastern Mediterranean are quite unfavourable to the survival of microorganisms.

5. Bathing water quality assessment presentation in online viewers

The European bathing water legislation focuses on sound management of bathing waters, greater public participation and improved information dissemination. More on the bathing and other water legislation can be found on the European Commission's website: http://ec.europa.eu/environment/water/index_en.htm.

The bathing water section of the Water Information System for Europe (WISE) which is accessible at the EEA bathing water website (<http://www.eea.europa.eu/themes/water/interactive/bathing/state-of-bathing-waters>) allows users to view the bathing water quality at more than 21 000 coastal and inland sites across Europe. The WISE bathing water quality data viewer combines text and graphical visualisation, providing a quick overview of the bathing water's locations and achieved quality. Having access to bathing water information, citizens are encouraged to make full use of it and participate with their comments.

Appendix 1: Results of bathing water quality in Cyprus from 2014 to 2017

Table 2: Bathing waters in the season 2017 according to quality

		Total number of bathing waters	Excellent quality		At least sufficient quality		Poor quality		Quality classification not possible: not enough samples /new bathing waters/bathing waters subject to changes/closed	
			Count	%	Count	%	Count	%	Count	%
Total	2014	112	112	100.0	112	100.0	0	0.0	0	0.0
	2015	113	112	99.1	112	99.1	0	0.0	1	0.9
	2016	113	112	99.1	112	99.1	0	0.0	1	0.9
	2017	113	110	97.3	111	98.2	0	0.0	2	1.8

Note: the class "At least sufficient" also includes bathing waters which are of excellent quality, the sum of shares is therefore not 100%.

Appendix 2: Bathing water quality map

Map 1: Bathing waters reported during the 2017 bathing season in Cyprus



Bathing water

- Excellent water quality
- Good water quality
- Sufficient water quality
- Poor water quality
- Quality classification not possible: not enough samples / new
- No data
- Outside data coverage (data available, not presented on the map)

Source: National boundaries: EEA; Large rivers and lakes: EEA, WFD Article 3; Bathing waters data and coordinates: Cypriot authorities; Digital Elevation Model over Europe (EU-DEM): EEA.